



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HP	Logo
Company name *	HP Inc.	
Contact information * e-mail address	HP Sustainability Contact Centre (SCC)	מה
o maii address	sustainability@hp.com	Y
Internet site *	http://www8.hp.com/us/en/hp-information/environment/productsandsolutions.html?jumpid=in_r138 page-nav/solutions	us/en/corp/productreturnandrecycling/in-
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Scanner				
Commercial name *	HP ScanJet Pro 3600 f1				
Model number *	20G06A				
Issue date *	Mar 01 2022				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information	Regulatory Model Number (RMN): SEOLB-2100-00				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	20G06A	Logo	1
Issue date *	Mar 01 2022		IP

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$	
	terphenyl (PCT) in preparations (see legal reference).		<u> </u>	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			\boxtimes
	(see legal reference).	_	_	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://h22235.www2.hp.com/hpinfo/globalcitizenship/environment/productdata/reachall-products.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ħ	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	ᅮ	∺	\boxtimes
1 2.0	user", the related text is present and legible on the external packaging (see legal reference)	Ш	Ш	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			
	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	Ш	Ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).	<u>~~</u> 3		_
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20G06A	Logo	1
Issue date *	Mar 01 2022		IP

Produc	t environmental attributes - Market requirements (See General Note GN below)			
	Environmental conscious design	Requi	irement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No n.a	ι.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		_ <u></u>	_ <u>_</u> _
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9.	Spare parts are available after end of production for: x years			
P7.10	Service is available after end of production for: x years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			T
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: ABS		\boxtimes	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\bowtie	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	20G06A	Logo	
Issue date *	Mar 01 2022		UP

Product	environmental att	ributes - Market re	equirements (conti	nued)	R	equire	ment	met	
Item		market i				Yes	No	n.a.	
	Material and subst	ance requirements	(continued)						
P7.20*	Postconsumer recyc	aled plactic material of	content is used in the p	roduct (See NOTE B6)					
	i ostoonsumer recyt	sieu piastic materiai c	ontent is used in the p	Toddet (See NOTE Bo)	•		ш	ш	
	*		s below shall be answe	,					
		parts' weight > 25 g, total plastic by weigh	the postconsumer recy	cled plastic material co	ontent (calculated as a				
	or	, , ,	,						
D7.04*		ecycled material is 7		OTE DZ					
P7.21*	Biobased plastic ma	iteriai content is used	I in the product (See No	OTE B7):			Ш	\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;								
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or	weight) is 70.							
D= 004		he biobased plastic r							
P7.22*	7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							Ш	
P7.23*								\square	
P8									
P8.1*	Batteries Battery chemical composition:								
P9	Energy consumption (See NOTE B8)								
P9.1	For the product the	following power level	s or energy consumption	ons are reported:					
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard		nergy		
		100 V AC	115 V AC	230 V AC	modes and test method	d *			
	le for ENERGY	1.006 W	<i>1.103</i> W	<i>1.118</i> W	ENERGY STAR® Imag	ing Equip	pment		
(OM) prod	perational Mode ucts				Test Method (Ver. 3.0)				
	ff mode for	0.0495 W	0.0494 W	0.0567 W	ENERGY STAR® Imag	ing Equip	pment		
Mode (OM	STAR Operational				Test Method (Ver. 3.0)				
	for ENERGY STAR	<i>N/A</i> kWh/week	N/A kWh/week	N/A kWh/week	ENERGY STAR® IMAG	GING			
	ıcts (TEC= Typical				EQUIPMENT TEST ME	THOD(VER.		
Energy Co	nsumption)	107	10/	10/	3.0)				
		W	W	W				<u> </u>	
		W	W	W				<u>Ц</u>	
		W	W	W					
		W	W	W					
		W	W	W					
		W	W	W					
External P	ower Supply Efficienc	y Level (Internationa	l Efficiency Marking Pro	otocol) *: VI					
Print/Scan	Speed * :	30 images per minut	te						
Default tim	ne to enter energy sav	re mode: 15 minutes							
P9.2*	Information about th	ne energy save function	on is provided with the	product.	1	\square			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	20G06A	Logo	
Issue date *	Mar 01 2022		IP

Product	oduct environmental attributes - Market requirements (continued)						Require	ment	met
Item				· ·			Yes	No	n.a.
P10	Emissions								
	Noise emission	- Declared according to	ISO 9296 (See NO	OTE B9)					
P10.1	Mode	Mode description		Statistical up L _{WA,c} (B)	oper limit A-wei	ghted sound powe	r level,		
		* • • • • • • • • • • • • • • • • • • •							
	Idle	* Scanning at 300c dpi		* 17					Щ.
	Operation	* Scanning at 300c dpi	mode	* 6.4					
	Other mode	N/A		N/A					
					vered by ECMA	۹-74)			
		sions from printing prod							
P10.2*		according to ECMA-328 D		hemical Emis	sion Rates fron	n Electronic			
		IEC 28360) , other spe							
P10.3	Typical emission	rate (operation phase) is	(mg/h):						
	Clastrophotograp	ship dayigaay Ozona	Duet	Cturono	Danzana	T)/OC			
	Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC							H	
	mik devides.		Dust	Otyrono	Benzene	1700			Ш
	NOTE: compliane	ce with maximum emission	n rates in eco lab	els to be decla	ared in P14.				
P11		aterials for printing proc							
P11.1*	· · · · · · · · · · · · · · · · · · ·								
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.								
P11.3*	2-sided (duplex)	printing/copying is an inte	grated product fur	nction.					\boxtimes
P11.4*	The product is de	elivered to end-user with o	default auto-duple:	x enabled.					\boxtimes
P13	Packaging and								
P13.1*	Product packagir	ng material type(s): PS-M	olded Foam	weight (kg):	0.435				
		ng material type(s): PE - I		weight (kg):		(lea): 0.007E			
P13.2*	Product packagir	ng material type(s): Fiber rimary packaging is free f	rom P\/C	ea - Brown	weight	(kg): 0.9675	\square	$\overline{}$	$\overline{}$
P13.3*		ary corrugated fiberboard		fu tha aantain	ad naraantaga	of minimum noot			
P13.3		ered fiber content: 90		ry the contain	eu percentage	or minimum post-			Ш
P13.4*		r user and product docum):					П
	Electronic , P		,						
P13.5		plete this item if paper do	ocumentation used	d)					
		t documentation on paper	media is chlorine	-free:					
	If Yes, please sp	ecify:							
	Totally chlorine-f	ree					\boxtimes		
	Elemental chlorine-free						X		
	Processed chlorine-free								
P14	Voluntary progr	ams:							
P14.1		ets the requirements of the	e following volunta	ry program(s)):				
				_					
	ENERGY STAR			Date:		ict category:			
	Eco-label: Eco-label:	Criteria vers Criteria vers		Date: Date:		ict category: ict category:			
	LCO-label.	Ciliena veis	iiOi I.	Date.	FIUUU	ioi cai c goly.			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	20G06A	Logo	
Issue date *	Mar 01 2022		IP

P15		onmental attributes - Marke	· · · · · · · · · · · · · · · · · · ·	luaea)	Requirement met		
	Additional information (See NOTE B11)						
4//				is valid as of the date the declaration is p			
	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declara						
P 7.10		Customer has option to buy extended warranty care pack for up to 4 years. Specific warranty and support options may vary dependent upon product, country and country-specific legislation					
9							
	1.	for an ENERGY STAR® qualifier STAR® Logo qualify for the U.S. For more information about HP's	d configuration if offered v Environmental Protection ENERGY STAR® qualifi	the model family. Energy efficiency data I within the model family. HP printers marke in Agency (EPA) ENERGY STAR® award ed products, go to hp.com: http://www.hp.d printers or scanners that meet the ENERGY	d with the ENERGY for imaging equipment. com/ and select the		
	2.	2. If a model family does not offer ENERGY STAR® qualified configurations, then energy efficiency data listed is for a typically configured model.					
	3.	 Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically configured product base that qualifies for ENERGY STAR® if offered within the model family. If optional components or modules are added, these can change the energy efficiency data listed above. 					
	4.	4. European Union Commission Regulation 1275/2008- Energy Information:					
		Mode/Condition	Power (W)	Default time to (if applicable)			
		Mode/Condition Off	Power (W) 0.1 Watts				
			, ,	applicable)			
		Off	0.1 Watts N/A	applicable) 120 minutes			
		Off Standby (if applicable) Condition with networ	0.1 Watts N/A k 1.2 Watts k 1.2 Watts	applicable) 120 minutes N/A			

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
(Negulation)	
Directive 2004/12/EC (Packaging Directive)	P5.1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment	
(WEEE) generated by weight in each Member State.	



Company environmental profile - THE ECO DECLARATION

Brand	HP Logo
Company name *	HP Inc.
Contact information *	HP Sustainability Contact Centre (SCC)
	sustainability@hp.com
Internet site *	http://www8.hp.com/us/en/hp-information/environment/productsandsolutions.html?jumpid=in_r138_us/en/corp/productreturnandrecyc
	ling/in-page-nav/solutions
Issue date *	
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C7.

Company	Company environmental profile - Legal requirements Requirement me			
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of	life 🔀		
	products in countries where the company puts them on the market and where required (see legal reference	;e)		
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries countries where the company puts products on the market (see legal reference) or pays eco tax / fee whe required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packag material in countries where the company puts products on the market and where required (see le- reference)			

Company	mpany environmental profile - Market requirements Re				Requiren	equirement met		
Item					Yes	No	n.a.	
C4	Environmental policy and environmental management							
C4.1*	The company has a documented environmental policy approved by the management.			\boxtimes				
C4.2*	The company has an environmental management system covering:							
	Product development			\square				
	Manufacturing				Ħ	Ħ		
	If so, certified according to: ☐ ISO 14001 ☐ Other as specified in C7							
C4.3	The company regularly publish	nes an environmental rep	ort.		X			
	If so, it meets the recommend	ations of XThe Global R	eporting Initiative	Other as specified in C7				
C5	Recycling							
C5.1*	Information about the product, battery & packaging take back system (C1, C2 and C3) is available in printed							
	or electronic format.							
Company	npany environmental profile - Market requirements (continued) Requirement met					net		
Item					Yes	No	n.a.	
C6	Voluntary programs (When	a voluntary agreement is	s mentioned, at lea	st the product category has	to be defin	ed)		
C6.1	The company meets the requirements of the following voluntary program(s):							
		0 '' '	5.	5				
	Voluntary Agreement:	Criteria version:	Date:	Product category:				
	Voluntary Agreement:	Criteria version:	Date:	Product category:				
C7	Additional information							

HP has received ISO 14001 certification for its manufacturing operations (<u>Worldwide Manufacturing of Computing and Imaging Products and Related Operations</u>) and for product design for its <u>Personal Systems Products</u> and <u>LaserJet and Enterprise Printing Products</u>. The product design certifications include HP-wide product environmental design processes (such as HP's <u>General Specification for the Environment</u>) that cover all HP products.

HP is committed to responsible business practices and transparency in its global citizenship policies and performance. We have a long history of working with suppliers to monitor and improve their social and environmental responsibility (SER) performance when required, as well as improving standards in the industry. HP endorses the EICC Code of Conduct in its entirety, and we have supplemented it with additional requirements specific to freedom of association as well as HP's Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People's Republic of China (PRC). HP also has a strong Global Human Rights Policy in place. HP expects its suppliers to establish policies and processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company to publish its supply chain smelter list. HP follows the Global Reporting Initiative (GRI) guidelines as a basis for reporting. The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers take back services of products and printing suppliers in some 70 countries. Please refer to HP's Living Progress Report for more details on our global efforts.

Legal references Europe Annex A

Reference	Declaration item
Directive 2012/19/EU (WEEE directive)	C1.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	C2.1
Directive 2004/12/EC (Packaging Directive)	C3.1
Decision 97/129/EC (Secondary packaging legislation)	C3.1