

Product data sheet

Specifications



APC 208V/120V 10KVA Step down Transformer



APTF10KT01

Overview

Lead time Special Order - Call for Quoted Lead Times

Main

Main Input Voltage 208 V

Product or Component Type Accessory

Main Output Voltage
120 V
208 V
240 V

Output connector type
Hard Wire 3-wire (2PH + G) 1
Hard Wire 4-wire (2PH+N+G) 1

number of rack unit 4U

Provided Equipment
Documentation CD
Hardwire panel
Installation guide
Rack Mounting brackets
User Manual

Physical

Color Black

Height 6.9 in (17.5 cm)

Width 17.008 in (43.2 cm)

Depth 29.5 in (74.9 cm)

Net Weight 220.5 lb(US) (100 kg)

mounting location Front

Mounting preference Lower

Mounting Mode Rack-mounted with kit

Input

Acceptable Input Voltage 200...240 V

Max line current 60 A

Input current limits 60 A

Load Capacity 10000 VA

Input Frequency 45...65 Hz

Number of input connectors 1 Hard Wire 3-wire (2PH + G)

Output

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Maximum Total Current Draw per Phase	60 A
Number of power socket outlets	4
Protection Type	Circuit breaker
Efficiency	95 %
Number of power socket outlets	2 NEMA L5-20R 2 NEMA L14-30R

Conformance

Product Certifications	C-tick CE CSA GOST UL Listed VDE
------------------------	---

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304242215
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.0 in (40.6 cm)
Package 1 Width	39.4 in (100 cm)
Package 1 Length	23.6 in (60 cm)
Package 1 Weight	275.6 lb(US) (125 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)





Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
