# Product data sheet

Specifications





# APC Replacement Battery Cartridge #143 TAA with 2 Year Warranty

APCRBC143US

#### Overview

Lead time

Usually in Stock

#### Main

Product or Component Type	Replacement battery cartridge
Battery Type	Lead-Acid battery
Provided Equipment	All required connectors Battery recycling guide Installation guide Reusable packaging

### **Batteries & Runtime**

Battery blocks per string	10
Battery Slots Empty	0
Included Battery Modules	0
Device mounting	Enclosed battery cartridge
Battery Voltage	120 V
RBC Quantity	1

### Physical

Height	8.9 in (22.5 cm)
Width	11.0 in (27.9 cm)
Depth	18.9 in (48.1 cm)
Net Weight	49.009 lb(US) (22.23 kg)
Mounting Mode	Not rack-mountable

### Environmental

Ambient Air Temperature for Operation	32104 °F (040 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	
Storage altitude	050000 ft (0.00000000015240.000000000 m)	
Storage Relative Humidity	095 %	

# Ordering and shipping details

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

GTIN	731304356196
Country of origin	PH

# **Packing Units**

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.0 in (25.3 cm)
Package 1 Width	19.5 in (49.5 cm)
Package 1 Length	11.5 in (29.3 cm)
Package 1 Weight	55.40 lb(US) (25.13 kg)

### **Contractual warranty**

Warranty

2 years repair or replace

2

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information