

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HPE	Logo
Company name *	Hewlett Packard Enterprise	
Contact information *	Environmental Contact Centre (ECC)	Hewlett Packard
e-mail address	sustainability@hpe.com	Enterprise
Internet site *	www.hpe.com/info/environment	
Additional information		

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product *
 Server

 Commercial name *
 HPE ProLiant ML30 Gen10 Plus

 Model number *
 ML30 Gen10 Plus

 Issue date *
 7-Mar-2022

 Intended market *
 Global
 Europe
 Asia, Pacific & Japan
 Americas
 Other

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Additional information

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	ML30 Gen10 Plus	Logo	
Issue date *	7-Mar-2022		Hewlett Packard Enterprise

Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.hpe.com/info/reach	\square			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes			
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	\boxtimes			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			\square	
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://h41388.www4.hpe.com/regulations/uk/en/regulations.html				
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference).	\square			
	Required information is; given in item P15 or added to this document, available at (add URL): Erp Lot9 Servers	\square			
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		ML30 Gen10 Plus		
		7-Mar-2022		Hewlett Packard Enterprise
	- Enviro	mental attributes - Market requirements (See General NOTE GN below onmental conscious design	w)	Requirement met
ltem		tory to fill in. Additional information regarding each item may be found under P14.		Yes No n.a.
P7	Design	mbly requeling		
P7.1*		mbly, recycling at have to be treated separately are easily separable		
P7.2*		naterials in covers/housing have no surface coating.		
P7.3*		arts > 100 g consist of one material or of easily separable materials.		
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		
		5 5 5	e ellable te e	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	avallable too	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		
P7.7*		lifetime		
		ng can be done e.g. with processor, memory, cards or drives		
P7.8*		ng can be done using commonly available tools		
P7.9	Spare pa	arts are available after end of production for: 5 years		
P7.10		s available after end of production for: 5 years		
		and substance requirements		
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: SGCC Material type: PC+ABS Materia	al type: PC o	or others
P7.12	Insulatio	n materials of external electrical cables are PVC free.		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorin ng more than 25% post-consumer recycled content.	etardants, ar	
P7.15	Printed of halogen	:ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 as defined in IEC 61249-2-21. (See 5 NOTE B2)	are low	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4 FR(40)		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: CAS		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: <i>FR(40)</i>	, 0	
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	/preparations	; in
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR(40	, 🛛 🗆 🗆
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used whic the following Risk phrases; and Hazard statements:		
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	NOTE B5)	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	ML30 Gen10 Plus	Logo	
Issue date *	7-Mar-2022		Hewlett Packard Enterprise

	environmental att	ributes - Market re	equirements (conti	nued)		Requ		nt me
Item						Yes	No	n.a.
	Material and subst	ance requirements	(continued)					
P7.20*	Postconsumer recy	cled plastic material c	content is used in the p	roduct (See NOTE B	5) :		\boxtimes	
	If YES; at least one	of the two alternative	s below shall be answ	ered;				
	a) Of total plastic percentage of	parts' weight > 25 g, total plastic by weight	the postconsumer rec	ycled plastic material	content (calculated as a			
	or	, , , , , , , , , , , , , , , , , , , ,	, -					
	b) The weight of i	recycled material is	g.					
P7.21*	Biobased plastic ma	aterial content is used	in the product (See N	IOTE B7):			\bowtie	
			es below shall be answ					
				material content (calc	culated as a percentage			
	of total plastic or	by weight) is %	.					
		the biobased plastic r						
P7.22*		ee from mercury, i.e. pecify: Number of lan	less than 0,1 mg/lamp nps: and maxim	num mercury content	per lamp: mg	\boxtimes		
P7.23*	If product includes a	an integral display, th	e total mercury conten	t in the integrated disp	olay: mg			\square
P8	Batteries		-					
P8.1*	Battery chemical co	mposition: <i>LiMnO2</i>						
P9	Energy consumpti	ion (See NOTE B8)						
P9.1	For the product the	following power level	s or energy consumpti	ons are reported:				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test metho		gу	\square
EPS No-le	oad							
	power supply /							
	lugged in the wall							
the produ	disconnected from							
PTEC *	01.7	14/	10/	14/				
= -	nergy Consumption	W	W	W				\bowtie
rypiour Ei	nergy consumption							
ETEC *		kWh/year	kWh/year	kWh/year				\boxtimes
	nergy Consumption	.,	.,	.,				
External F	Dowor Cuprhy Efficiency	nul ovol (leterestica)		voto opl) * ·				
			I Efficiency Marking Pr					
Display resolution * : megapixels								
Default time to enter energy save mode: minutes P9.2* Information about the energy save function is provided with the product.								
P9.2*		ne energy save function ass (monitors only):	on is provided with the	product.				\square

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ML30 Gen10 Plus	Logo	
Issue date *	7-Mar-2022		Hewlett Packard Enterprise

Item							t met
					Yes	No	n.a.
P10	Emissions						
	Noise emission	- Declared according to ISO 9296 (See NOTE					
P10.1	Mode	Mode description HPE ProLiant ML30 G10 Plus, Entry	Statistical uppe L _{WA,c} (B)	er limit A-weighted sound pow	ver level,		
	Idle	* One or more steady-state conditions in which the equipment being tested is energized but is not operating.	*4.3 (B)			[
	Operation	* Condition on which the equipment being tested is performing its intended function(s).	*4.3 (B)			[
	Other mode						
	Measured accor	ding to: ISO 7779 ECMA-74	FCMA-74)				
	Electromagneti						
P10.4	Computer displa program(s):	y meets the requirement for low frequency elect	omagnetic fields	of the following voluntary			
P12		computing products					
P12.1*		ts the ergonomic requirements of ISO 9241-307		-			\boxtimes
P12.2*	The physical inp	ut device meets the requirements of ISO 9995 a	nd ISO 9241-410).			\square
P13		documentation					
P13.1*	Product packagi	ng material type(s): EPE wei	ght (kg): 1.92 ght (kg): 0.39 ght (kg): 0.13				
P13.2*		primary packaging is free from PVC.	0 (0/		\boxtimes		
P13.3*		ary corrugated fiberboard packaging, specify the ered fiber content: 30%	contained perce	entage of minimum post-			
P13.4*	Specify media for user and product documentation (tick box):						
P13.5		nplete this item if paper documentation used) t documentation on paper media is chlorine-free becify:	:				
	Elemental chlori						
	Totally chlorine-				Ц		
	Processed chlor	ine-free					
P14	Voluntary prog	rams					
P14.1		ets the requirements of the following voluntary prosent of this product may comply with energy		mputer servers.			
		products that are Energy Start certified <u>Energy Star Website</u>	, please go to	the following link.			
	ENERGY STAR Eco-label: Eco-label:	Criteria version: Da	tte: 1-Oct-2021 tte: tte:	Product category: Server Product category: Product category:			
P15		mation (See NOTE B10)					
	The IT Eco Dec	laration covers the product base model only. raphic cards with fans etc, these can change					extra
P9	Energy consun specific system	nption of computer products; description of t configurations can be determined using the pe.com/us/en/integrated-systems/rack-	HPE Power Ad	visor at:		tion f	or

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	