

Product Compliance Datasheet

MARKETING NAME/MODEL NO...... PB14255 / PB14255-01 / PB14255-02

REGULATORY MODEL...... P199G

REGULATORY TYPE...... P199G004

EMC EMISSIONS CLASS.....: B

EFFECTIVE DATE¹...... March 27, 2025

REVISED DATE²...... March 27, 2025

Table of contents

I.	Statement of Compliance	∠
II.	Global Environmental Information	2
III.	NFPA 99 Conformity	
IV.	Declaration of Similarity	3
V.	Power Cords and User Documentation	4
VI.	Trade (Import/Export) Compliance Data	4
VII.	Product Dimensions and Weight	4
VIII.	Product Energy Performance Data	4
IX.	Product Materials Information	5
X.	Packaging	7
XI.	Batteries	7
XII.	Design for Environment	7
XIII.	France Reparability Index	7
XIV.	Recycling / End-of-Life Service Information	8
XV.	Helpful Links	9
Append	dix A: ErP Lot 3 Product Energy Consumption Information	10
Append	dix B: ErP Lot 26 Network Standby Energy Consumption Information	.13
Append	dix C: California Energy Commission Appliance Efficiency Standards MAEDbS Registration Numbers	.14



¹ Effective Date refer to product that is available to market (RTS/Launch)

² Revision Date refer to the Datasheet has been updated to capture the latest information

I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments.
 Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. https://www.dell.com/ErP User Information. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab http://www.dell.com/support. Additional compliance documentation for the product is available upon submitting a request at https://support.dellproductcompliance.com Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

II. Global Environmental Information

Environmental (Voluntary Marks)					
Country Approval Compliance					
Global	ENERGY STAR (Configuration Dependent)	8.0			
Global	Green PC Label	Yes			
China	TCO Certified	Generation 10, for Notebook			
China	CECP	Yes			



China	CEC	Yes	
Taiwan Greenmark		Yes	
Varies by Country See <u>EPEAT.net</u>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries	
Brazil	INMETRO	Yes	

^{*} ENERGY STAR 4.0 Compliance is applicable to PowerEdge Servers only.

Adapter Certification and Declarations				
Country	Authority/Mark			
Australia/New Zealand	Australia/NZ MEPS			
Canada	NRCan			
US – California Energy Commission	Adapter & Battery Charger			
European Union	Regulation EU 2019/1782			
South Korea	South Korea MEPS			

III. NFPA 99 Conformity

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2021. The touch current does not exceed 100 μ A with ground wire intact (if a ground wire is provided) and 500 μ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2021. To determine if this product complies with the above requirements, send a request to https://support.dellproductcompliance.com. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

IV. Declaration of Similarity

Object of the Declaration			
Product Type	Portable Computer		
Regulatory Model Number	P199G		
Regulatory Type Number	P199G004		
Trade Name/ Trademark	DELL		
Marketing Name(s)	PB14255 / PB14255-01 / PB14255-02		

Dell Inc. herby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.



Date of Issue	March 27, 2025	Dell Inc.	
Title	Dell Global Product	Compliance and Environmental Affairs	

V. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

VI. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: http://www.dell.com/learn/us/en/uscorp1/import-export or send email request to www_Export_Compliance@dell.com. Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

VII. Product Dimensions and Weight

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
313.50 mm	224.00 mm	19.98 mm	1.56 Kg (depending upon installed options)

VIII. Product Energy Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: Reducing your Footprint

For additional information on ENERGY STAR models refer to the following database: <u>ENERGY</u> STAR Product Finder



Computer:

Joinpater.	omputer.				
Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level		
CPU stressed	98.60	337.21	The system is running programs to maximize the CPU utilization and/or running programs to maximize the power consumption		
Short Idle	5.21	17.82	As specified per EPA ENERGY STAR		
Long Idle	2.75	9.41	As specified EPA ENERGY STAR		
S3 "Sleep" or Modern Standby	0.79	2.71	S3=Suspend-to-RAM, or <u>Modern Standby</u>		
Off/Standby	0.27	0.92	System is turned off but still connected to its AC power source.		

Energy Consumption³

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click here for Dell's Energy efficient products.

*Energy Consumption results are based solely upon the laboratory testing of the System Configuration and in accordance to the described service level. Energy consumption is tested at 230 Volts / 50 Hz.

Declared noise emission values in accordance with ISO 9296. Testing performed in compliance with ISO 7779 with operating modes defined by ECMA-74.

IX. Product Materials Information

Information on Dell's material use is available <u>here</u>.

Dell's Restricted Material for Use guidance document is available <u>here</u>.

Mechanical plastic parts are BFR/PVC free	
Marking of plastics parts is in accordance with ISO 11469 (see below)	⊠ Yes □ No □ NA
Printed circuit boards (without components) >0.5g are BFR PVC free	⊠ Yes □ No □ NA
Insulation materials of external electrical cables are PVC free	☐ Yes ☒ No
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free	⊠ Yes □ No

³ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit https://www.dell.com/learn/us/en/uscorp1/dell-environment



Postconsumer recycled Plastics material content ⁴ is used in the product	⊠ Yes □ No □ NA
If yes, indicate the percentage of the postconsumer recycled material per total plastic weight of the product	_33.6 % PCR (Post Consumer Recycled) material in total plastic of product
Biobased Plastic material ⁵ content is used in the product.	☐ Yes ☒ No ☐ NA
If yes, either indicate the percentage of the biobased plastic material per total plastic weight of the product	0 % biobased plastic material in total plastic of product

Flame Retardants Used in Motherboard

Part List the Fla		List the Flame Retardants	
PCB DOPO < 4%		DOPO < 4%	

Flame Retardants Used in Mechanical Plastic Parts⁶

The external case material is > PC < , Aluminum.

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	List the Flame Retardants used on (i.e. BPA, etc)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
D511RC	>PC-I-GF50 FR(40) (REC)<	FR(40)	Organo Phosphate	NA
RCM6224	>PC-I- (MD+TD)25FR(40)(REC)<	FR(40)	Organo Phosphate	NA

Mercury Information

Number of bulbs	Average per bulb	
If none, enter 0	N/A	

Additional information:

- Refer to Dell Technologies' Chemical Use Policy for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):



 $^{^4}$ This product contains x% post-consumer recycled plastic including closed loop recycled plastics (ITE-derived)* % Declaration to be the same in ENV0025 for Display & CP

⁵ Bio-based plastics are fully or partially made from biological resources, rather than fossil raw materials. They are not necessarily compostable or biodegradable. It is important to examine the full life cycle of bio-based plastics, to ensure that they are beneficial to the environment beyond the reduction in use of fossil resources. This includes littering and changes in land use

⁶ According to ISO 11469 Marking of plastics products weighing 25 grams or more must be marked. Plastic Parts weighing less than 25 grams and having adequate surface area for coding should be marked.

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation

X. Packaging

Information on Dell's sustainable packaging effort available here. Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at www.dell.com/restrictedsubstanceslist.

For ROW_7T7C1						
B. d. d. d. d. d. d.	Total Weight,	Sustainable Material Content[1] (e.g Recycled		% Sustainable Material		
Packaging Materials	ing Materials (g) content *,bio-based, Sustainable Forested materials)		APJ region	DAO region	EMEA region	
Corrugated Fiberboard	397	Recycled Content		Min 35%	Min 35%	
Molded paper pulp	264	Recycled content	100%	100%	100%	
PET	8.8	Recycled content	0%	0%	0%	
Other, please specify	9.31	Sustainable Forested materials				
For DAO_K0MR3/630C1/RN2PP						
Packaging Materials	Total Weight,	s, Sustainable Material Content[1] (e.g Recycled content *,bio-based, Sustainable Forested materials)		% Sustainable Material		
	(g)			DAO region	EMEA region	
Corrugated Fiberboard	397	Recycled Content		Min 35%	Min 35%	
Molded paper pulp	264	Recycled content	100%	100%	100%	
PET	8.8	Recycled content		0%	0%	
Other, please specify	9.31	Sustainable Forested materials				
For DAO_D9KT8/329PM/65KY3						
Packaging Materials	Total Weight,	Sustainable Material Content[1] (e.g Recycled content *,bio-based, Sustainable Forested materials)	% Sustainable Material			
	(g)		APJ region	DAO region	EMEA region	
Corrugated Fiberboard	286	Recycled Content		Min 35%	Min 35%	
Molded paper pulp	180	Recycled content	100%	100%	100%	
PET	8.8	Recycled content	0%	0%	0%	
Other, please specify	4.31	Sustainable Forested materials				

XI. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)	Rating
Rechargeable Battery 3 cell (BYD/NVT/SMP/CosMX/SWD)	Lithium- polymer	0.190	45 Wh
Rechargeable Battery 3 cell (BYD/NVT/SMP/CosMX/SWD)	Lithium- polymer	0.204	55 Wh

XII. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes click here.

XIII. France Reparability Index

On January 1, 2021, France introduced a new Repairability Index for five categories of electronic devices, including laptops. The aim of this new Repairability Index is to inform customers about



available repair options for a product prior to purchase.

The Repairability Index is a score ranging from 0 to 10/10, calculated based on five criteria:

- 1. **Documentation:** A score determined by the manufacturer's commitment to make technical documents available free of charge, in number of years, to repairers and consumers.
- **2. Disassembly, tools, and fasteners:** A score determined by how easy it is to disassemble the product, the type of tools needed, and the characteristics of the fasteners.
- **3. Availability of spare parts:** A score determined by the length of time the manufacturer commits to makes spare parts available for the product and the time it takes to deliver them.
- **4. Price of spare parts:** A score determined by the ratio of the sale price of spare parts to the price of the product.
- **5. Product specific:** A score determined by sub-criteria specific to the product category concerned, which may include availability of remote support, software updates, and resets.

The Repairability Index for this product and the parameters used to calculate the Repairability Index, are available on the product page.

XIV. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit How to Recycle | Dell Technologies US and select the relevant country.



XV. Helpful Links

Environmental Policy

https://i.dell.com/sites/csdocuments/Corporate_corp-Comm_Documents/en/dell-global-environmental-policy.pdf

• Social Impact - Progress Made Real

https://corporate.delltechnologies.com/en-id/social-impact.htm

• Advancing Sustainability

https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability.htm

ISO 14001 Certification

ISO Certification Certificate Environmental 14001 (delltechnologies.com)

Materials Restricted for Use

www.dell.com/restrictedsubstanceslist

• Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

Product Carbon Footprint

https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/sustainable-products-and-services/product-carbon-footprints.htm

- RoHS Compliance
- https://dellproductcompliance.atlassian.net/servicedesk/customer/portal/6/topic/4ef197b3-28bb-4ff8-96ce-0fcb642ecf8f/article/10289411
- REACH Compliance

www.dell.com/REACH

Recycling Information

http://www.dell.com/recycling

• Supplier Responsibility - Champion the Many People

 $\underline{https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/champion-the-many-people.htm}$



Appendix A: ErP Lot 3 Product Energy Consumption Information

European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, and Small-Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Additional information on ErP Lot 3, Lot 7 & Lot 26 available here.

	LIABITATION LICE LICE
Processor Speed in GHz	2
Number of Cores	12
Total Installed System Memory in GB	32
Graphics	Integrated
Category	Category A
Total Installed Memory in GB	32
Memory Adder	11.2
Adde	ers
Additional Internal Storage?	No
Storage Adder	0.00
1st Discrete Graphics Card?	Integrated
1st Discrete Graphics Adder	0.00
2nd Discrete Graphics Card?	N/A
2nd Discrete Graphics Adder	0.00
D	3.7
Discrete Television Turner Card?	No
Discrete Television Turner Card? Discrete TV Turner Card Adder	0.00

Discrete TV Turner Card Adder	0.00
Discrete TV Turner Card Adder Category	0.00 Category A
Discrete TV Turner Card Adder Category Processor Speed in GHz	0.00 Category A
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics	0.00 Category A 2 12
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode	0.00 Category A 2 12 32 Integrated Yes
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode	0.00 Category A 2 12 32 Integrated Yes No
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State	0.00 Category A 2 12 32 Integrated Yes No 0.27
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled	0.00 Category A 2 12 32 Integrated Yes No
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State	0.00 Category A 2 12 32 Integrated Yes No 0.27
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled As Tested: Psleep(W) WOL Enabled	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27 0.76 0.79
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled As Tested: Psleep(W) WOL Enabled	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27 0.76 0.79 2.75
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled As Tested: Psleep(W) WOL Enabled As Tested: Psleep(W) WOL Enabled	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27 0.76 0.79
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled As Tested: Psleep(W) WOL Enabled As Tested: Psleep(W) WOL Enabled As Tested: Psleep(W) WOL Enabled As Tested: Pidle(W) Base TEC Limit (kWh) TEC Adders Limit (kWh)	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27 0.76 0.79 2.75
Discrete TV Turner Card Adder Category Processor Speed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Psleep(W) WOL Disabled As Tested: Psleep(W) WOL Enabled As Tested: Psleep(W) WOL Enabled	0.00 Category A 2 12 32 Integrated Yes No 0.27 0.27 0.76 0.79 2.75 27 11.20 38.20



Power Supply Model #	Internal or External	Link to efficiency report
		https://oee.nrcan.gc.ca/pml-
DA100PM220 External		Imp/index.cfm?action=app.formHandler&operation=details-
		details&ref=40660280&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
HA100PM240	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=46505331&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
LA100PM220	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=40728787&appliance=EPS&nr=1
		http://oee.nrcan.gc.ca/pml-
DA65NM190	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=24854598&appliance=EPS&nr=1
		http://oee.nrcan.gc.ca/pml-
LA65NM190	External	Imp/index.cfm?action=app.formHandler&operation=details-
		details&ref=25946862&appliance=EPS&nr=1
		http://oee.nrcan.gc.ca/pml-
HA65NM190	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=26886270&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
HKA65NM200 External		<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=35902432&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
AA65NM220	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=40728374&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
DA60NM200	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=35902410&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
HA60NM200	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=35748318&appliance=EPS&nr=1
		https://oee.nrcan.gc.ca/pml-
LA60NM200	External	<pre>Imp/index.cfm?action=app.formHandler&operation=details-</pre>
		details&ref=36173444&appliance=EPS&nr=1

* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption⁷

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click <u>here</u> for Dell's Energy efficient products

Declared Noise Emissions in accordance with ISO 9296. Testing performed in accordance with ISO 7779 at operating modes defined by ECMA 74. Your product may perform differently, depending on the software, components, and peripherals you ordered. No warranty as to accuracy or completeness is expressed or implied.

⁷ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Computers Category A:

Service Level	Sound Power Declared mean A- weighted level	Statistical adder for verification	Sound Pressure Declared mean A- weighted emission level	
	L _{WA,m} (B)	K _V (B)	L _{pA,m} (dB)	
HDD Accessing	2.6	0.4	16	
ODD Accessing	-	-	-	
Idle	2.2	0.4	14	



Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

Network Standby Classification	LoNA	
Off/Standby - Watts	0.29	
Network Standby - Watts	1.1	
Number of Network Ports	1	
Location of 'Physical' Network Ports	Side	
Network Port Type	Ethernet	
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"	
Network Port Maximum Performance in GB/s	1	
Communication protocol used by equipment	IEEE 802.3az-2010	
Description of how to assert Network Standby Mode		
Sequence of events to trigger automatic assertion of Network Standby		
Mode	Information available @	
Notes regarding operation of the equipment EX: how the user switches	Information available @	
the equipment into network standby	www.dell.com/regulatory_compliance	
Default time for PM function to switch equipment into this mode	and/or	
Inactivity time required to enter Network Standby	www.dell.com/support	
Re-activation trigger		
Measurement Method		



Appendix C: California Energy Commission Appliance Efficiency Standards MAEDbS Registration Numbers

MAEDbS Model Numbers *	Computer Type	Power Supply Wattage
PB14255_60W	Notebook	60W
PB14255_65W	Notebook	65W
PB14255_100W	Notebook	100W

