

### Overview

#### HP DESKTOP MINI PC ACCESSORIES

##### Mounting/Security

HP Desktop Mini v4+ VESA Sleeve	99T54AA
HP Desktop Mini v4+ VESA Sleeve with Power Supply Holder	99T55AA
HP Desktop Mini Power Supply Holder Kit v4+	657R3AA
HP Desktop Mini LockBox v2	3EJ57AA
HP Desktop Mini Port Cover v4	B96W7AA
HP B300 PC Mounting Bracket + Power Supply Holder	7DB37AA

##### Optical Drive

HP Desktop Mini DVD DVD-Writer ODD Expansion Module	K9Q83AA
---	---------

##### Input / Output / HDD

HP Desktop Mini 2.5" SATA Drive Bay Kit v2	13L70AA
--	---------

##### Power

HP Desktop 65w Mini Power Supply Kit	L2X04AA
HP Desktop 90w Mini Power Supply Kit	L4R65AA

##### Other compatible accessory options

##### Stands and Chassis

HP Quick Release Bracket 2	6KD15AA
HP Desktop Mini Vertical Chassis Stand	G1K23AA

##### Security

HP Keyed cable lock 10mm kit	T1A62AA
HP Master Keyed Cable Lock 10mm Kit	T1A63AA

### Technical Specifications

#### MOUNTING

##### HP Desktop Mini v4+ VESA Sleeve

<b>Part number</b>	99T54AA
<b>Display compatibility</b>	HP P / E / Z Series Display <sup>1</sup>
<b>Platform compatibility</b>	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC
<b>Dimensions (HxWxD)</b>	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm)
<b>VESA configuration</b>	Compatible with 100 x 100 mm VESA mount
<b>What's in the box</b>	1 Security/Dual VESA Sleeve; 2x sets of Torx T15 screws, 1x set 20mm Philips #2 screw, 7mm and 2mm Spacers, Installation guide
<b>Compatibility</b>	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC, HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
<b>Service support</b>	One-year limited warranty

**Note1:** Limited compatible with P/E/Z series display, only support: HP Z34c G3, HP Z40c G3, HP Z24f G3, HP Z24n G3, HP Z24u G3, HP Z24q G3, Z24m G3, HP Z27q G3, HP Z27u G3, HP Z27k G3, HP Z32k G3, HP 724pf, HP 724pn, HP 724pu, HP 727pq, HP 727pu, HP 727pk, HP 727pm, HP 732pk, HP 734pm, HP 738pu, HP E24 G4, HP E24i G4, HP E24m G4, HP E24mv G4, HP E27q G4, HP E27m G4, HP E34m G4, HP E22 G5, HP E24 G5, HP E24q G5, HP E24t G5, HP E24u G5, HP E27 G5, HP E27q G5, HP E27u G5, HP E27k G5, HP E32k G5, HP E45c G5, HP 524pf, HP 524pn, HP 524pu, HP 524pm, HP 527pq, HP 527pu, HP 527pm, HP 534pm, HP P24h G4, HP P34hc G4

##### HP Desktop Mini v4+ VESA Sleeve with Power Supply Holder

<b>Part number</b>	99T55AA
<b>Display compatibility</b>	HP P / E / Z Series Display <sup>1</sup>
<b>Dimensions (HxWxD)</b>	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm) (Dual VESA Sleeve v4+) + (18.8x10.0x3.9 cm) (PWR Supply Holder)
<b>Weight</b>	0.89 lb (404.5g) (Dual VESA Sleeve v3) + 0.52 lb (234 g) (PWR Supply Holder)
<b>VESA configuration</b>	Compatible with 100 x 100 mm VESA mount
<b>What's in the box</b>	1 Security/Dual VESA Sleeve; 1 Power Supply Holder kit; 2x sets of Torx T15 screws, 1x set 20mm Philips #2 screw, 7mm and 2mm Spacers, Installation guide
<b>Compatibility</b>	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP EliteDesk 600 Desktop Mini, HP Elite Mini 800 G9 Desktop PC, HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
<b>Service support</b>	One-year limited warranty

**Note1:** Limited compatible with P/E/Z series display, only support: HP Z34c G3, HP Z40c G3, HP Z24f G3, HP Z24n G3, HP Z24u G3, HP Z24q G3, Z24m G3, HP Z27q G3, HP Z27u G3, HP Z27k G3, HP Z32k G3, HP 724pf, HP 724pn, HP 724pu, HP 727pq, HP 727pu, HP 727pk, HP 727pm, HP 732pk, HP 734pm, HP 738pu, HP E24 G4, HP E24i G4, HP E24m G4, HP E24mv G4, HP E27q G4, HP E27m G4, HP E34m G4, HP E22 G5, HP E24 G5, HP E24q G5, HP E24t G5, HP E24u G5, HP E27 G5, HP E27q G5, HP E27u G5, HP E27k G5, HP E32k G5, HP E45c G5, HP 524pf, HP 524pn, HP 524pu, HP 524pm, HP 527pq, HP 527pu, HP 527pm, HP 534pm, HP P24h G4, HP P34hc G4

### Technical Specifications

#### HP Desktop Mini Power Supply Holder Kit v4+<sup>1</sup>

<b>Part number</b>	657R3AA
<b>Dimensions (HxWxD)</b>	6.3 x 1.6 x 9.6 in (16 x 4.16 x 24.61 cm)
<b>Weight</b>	<b>Unpackaged:</b> 1.3 lb (0.59 kg) <b>Packaged:</b> 1.65 lb (0.75kg)
<b>Compatibility*</b>	HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini. HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP ProDesk 4 Mini G1i Desktop AI PC
<b>Possible Configurations</b>	Supports 65W, 90W, 120W and 150W adapters.
<b>What's in the box?</b>	1 Power Supply Holder Kit; Installation Guide
<b>Service support</b>	One-year limited warranty

**Note1:** Only works with HP Desktop Mini v4+ VESA Sleeve (99T54AA) or HP B300 Mounting Bracket (2DW53AA) (Sold Separately)

#### HP Desktop Mini LockBox v2

<b>Part number</b>	3EJ57AA
<b>Dimensions (HxWxD)</b>	10.55 x 10.7 x 2.25 in (26.8 x 27.2 x 5.72 cm)
<b>Weight</b>	5.17 lb (2.34 kg)
<b>Compatibility</b>	The HP Desktop Mini LockBox V2 is compatible with the HP ProDesk 400 G2/G3/G4/G5/G6/G8/G9 Desktop Mini, HP ProDesk 405 G4/G6/G8 Desktop Mini, HP ProDesk 600 G3/G4/G5/G6/G9 Desktop Mini, HP EliteDesk 705 G3/G4/G5 Desktop Mini, HP EliteDesk 800 G2/G3/G4/G5/G6/G9 Desktop Mini, HP EliteDesk 805 G6/G9 Desktop Mini, HP Pro Mini 260 G9 Desktop
<b>What's in the box</b>	HP Desktop Mini Lock Box v2; Screw kit; Installation Guide

#### HP Desktop Mini Port Cover v4

<b>Part number</b>	B96W7AA
<b>Dimensions (HxWxD)</b>	6.97 x 3.94 x 1.35 in (17.7 x 10.0 x 3.42 cm)
<b>Weight</b>	81 g
<b>Compatible platforms</b>	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop AI PC, HP ProDesk 4 Mini G1i Desktop AI PC
<b>What's in the box</b>	1 Port Cover v4; Installation guide
<b>Service and support</b>	One-year limited warranty

### Technical Specifications

#### HP B300 PC Mounting Bracket + Power Supply Holder

<b>Part number</b>	7DB37AA
<b>Displays compatibility</b>	E24 G4, E24i G4, E24m G4, E24mv G4, E27q G4, E27m G4, E34m G4
<b>Platform compatibility</b>	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600Desktop Mini, HP ProDesk 4 Mini G1i Desktop AI PC, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini.
<b>Service and support</b>	One-year limited warranty
<b>Dimensions unpackaged (HxWxD)</b>	6.3 x 3.8 x 9.7 in (16 x 9.65 x 24.63 cm)
<b>Weight unpackaged</b>	2.02 lb (917.2 g)
<b>Dimensions packaged (HxWxD)</b>	7.09 x 2.68 x 10.83 in (18 x 6.8 x 27.5 cm)
<b>Weight packaged</b>	1.2 kg
<b>VESA Configurations</b>	Compatible with 100 x 100 mm VESA mount
<b>Product finish</b>	HP Black
<b>What's in the Box?</b>	1 HP B300 PC Mounting Bracket; 1 Power Supply Holder Kit; 700 mm DisplayPort cable; 700mm USB A to B cable; 4 x 6mm screws; 4 x 10 mm screws; Installation Guide

**NOTE:** Power Supply Holder only supports up to [150W Adapter](#).

### Summary of Changes

#### OPTICAL DRIVE

##### HP Desktop Mini DVD ODD Expansion Module

<b>Part number</b>	K9Q83AA	
<b>Dimensions (H x W x D)</b>	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)	
<b>Weight</b>	712g (25.12oz)	
<b>Color</b>	Jack Black	
<b>Disc capacity</b>	Up to 8.5 GB DVD double-layer or 4.7 GB standard single-layer	
<b>Write / Read speeds</b>		
	<b>DVD+R</b>	Up to 8X
	<b>DVD+RW</b>	Up to 8X
	<b>DVD+R DL</b>	Up to 6X
	<b>DVD-R DL</b>	Up to 6X
	<b>DVD-R</b>	Up to 8X
	<b>DVD-RW</b>	Up to 6X
	<b>CD-R</b>	Up to 24X
	<b>CD-RW</b>	Up to 24X
<b>Host Interface</b>	USB 3.0 Type B female connector	
<b>Connectors Single output</b>	USB 3.0 Type B	
<b>Access times</b> (typical reads, including setting)	<b>Random</b>	DVD-ROM: 160 ms (typical), CD-ROM: 140 ms (typical)
	<b>Full Stroke</b>	DVD-ROM: 280 ms (typical), CD-ROM: 280 ms (typical)
<b>Power</b>	<b>Source</b>	USB 3.0 Type B female connector
	<b>DC Power Requirement</b>	5 VDC ± 5%-100 mV ripple p-p
	<b>DC Current</b>	5 VDC - 1000 mA typical, 1600 mA maximum
<b>Environmental</b> (all conditions non-condensing)	<b>Temperature (operating)</b>	41° to 122° F (5° to 50° C)
	<b>Relative Humidity (operating)</b>	10% to 80%
	<b>Maximum Wet Bulb Temperature (operating)</b>	86° F (30° C)
<b>VESA mount</b>	Yes, 100mm	
<b>Option kit contents</b>	3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, , 1 80mm USB 3.0 Type AB USB to Type A cable, Installation guide, Warranty	
<b>Compatibility</b>	HP 260 Desktop Mini, HP Pro Mini 400 G9 Desktop PC, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP Elite Mini 800 G9 Desktop PC.	

**\*NOTE:** These modules can be mounted to the DM directly and to another module with screws in the kit that allow the module to slide into place. All modules can be used with the PC that is wrapped in the Security/Dual VESA Sleeve, and all can be mounted onto a standard VESA mount (100mm sizing). Both options can be secured in place with a tamper-resistant screw. They are powered by a single USB connection cable. The HP 260 and ProDesk 400 can support 2 expansion modules at a time using 2 USB Type A ports on the back of the unit.

### Summary of Changes

#### INPUT / OUTPUT / HDD

##### HP Desktop Mini 2.5 inch SATA Drive Bay Kit v2

<b>Part number</b>	13L70AA
<b>Dimensions (HxWxD)</b>	4.6 x 3.33 x 0.87 in (11.7 x 8.45 x 2.2 cm)
<b>Weight</b>	0.2 lb (89.5 g)
<b>What's in the box</b>	HP Desktop Mini 2.5" SATA Drive Bay Kit v2; Installation Guide
<b>Country of origin</b>	China
<b>Compatibility</b>	HP ProDesk 400/405 G6 Desktop Mini, HP ProDesk 600 G6 Desktop Mini, HP EliteDesk 800/805 G6 Desktop Mini, HP ProDesk 405 G8 Desktop Mini, HP Pro Mini 260 G9 Desktop, HP EliteDesk 800/805 G8 Desktop Mini, HP Elite Mini 800/805 G8 Desktop.

#### POWER

##### HP Desktop 65w Mini Power Supply Kit

<b>Part number</b>	L2X04AA
<b>Dimensions (HxLxW)</b> External Power Adapter	2.2 x 1.2 x 4.5 in (30 x 113.5 x 55 mm)
<b>Total cord length</b>	6 ft.
<b>Standard Efficiency</b>	65W 89% efficient
<b>Operating Voltage Range</b>	90 - 264 VAC
<b>Rated Voltage Range</b>	100 - 240 VAC
<b>Rated Line Frequency</b>	50/60 Hz
<b>Current Leakage</b> (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
<b>Option kit contents</b>	Power supply, Power cable, Warranty
<b>Compatibility</b>	The HP Desktop Mini 65w Power Supply Kit is compatible with the HP 260 G1 DM (mini); HP 260 G2 DM (Mini); HP ProDesk 400 G2 DM (Mini); HP ProDesk 400 G3 DM (Mini); HP ProDesk 600 G2 Desktop Mini; HP ProDesk 600 G3 Desktop Mini; HP EliteDesk 705 G2 Desktop Mini; HP EliteDesk 705 G3 Desktop Mini; HP EliteDesk 800 G2 35W Desktop Mini; HP EliteDesk 800 G3 TWR; HP EliteDesk 800 G3 SFF; HP EliteDesk 800 G3 35W Desktop Mini; HP Collaboration PC G2; HP Elite Slice; HP Elite Slice for Meeting Rooms

\*specific parts need to be localized

### Summary of Changes

#### HP Desktop 90w Mini Power Supply Kit

<b>Part number</b>	L4R65AA
<b>Dimensions (HxLxW)</b> External Power Adapter	2.2 x 1.2 x 4.5 in (31.1 x 133 x 58 mm)
<b>Total cord length</b>	6 ft.
<b>Standard Efficiency</b>	65W active PFC 89% efficient
<b>Operating Voltage Range</b>	90 - 264 VAC
<b>Rated Voltage Range</b>	100 - 240 VAC
<b>Rated Line Frequency</b>	50/60 Hz
<b>Current Leakage</b> (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
<b>Option kit contents</b>	Power supply, Power cable, Warranty
<b>Compatibility</b>	HP EliteDesk 705 Desktop Mini *specific parts need to be localized

#### STANDS AND CHASSIS

##### HP Quick Release Bracket 2

<b>Part number</b>	6KD15AA
<b>Dimensions (HxWxD)</b>	6.57 x 5.12 x 0.70 in (16.7 x 13.0 x 1.79 cm)
<b>Weight</b>	1.1 lb (0.49 kg)
<b>What's in the box?</b>	HP Quick Release Bracket; Screws (for attachment to VESA compliant monitor mounts); One Quick Release "locking" screw.

##### HP Desktop Mini Vertical Chassis Stand

<b>Part number</b>	G1K23AA
<b>Dimensions (HxWxD)</b>	6.30 x 4.61 x 0.79 in (16 x 11.7 x 2 cm)
<b>Weight</b>	0.10 lb (47 g)
<b>Compatibility</b>	HP EliteDesk 8 Mini G1i Desktop AI PC, HP EliteDesk 8 Mini G1a Desktop PC, HP Elite Mini 800 G9 Desktop PC, HP ProDesk 600Desktop Mini, HP ProDesk 4 Mini G1i Desktop AI PC, HP Pro Mini 400 G9 Desktop PC, HP 260 Desktop Mini.
<b>What's in the box?</b>	HP Desktop Mini Vertical Chassis Stand; Installation Guide
<b>Service support</b>	One-year limited warranty

### Summary of Changes

#### SECURITY

##### HP Keyed Cable Lock 10 mm

<b>Part number</b>	T1A62AA
<b>Cable Length</b>	6 ft (183cm)
<b>Cable Diameter</b>	0.177in (4.5mm)
<b>Weight</b>	4.23 oz (0.12 kg)
<b>Compatible slot</b>	Standard
<b>Option kit contents</b>	HP Keyed Cable Lock 10 mm, two keys and documentation

**NOTE:** This lock is not compatible with Desktop mini with a HP desktop mini dual vesa sleeve v2 (2JA32AA/7DB36AA)

---

##### HP Master Keyed Cable Lock 10 mm

<b>Part number</b>	T1A63AA
<b>Cable Length</b>	6 ft (183cm)
<b>Cable Diameter</b>	0.177in (4.5mm)
<b>Weight</b>	4.23 oz (0.12 kg)
<b>Compatible slot</b>	Standard
<b>Option kit contents</b>	HP Master Keyed Cable Lock 10 mm, two keys and documentation

---

