

THE ECO DECLARATION



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable).
 Additional information regarding each item may be found under P15.

Brand *	HP	
Company name *	HP Inc.	
Contact information * e-mail address	HP Sustainability Contact Centre (SCC) sustainability@hp.com	
Internet site *	http://www.hp.com/go/report_productssolutions	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	Printer
Commercial name *	HP Smart Tank 210-220 Printer
Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A
Issue date *	Mar 27 2023
Intended market *	☒ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	Regulatory Model Number (RMN) : SNPRC-2201-02

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:
 P9.1 PTEC, ETEC and display resolution
 P12.1-P12.2 Ergonomic requirements.

Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A	Logo	
Issue date *	Mar 27 2023		

Product environmental attributes - Legal requirements		Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and ^N OTE B ¹)	☒	☐	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	☒	☐	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	☒	☐	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	☒	☐	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	☐	☐	☒
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://h22235.www2.hp.com/hpinfo/globalcitizenship/environment/productdata/reachall-products.html	☒	☐	☐
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	☐	☐	☒
P2.2*	Batteries or accumulators do not contain more than 0,005% of mercury or 0,002% of cadmium. (See legal reference)	☐	☐	☒
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	☐	☐	☒
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	☐	☐	☒
P2.5*	When internal batteries of a notebook computer cannot be accessed and replaced by a nonprofessional user, the related text is present and legible on the external packaging (see legal reference)	☐	☐	☒
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	☒	☐	☐
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; ☐ given in item P15 or added to this document, ☐ available at (add URL):	☒	☐	☐
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	☒	☐	☐
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	☒	☐	☐
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	☒	☐	☐
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	☒	☐	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	☒	☐	☐
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	☐
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	☒	☐	☐

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A	Logo	
Issue date *	Mar 27 2023		

Product environmental attributes - Market requirements (See General Note GN below)		Requirement met		
- Environmental conscious design		Yes	No	n.a.
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	☒	☐	☐
P7.2*	Plastic materials in covers/housing have no surface coating.	☒	☐	☐
P7.3*	Plastic parts 100 g consist of one material or of easily separable materials.	☒	☐	☐
P7.4*	Plastic parts 25 g have material codes according to ISO 11469 referring ISO 1043-4.	☒	☐	☐
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	☒	☐	☐
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	☒	☐	☐
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	☐	☐	☒
P7.8*	Upgrading can be done using commonly available tools	☐	☐	☒
P7.9.	Spare parts are available after end of production for: 3 years			☐
P7.10	Service is available after end of production for: 1 year (Warranty)			☐
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: HIPS			
P7.12	Insulation materials of external electrical cables are PVC free.	☐	☒	☐
P7.13	Insulation materials of internal electrical cables are PVC free.	☐	☒	☐
P7.14	External plastic casing/cover parts 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	☒	☐	☐
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☐ PCBs 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	☐	☒	☐
P7.16	Flame retarded plastic parts 25 g in covers / housings are marked according ISO 1043-4: :	☐	☐	☒
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards 25 g (without components): TBBPA (additive) ☐ , TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #: , Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) 25 g according ISO 1043-4:	☐	☐	☐
P7.18	Alt. 1: Flame retarded plastic parts 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in plastic parts 25 g according ISO 1043-4:	☐	☐	☐
P7.19	In plastic parts 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)	☐	☐	☐

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A	Logo	 HYPERLINK
Issue date *	Mar 27 2023		

Product environmental attributes - Market requirements (continued)				Requirement met		
Item				Yes	No	n.a.
Material and substance requirements (continued)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			☒	☐	☐
	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is over 45%					
	or					
	b) The weight of recycled material is					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):			☐	☒	☐
	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.					
	or					
	b) The weight of the biobased plastic material is g.					
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.			☒	☐	☐
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg					
P7.23*	If product includes an integral display, the total mercury content in the integrated display: mg			☐	☐	☒
P8	Batteries					
P8.1*	Battery chemical composition:					☒
P9	Energy consumption (See NOTE B8)					
P9.1	For the product the following power levels or energy consumptions are reported:					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Sleep mode for ENERGY STAR® Operational Mode (OM) products	0.94 W	0.94 W	0.97 W	ENERGY STAR® Imaging Equipment Test Method (Ver. 3.0)		
Standby/off mode for ENERGY STAR Operational Mode (OM) products	0.06 W	0.06 W	0.07 W	ENERGY STAR® Imaging Equipment Test Method (Ver. 3.0)		
TEC value for ENERGY STAR TEC products (TEC= Typical Energy Consumption)	N/A kWh/week	N/A kWh/week	N/A kWh/week	ENERGY STAR® IMAGING EQUIPMENT TEST METHOD(VER. 3.0)		
	W	W	W			
	W	W	W			
	W	W	W			
	W	W	W			
	W	W	W			
	W	W	W			
External Power Supply Efficiency Level (International Efficiency Protocol) *: No						
Print/Scan Speed * 12: images per minute						
Default time to enter energy save mode: 5 minutes						
P9.2*	Information about the energy save function is provided with the product.			☒	☐	☐

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available; see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A	Logo	
Issue date *	Mar 27 2023		

Product environmental attributes - Market requirements (continued)						Requirement met			
Item						Yes	No	n.a.	
P10		Emissions							
		Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
	Idle	* <i>Ready Mode</i>		* <i>25.6</i>				☐	
	Operation	* <i>Printing Mono</i>		* <i>65.0</i>				☐	
	Other mode								
	Measured according to: ☒ ISO 7779 ☒ ECMA-74 ☐ Other (only if not covered by ECMA-74)								
		Chemical emissions from printing products (See NOTE B10)							
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) ☐ , other specify:						☒	☐	
P10.3	Typical emission rate (operation phase) is (mg/h):							☐	
	Electrophotographic devices: Ozone	Dust	Styrene	Benzene	TVOC			☐	
	Ink devices:	Dust	Styrene	Benzene	TVOC			☐	
NOTE: compliance with maximum emission rates in eco labels to be declared in P14.									
P11		Consumable materials for printing products							
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					☒	☐	☐	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.					☒	☐	☐	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					☐	☐	☒	
P11.4*	The product is delivered to end-user with default auto-duplex enabled.					☐	☐	☒	
P13		Packaging and documentation							
P13.1*	Product packaging material type(s): <i>PAPER/Corrugated</i> weight (kg): <i>0.85</i> Product packaging material type(s): <i>PLASTIC/LDPE - Low Density Polyethylene</i> weight (kg): <i>0.06</i> Product packaging material type(s): <i>PLASTIC/EPS - Expanded Polystyrene</i> weight (kg): <i>0.09</i>								
P13.2*	Product plastic primary packaging is free from PVC.					☒	☐	☐	
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: <i>35</i> %							☐	
P13.4*	Specify media for user and product documentation (tick box): Electronic ☒ , Paper ☒ , Other ☐							☐	
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free					☐	☐		
P14		Voluntary programs:							
P14.1	The product meets the requirements of the following voluntary program(s):								
	ENERGY STAR®	Criteria version:	Date:	Product category:					
	Eco-label:	Criteria version:	Date:	Product category:					
	Eco-label:	Criteria version:	Date:	Product category:					

NOTE B9 A Guidance document on Acoustic Noise is available;
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

NOTE B10 A Guidance document on Chemical Emissions is available;
see <http://www.ecma-international.org/publications/standards/Ecma-370.htm>.

Model number *	4A8H6A; 3D4L3A; 3D4L5A; 4A8H3A; 3D4L4A; 4A8H7A; 3D4L6A; 3D4L2A; 4A8H5A	Logo	
Issue date *	Mar 27 2023		

Product environmental attributes - Market requirements (concluded)		Requirement met															
P15	Additional information (See NOTE B11)																
All	Product environmental information contained in this declaration is valid as of the date the declaration is published. Changes to external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration over time.																
P 7.10	Customer has option to buy extended warranty care pack for up to 4 years. Specific warranty and support options may vary dependent upon product, country and country-specific legislation																
P 9	- Many printers are offered in multiple configurations within the model family. Energy efficiency data listed in this declaration is for an ENERGY STAR® qualified configuration if offered within the model family. HP printers marked with the ENERGY STAR® Logo qualify for the U.S. Environmental Protection Agency (EPA) ENERGY STAR® award for imaging equipment. For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.com/ and select the applicable market segments and product categories to find printers or scanners that meet the ENERGY STAR® specifications. - If a model family does not offer ENERGY STAR® qualified configurations, then energy efficiency data listed is for a typically configured model. - Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically configured product base that qualifies for ENERGY STAR® if offered within the model family. If optional components or modules are added, these can change the energy efficiency data listed above. - European Union Commission Regulation 1275/2008- Energy Information: <table border="1" data-bbox="347 981 1238 1317"> <thead> <tr> <th>Mode/Condition</th><th>Power (W)</th><th>Default time to (if applicable)</th></tr> </thead> <tbody> <tr> <td>Off</td><td>0.12</td><td>240 minutes</td></tr> <tr> <td>Standby (if applicable)</td><td>N/A</td><td>N/A</td></tr> <tr> <td>Condition with network standby (sleep mode)</td><td>1.33</td><td>5 minutes</td></tr> <tr> <td>Condition with network standby (sleep mode) when all wired network ports are connected, and all wireless network ports are activated</td><td>1.34</td><td>5 minutes</td></tr> </tbody> </table>	Mode/Condition	Power (W)	Default time to (if applicable)	Off	0.12	240 minutes	Standby (if applicable)	N/A	N/A	Condition with network standby (sleep mode)	1.33	5 minutes	Condition with network standby (sleep mode) when all wired network ports are connected, and all wireless network ports are activated	1.34	5 minutes	
Mode/Condition	Power (W)	Default time to (if applicable)															
Off	0.12	240 minutes															
Standby (if applicable)	N/A	N/A															
Condition with network standby (sleep mode)	1.33	5 minutes															
Condition with network standby (sleep mode) when all wired network ports are connected, and all wireless network ports are activated	1.34	5 minutes															
P 10.1	Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, these can change acoustic noise values for which HP can take no responsibility.																
P 10.3	Chemical emissions tests are performed on a representative product base model only. HP Smart Tank 610 All-in-One Printer Series																

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	P6.1
---	------

Company environmental profile - THE ECO DECLARATION

Brand	HP	
Company name *	HP Inc.	
Contact information *	HP Sustainability Contact Centre (SCC) sustainability@hp.com	
Internet site *	http://www.hp.com/go/report_productsolutions	
Issue date *		
Intended market *	☒ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.
 The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C7.

Company environmental profile - Legal requirements		Requirement met		
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (see legal reference)	☒	☐	
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (see legal reference) or pays eco tax / fee where required.	☒	☐	
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (see legal reference)	☒	☐	

Company environmental profile - Market requirements		Requirement met		
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	☒	☐	
C4.2*	The company has an environmental management system covering:			
	Product development	☒	☐	
	Manufacturing	☒	☐	
	If so, certified according to: ☒ ISO 14001 ☒ Other as specified in C7			
C4.3	The company regularly publishes an environmental report.	☒	☐	☐
	If so, it meets the recommendations of ☒ The Global Reporting Initiative ☐ Other as specified in C7			
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2 and C3) is available in printed or electronic format.	☒	☐	

Company environmental profile - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
C6	Voluntary programs (When a voluntary agreement is mentioned, at least the product category has to be defined)			
C6.1	The company meets the requirements of the following voluntary program(s):			
	Voluntary Agreement: Criteria version: Date: Product category:			
	Voluntary Agreement: Criteria version: Date: Product category:			
C7	Additional information			

HP has received ISO 14001 certification for its manufacturing operations ([Worldwide Manufacturing of Computing and Imaging Products and Related Operations](#)) and for product design for its [Personal Systems Products](#) and [LaserJet and Enterprise Printing Products](#). The product design certifications include HP-wide product environmental design processes (such as HP's [General Specification for the Environment](#)) that cover all HP products.

HP is committed to responsible business practices and [transparency](#) in its [global citizenship](#) policies and performance. We have a long history of working with suppliers to monitor and improve their social and environmental responsibility (SER) performance when required,

as well as improving standards in the industry. HP endorses the EICC [Code of Conduct](#) in its entirety, and we have supplemented it with additional requirements specific to freedom of association as well as [HP's Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People's Republic of China \(PRC\)](#). HP also has a strong [Global Human Rights Policy](#) in place. HP expects its suppliers to establish policies and processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company to publish its [supply chain smelter list](#). HP follows the Global Reporting Initiative (GRI) guidelines as a basis for reporting. The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers [take back services](#) of products and printing suppliers in some 70 countries. Please refer to HP's [Living Progress Report](#) for more details on our global efforts.

Legal references Europe Annex A

Reference	Declaration item
Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	C1.1
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	C2.1
Directive 2004/12/EC (Packaging Directive)	C3.1
Decision 97/129/EC (Secondary packaging legislation)	C3.1