



# Product Compliance Datasheet

**MARKETING NAME.....: PowerEdge R250**

**REGULATORY MODEL.....: E79S**

**REGULATORY TYPE.....: E79S001**

**EMC EMISSIONS CLASS.....: A**

**EFFECTIVE DATE.....: October 6, 2021**

## Table of contents

I.	Statement of Compliance .....	2
II.	Global Environmental Information .....	3
III.	Declaration of Similarity.....	3
IV.	Power Cords and User Documentation.....	3
V.	Trade (Import/Export) Compliance Data .....	4
VI.	Product Dimensions and Weight.....	4
VII.	Performance Data .....	4
VIII.	Product Materials Information .....	4
IX.	Packaging.....	6
X.	Batteries .....	6
XI.	Design for Environment.....	6
XII.	Recycling / End-of-Life Service Information .....	6
XIII.	Helpful Links .....	7
	Appendix C: ErP Lot 9 Servers and Data Storage Products: Information for end-users .....	8



# I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. [https://www.dell.com/ErP\\_User\\_Information](https://www.dell.com/ErP_User_Information). REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see [www.dell.com/REACH](http://www.dell.com/REACH). This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab <http://www.dell.com/support>. Additional compliance documentation for the product is available upon submitting a request at [http://www.dell.com/regulatory\\_compliance](http://www.dell.com/regulatory_compliance). Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.



## II. Global Environmental Information

Environmental (Voluntary Marks)		
Country	Approval	Compliance
Global	ENERGY STAR (Configuration Dependent)	3.0
Global	CECP	Yes
China	CEC	Yes
Varies by Country See <a href="http://EPEAT.net">EPEAT.net</a>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries

## III. Declaration of Similarity

Object of the Declaration	
Product Type	Server
Regulatory Model Number	E79S
Regulatory Type Number	E79S001
Trade Name/ Trademark	DELL EMC
Marketing Name(s)	PowerEdge R250

Dell Inc. hereby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	October 06, 2021	Signature on behalf of Dell Inc.	Dell Inc. Dell Global Product Compliance and Environmental Affairs
Title	Dell Global Product Compliance and Environmental Affairs		

## IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.



## V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <http://www.dell.com/learn/us/en/uscorp1/import-export> or send email request to [WW\\_Export\\_Compliance@dell.com](mailto:WW_Export_Compliance@dell.com). Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

## VI. Product Dimensions and Weight

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
560.09 mm	482.0 mm (with rack latched) 434.0 mm (without rack latched)	42.8 mm	12.48Kg (4 X 3.5" HDD system)

## VII. Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: [Reducing your Footprint](#)

For additional information on ENERGY STAR models refer to the following database: [ENERGY STAR Product Finder](#)

The battery[ies] in this product cannot be easily replaced by users themselves.

Declared noise emission values in accordance with ISO 9296. Testing performed in compliance with ISO 7779 with operating modes defined by ECMA-74.

<sup>1</sup> This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit <https://www.dell.com/learn/us/en/uscorp1/dell-environment>

## VIII. Product Materials Information

Information on Dell's material use is available [here](#).

Dell's Restricted Material for Use guidance document is available at [www.dell.com/restrictedsubstanceslist](http://www.dell.com/restrictedsubstanceslist).

- The case material is > Steel and PC+ABS <
- This product contains 10.1% post-consumer recycled plastic and /or closed loop recycled plastics (ITE-derived) \*  
(\*Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)



Mechanical plastic parts <sup>1</sup> > 25 g are BFR/PVC free	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Printed circuit boards (without components) >25g are BFR PVC free <sup>2</sup>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Insulation materials of external electrical cables are PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Insulation materials of internal electrical cables are PVC free	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

#### Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	TBBPA

#### Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
Sabic-Cyclooloy RY6214	>PC+ABS-FR(40)<	FR(40)	Organo Phosphate	NA

#### Mercury Information

Number of bulbs	Average per bulb
0	0 mg

#### Additional information:

- Refer to Dell Technologies' [Chemical Use Policy](#) for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):
  - Batteries: [Battery MSDS Documentation and Declaration](#)
  - Printer Toner and Ink: [MSDS Documentation](#)

<sup>1</sup> Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain more than 0.1% weight (1000 ppm) bromine and 0.1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

<sup>2</sup> Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC, or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



## IX. Packaging

Information on Dell's sustainable packaging effort available [here](#). Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at [www.dell.com/restrictedsubstanceslist](http://www.dell.com/restrictedsubstanceslist).

Packaging Materials	Total Weight, (g)	Sustainable Material Content <sup>3</sup> (e.g. Recycled content *, bio-based, Sustainable Forested materials)	% Sustainable Material		
			APJ region	DAO region	EMEA region
Corrugated Fiberboard	4020 (APJ) 3580 (DAO) 3131 (EMEA)	Recycled Content	Min 35%	Min 35%	Min 35%
LDPE (Including EPE Foam)	680 (APJ) 630 (DAO) 630 (EMEA)	Recycled Content	0-80%	0-80%	0%

## X. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)	Rating
CR-2032 coin cell	Lithium Metal	0.003	3Vdc
PERC 10 Battery	Lithium Ion	0.023	3.7Vdc, 1.85Wh
PERC 11 Battery	Lithium Ion	0.060	3.91Vdc, 2.66Wh

## XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes please visit <https://www.dell.com/learn/is/en/iscorp1/dell-environment-greener-products>

## XII. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit [www.dell.com/recyclingworldwide](http://www.dell.com/recyclingworldwide) and select the relevant country.

<sup>3</sup> Non-wood, biobased material may include, but is not limited to: bagasse, bamboo, mushroom, straw, agricultural waste or byproduct.  
\* Recycled content in packaging material is supplier dependent.



## XIII. Helpful Links

- **Environmental Policy**  
[https://i.dell.com/sites/csdocuments/Corporate\\_corp-Comm\\_Documents/en/dell-global-environmental-policy.pdf](https://i.dell.com/sites/csdocuments/Corporate_corp-Comm_Documents/en/dell-global-environmental-policy.pdf)
- **Social Impact - Progress Made Real**  
<https://corporate.delltechnologies.com/en-id/social-impact.htm>
- **Advancing Sustainability**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability.htm>
- **ISO 14001 Certification**  
<http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf>
- **Materials Restricted for Use**  
[www.dell.com/restrictedsubstanceslist](http://www.dell.com/restrictedsubstanceslist)
- **Chemical Use Policy**  
<http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf>
- **Product Carbon Footprint**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/sustainable-products-and-services/product-carbon-footprints.htm>
- **RoHS Compliance**  
<https://support.dellproductcompliance.com/hc/en-us/articles/360036876153-Materials-Restricted-Material-Compliance>
- **REACH Compliance**  
[www.dell.com/REACH](http://www.dell.com/REACH)
- **Recycling Information**  
<http://www.dell.com/recycling>
- **Supplier Responsibility – Champion the Many People**  
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/champion-the-many-people.htm>



# Appendix C: ErP Lot 9 Servers and Data Storage Products: Information for end-users

The EU Commission Regulation (EU) 2019/424 (ErP Lot 9) ANNEX II Section 3.0 defines the information requirements to be provided by Manufacturers. This information is documented below or via a link is provided to a free access website where the information is maintained. A reference column is included to align the information with the format in the annex of the regulation. Where the information has already been recorded in the body of the Product Compliance Datasheet a note is made to avoid duplication.

For any follow up a request should be sent to: <http://support.dellproductcompliance.com>

### Server Information Section:

Annex II Sect 3.0	Reporting Requirement	Link to Firmware / Security Updates
	Latest available version of firmware updates is available on the Product Page for the Marketing Model of the Server Solution	<a href="https://www.dell.com/support">https://www.dell.com/support</a>
	Latest available version of firmware updates is available on the Product Page for the Marketing Model of the Server Solution	<a href="https://www.dell.com/support/security/">https://www.dell.com/support/security/</a>

### High End Configuration:

Annex II Sect 3.1	Reporting Requirement	Information Requirements / link to free access website
a.	product type	1-socket Rack server (neither blade nor multi-node), No Special Features
b.	manufacturer's name, registered trade name and registered trade address at which they can be contacted;	Reference Product Compliance data sheet
c.	product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	Dell Inc. PowerEdge R250
d.	year of manufacture;	10/6/2021
e.	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power,	reference ErP Lot 9 power supply table
f.	power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places	reference ErP Lot 9 power supply table
g.	PSU rated power output (Watts), rounded to the nearest integer	reference ErP Lot 9 power supply table
h.	idle state power, expressed in Watts (rounded to the first decimal place)	47.4
i.	product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	Power Supply, HDD/SSD, Memory, I/O Ports
j.	maximum power, expressed in Watts (rounded to the first decimal place);	163.9
k.	declared operating condition class,	[ reference user manual in documentation tab on <a href="https://www.dell.com/support">https://www.dell.com/support</a> ]
l.	idle state power (Watts) at the higher boundary temperature of the declared operating condition class,	Enter Elevated temperature Idle Power at max operating temperature of the server
m.	the active state efficiency and the performance in active state of the server;	Efficiency=26.6 ; Performance =112.3
n.	secure data deletion	<a href="https://www.dell.com/support/manuals/idrac">https://www.dell.com/support/manuals/idrac</a>
o.	list recommended combinations with compatible chassis	None
p.	if a product model is part of a server product family, a list of all model configurations that are represented by the model shall be supplied.	All available configurations can be selected on <a href="https://www.dell.com">https://www.dell.com</a> for a particular product model





**Low End Configuration:**

<b>Annex II Sect 3.1</b>	<b>Reporting Requirement</b>	<b>Information Requirement / link to free access website</b>
e.	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power,	reference ErP Lot 9 power supply table
f.	power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places	reference ErP Lot 9 power supply table
g.	PSU rated power output (Watts), rounded to the nearest integer	reference ErP Lot 9 power supply table
h.	idle state power, expressed in Watts (rounded to the first decimal place)	32.5
i.	list of all components for additional idle power allowances, if any (additional PSU, HDDs or SSDs, additional memory, additional buffered DDR channels, additional I/O devices);	Power Supply, HDD/SSD, Memory, I/O Ports
j.	maximum power, expressed in Watts (rounded to the first decimal place);	55.9
k.	declared operating condition class,	[ reference user manual in documentation tab on <a href="https://www.dell.com/support">https://www.dell.com/support</a> ]
l.	idle state power (Watts) at the higher boundary temperature of the declared operating condition class,	Enter Elevated temperature Idle Power at max operating temperature of the server
m.	the active state efficiency and the performance in active state of the server;	Efficiency=13.8 ; Performance =46.4

<b>ErP Lot 9 Server Power Supply Table (applicable for high end and low-end configurations)</b>	
<b>Power Supply Model Number</b>	<b>Link to manufacturer's efficiency report (List of 80 PLUS Certified Power Supplies)</b>
L450E-S0	<a href="https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=26&amp;type=1">https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=26&amp;type=1</a>
D450E-S4	

<b>Annex II Sect 3.3</b>	<b>Reporting Requirement</b>	<b>Information Requirement / link to free access website</b>
h.	indicative weight range of the following CRMs: (a) Cobalt in the batteries. (b) Neodymium in the HDDs	Contact: <a href="http://support.dellproductcompliance.com">http://support.dellproductcompliance.com</a>
i.	instructions on the disassembly operations;	reference user manual in documentation tab on <a href="https://www.dell.com/support">https://www.dell.com/support</a>

