


# **OVERVIEW**





1. Thunderbolt 4	5. Headphone / microphone combo jack (3.5mm)
2. Thunderbolt 4	6. Nano-SIM card slot *
3. USB 3.2 Gen 1	7. USB 3.2 Gen 1 (Always On)
4. HDMI	8. Kensington Nano Security Slot

# Notes:

• Ports with \* are only available on selected models



# **PERFORMANCE**

## **Processor**

## **Processor Family**

12th Generation Intel $^{8}$  Core $^{™}$  i5 / i7 Processor

Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5- 1235U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	LPDDR5- 5200	Intel Iris® Xe Graphics
Core i5- 1245U	10 (2 P-core + 8 E-core)	12	P-core 1.6GHz / E- core 1.2GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i7- 1255U	10 (2 P-core + 8 E-core)	12	P-core 1.7GHz / E- core 1.2GHz	P-core 4.7GHz / E- core 3.5GHz	12MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i7- 1265U	10 (2 P-core + 8 E-core)	12	P-core 1.8GHz / E- core 1.3GHz	P-core 4.8GHz / E- core 3.6GHz	12MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i5- 1240P	12 (4 P-core + 8 E-core)	16	P-core 1.7GHz / E- core 1.2GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i5- 1250P	12 (4 P-core + 8 E-core)	16	P-core 1.7GHz / E- core 1.2GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i7- 1260P	12 (4 P-core + 8 E-core)	16	P-core 2.1GHz / E- core 1.5GHz	P-core 4.7GHz / E- core 3.4GHz	18MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i7- 1270P	12 (4 P-core + 8 E-core)	16	P-core 2.2GHz / E- core 1.6GHz	P-core 4.8GHz / E- core 3.5GHz	18MB	LPDDR5- 5200	Intel Iris Xe Graphics
Core i7- 1280P	14 (6 P-core + 8 E-core)	20	P-core 1.8GHz / E- core 1.3GHz	P-core 4.8GHz / E- core 3.6GHz	24MB	LPDDR5- 5200	Intel Iris Xe Graphics

## Notes:

1. i7-1280P is NOT available in EMEA.

# **Operating System**

# Operating System\*\*

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 DG Windows 10 Pro 64
- Linux
- Fedora Linux
- Ubuntu Linux
- No operating system

# **Graphics**

# **Graphics**

Graphics	Туре	Memory	TGP	Key Features
Intel Iris Xe Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1

# **Monitor Support**

# Monitor Support[1]

Supports up to 4 independent displays (native display and 3 external monitors via Thunderbolt™ and HDMI®)

- Thunderbolt supports up to 5K@60Hz
- HDMI supports up to 4K@60Hz

# Notes:

1. Refresh rates >60hz also supported, however max resolution will be limited.



# **Chipset**

## Chipset

Intel SoC (System on Chip) platform

## Memory

# Max Memory[1][2]

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

### **Memory Slots**

Memory soldered to systemboard, no slots, 8-channel

Memory Type<sup>[3]</sup>

LPDDR5-5200

# Notes:

- 1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
- 2. 8GB memory is NOT available in EMEA.
- 3. Installed memory is actually 6400MHz but run at 5200MHz due to processor limitation

## **Storage**

## Storage Support[1]

One drive, up to 2TB M.2 2280 SSD

### **Storage Slot**

One M.2 2280 PCIe® 4.0 x4 slot

## Storage Type\*\*[2]

Disk Type	Interface	Offering	Security
M.2 2280 SSD	PCIe NVMe®, PCIe 4.0 x4 Performance	512GB / 1TB / 2TB	Opal2
M.2 2280 SSD	PCIe NVMe, PCIe x4	256GB / 512GB / 1TB	Opal2

## Notes:

- 1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.
- 2. PCIe x4 SSD may be PCIe 3.0x4 or PCIe 4.0x4 as substitution. 512GB and 1TB M.2 2280 PCIe 4x4 SSD are NOT available in EMEA.

## Removable Storage

# Optical

None

# **Card Reader**

No card reader

## Multi-Media

## **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

## **Speakers**

Stereo speakers, 2W x2 woofers and 0.8W x2 tweeters, Dolby® Atmos®

## Microphone

Quad-microphone array, 360° far-field, Dolby Voice

## Camera\*\*[1]

- HD 720p, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus
- FHD 1080p + IR hybrid, with privacy shutter, fixed focus
- FHD 1080p + IR discrete, with privacy shutter, MIPI, fixed focus, Computer Vision



#### Notes:

1. 720p camera is NOT available in EMEA.

## **Battery**

## **Battery**

Integrated Li-Polymer 57Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

### Battery Life[1]

Configuration 1 (max battery life)

MobileMark® 2018: up to 15.0 hr with 838 performance score @200nits MobileMark 25: up to 13.1 hr with 663 performance score @250nits JEITA 2.0: up to 24.9 hr @150nits

Local video playback: up to 19.9 hr @150nits

## Alternate configuration 2

MobileMark 2018: up to 14.3 hr with 840 performance score @200nits MobileMark 25: up to 11.3 hr with 623 performance score @250nits JEITA 2.0: up to 24.9 hr @150nits

Local video playback: up to 19.9 hr @150nits

#### Alternate configuration 3

MobileMark 2018: up to 14.2 hr with 809 performance score @200nits MobileMark 25: up to 11.1 hr with 600 performance score @250nits JEITA 2.0: up to 21.7 hr @150nits

Local video playback: up to 19.7 hr @150nits

#### Notes:

1. Configuration 1 (max battery life): WUXGA (non-touch), Intel i5-1235U, 8GB LPDDR5, Win 11, 57Wh battery, best power efficiency power mode

Alternate configuration 2: WUXGA (non-touch), Intel i5-1240P, 16GB LPDDR5, Win 11, 57Wh battery, best power efficiency power mode Alternate configuration 3: WUXGA (non-touch), Intel i7-1260P, 16GB LPDDR5, Win 11, 57Wh battery, best power efficiency power mode

All battery life claims are approximate maximum and based on results using MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p local video playback (using default Media Player in Fullscreen mode with 150nits brightness and default volume level), or Google Power Load Test (PLT) battery-life benchmark tests.

Actual battery life will vary and depends on many factors such as product configuration, software, wireless functionality, power management settings, and screen brightness.

The maximum capacity of the battery will decrease with time, ambient temperature and use.

Refer to Microsoft® link for more information about the Windows Performance power slider.

## **Power Adapter**

# Power Adapter\*\*[1][2]

- 45W USB-C® (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter

## Notes:

- 1. AC adapter offerings depend on the country.
- 2. In EMEA only 65W USB-C slim AC adapters are available.

# DESIGN

## **Display**

## Display\*\*[1][2]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut		Key Features
14"	WUXGA	None	IPS	400 nits	Anti-glare	16:10	1000:1	100%	170°	Low power,



	(1920x1200)							sRGB		Eyesafe® Certified
14"	WUXGA (1920x1200)	On-cell touch	IPS	400 nits	Anti-glare	16:10	1000:1	100% sRGB	170°	Low power, Eyesafe Certified
14"	WUXGA (1920x1200)	On-cell touch	IPS	500 nits	Anti-glare	16:10	1000:1	100% sRGB	170°	ThinkPad® Privacy Guard
14"	2.2K (2240x1400)	None	IPS	300 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	TÜV Low Blue Light Method 2
14"	2.8K (2880x1800)	None	OLED	SDR 400nits / HDR 500nits	Anti-glare, Anti- reflection, Anti-smudge	16:10	100000:1	100% DCI-P3	170°	DisplayHDR™ True Black 500, Eyesafe Certified
14"	WQUXGA (3840x2400)	None	IPS	500 nits	Glossy	16:10	1500:1	100% DCI-P3	170°	Low power, Dolby Vision™, DisplayHDR 400, Eyesafe Certified
14"	WQUXGA (3840x2400)	Add On Film Touch	IPS	500 nits	Anti-glare, Anti- reflection, Anti-smudge	16:10	1500:1	100% DCI-P3	170°	Low power, Dolby Vision, DisplayHDR 400, Eyesafe Certified

## Touchscreen\*\*

- Add-on Film Touch, supports 10-point touch
- On-cell touch, supports 10-point touch
- Non-touch

#### Notes:

1. California Electronic Waste Recycling Fee
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product.
For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

2. 2.2K display and Add on Film Touch display are NOT available in EMEA.

# **Input Device**

## Keyboard

6-row, spill-resistant, air intake design, multimedia Fn keys with Unified Communications controls

# **Keyboard Backlight**

LED backlight

## UltraNav™

TrackPoint® pointing device and glass surface multi-touch touchpad, 56 x 110 mm (2.20 x 4.33 inches)

# **Mechanical**<sup>[1]</sup>

# Dimensions (WxDxH)

Models	Dimensions
Models with 720p camera	315.6 x 222.5 x 14.95 mm (12.43 x 8.76 x 0.59 inches)
Models with other camera	315.6 x 222.5 x 15.36 mm (12.43 x 8.76 x 0.60 inches)

## Weight

Starting at 1.12 kg (2.48 lbs)

# Case Color\*\*

- Deep black, paint
- Deep black, weave

#### **Case Material**

Carbon fiber (top), aluminium (bottom)

## Notes:

1. The system dimensions and weight vary depending on configurations.

# CONNECTIVITY



## **Network**

### Ethernet[1]

No onboard Ethernet

## WLAN + Bluetooth®\*\*[2][3]

- Intel Wi-Fi® 6E AX211, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1

#### WWAN\*\*

- Wireless WAN upgradable to 4G (with antenna ready)
- Fibocom FM350-GL 5G Sub-6 GHz, M.2 Card, with embedded eSIM functionality
- Fibocom L860-GL-16, 4G LTE CAT16, MIMO 4x4, M.2 card
- No support

#### SIM Card

- Gemalto eSIM card (physical)
- No SIM card inbox

#### **NFC**

- Near Field Communication
- No support

#### Notes:

- 1. Ethernet support via optional Lenovo USB-C to Ethernet Adapter
- 2. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation
- 3. Wi-Fi 6 and Wi-Fi 6E full features might be limited by country level restrictions.
  Wi-Fi 6E only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.
  6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.

## Ports<sup>[1]</sup>

## **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x Thunderbolt 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4a)
- 1x HDMI, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)

# **Optional Ports**

1x Nano-SIM card slot (WWAN support models)

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s

# **Docking**

## **Docking**

Various docking solutions supported via Thunderbolt / USB-C.

For more compatible docking solutions, please visit <u>Docking for ThinkPad X1 Carbon Gen 10</u>

# **Monitor Cable**

## **Monitor Cable**

- · Lenovo HDMI to VGA Monitor Adapter
- No monitor cable

# SECURITY & PRIVACY

# **Security**



### **Security Chip**

Discrete TPM 2.0, TCG certified

## **Physical Locks**

Kensington® Nano Security Slot™, 2.5 x 6 mm

#### **Smart Card Reader**

No smart card reader

## **Fingerprint Reader**

Touch style fingerprint reader integrated in power button, match-on-chip

# **BIOS Security**

- · Power-on password
- · Supervisor password
- · System management password
- NVMe password
- USB FIDO (Fast Identity Online) device integration
- Certificate based BIOS authentication
- Firmware Resiliency 3.0

## **Other Security**

- · Camera privacy shutter
- (Optional) IR camera for Windows Hello
- (Optional) Privacy Guard with Privacy Alert
- Glance by Mirametrix®
- (Optional) Computer Vision-based User Presence Sensing including lock on leave
- Tile ready

# **MANAGEABILITY**

# **System Management**

# System Management\*\*[1]

- Intel vPro® Enterprise
- Intel vPro Essentials
- Non-vPro

#### Notes:

1. Intel vPro offers a superset of DASH's defined capabilities.

## **SERVICE**

# **Warranty**

## Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service
- No base warranty

# **ENVIRONMENTAL**

# **Sustainability**

## Material

95% PCC recycled plastic used in speaker enclosure 25-30% PCC recycled plastic used in the 57Wh battery 95% PCC recycled plastic used in standard 65W adapter Low-temperature solder 90% recycled and/or sustainable packaging



# **Operating Environment**

## Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

# **ACCESSORIES**

## **Bundled Accessories**

## **Bundled Accessories**

- Lenovo USB-C to Ethernet Adapter
- None

## CERTIFICATIONS

# **Green Certifications**

#### **Green Certifications**

- EPEAT™ Gold
- ENERGY STAR® 8.0
- ErP Lot 3
- TCO Certified 9.0
- RoHS compliant

### **Other Certifications**

### Mil-Spec Test

MIL-STD-810H military test passed

### **Other Certifications**

- · (Optional) Eyesafe Certified
- (Optional) Intel Evo™ Platform
- TÜV Rheinland® Dynamic Privacy Filter (DPF) Certification (Privacy Guard models)
- (Optional) TÜV Rheinland Low Blue Light Method 2
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.









intel





intel. intel.