

Poly Trio C60 System

This document covers the following products:

- Poly Trio C60 system
- Poly Trio C60 NR system
- Poly Trio C60 ND system

Poly Trio C60 and Poly Trio C60 ND systems are radio-enabled devices. The Poly Trio C60 NR system does not contain any radio equipment. All radio certifications and references contained in this document apply to the Poly Trio C60 and Poly Trio C60 ND systems only.

Service Agreements

Contact your Poly Authorized Reseller for information about service agreements applicable to your product.

Safety, Compliance, and Disposal Information

- This equipment is intended for indoor use only.
- Always disconnect the system from power before cleaning or servicing.
- In order to remove all power from this unit, disconnect the main power supply cord.
- Do not spray liquids directly onto the system when cleaning. Always apply the liquid first to a static-free cloth.
- Do not immerse the system in any liquids or place any liquids on it.
- Do not disassemble this system. To maintain the warranty on the system, a qualified technician must perform service or repair work.
- There are no user serviceable parts inside this product.
- This product is intended to be powered by an external (LPS) power supply - use only the type which is supplied with this product.
- Do not use a power cord that is damaged. This could cause fire or electric shock. Contact the manufacturer for a replacement cord, if necessary.
- Only use a power cord which is appropriately rated and approved relevant to the country of use.
- This equipment is not intended to be operated by children.
- When connecting to the main power supply, connect only to an earthed supply outlet that is installed near the equipment and is easily accessible.
- Keep ventilation openings free from any obstructions.

Installation Instructions

Installation must be performed in accordance with all relevant national wiring rules.

L'Installation doit être exécutée conformément à tous les règlements nationaux applicable au filage électrique.

When using Power over Ethernet (PoE), the equipment is to be connected only to PoE networks without connections to the outside plant. PoE output is compliant with IEEE 802.3af PSE standard, and rated maximum output power of 15.4W.

Plug Acts as Disconnect Device

The socket outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible.

La prise électrique à laquelle l'appareil est branché doit être installée près de l'équipement et doit toujours être facilement accessible.

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am1:2009; Am2:2013; EN 62368: 2014 + AC: 2015.

En outre, toutes les sources d'entrée doivent obligatoirement répondre aux exigences Source d'alimentation limitée de la CEI 60950-1: 2005 (2e édition); Am1:2009 ou IEC 60950-1: 2005 (2e édition); Am1:2009; AM2:2013; EN 62368: + AC: 2015.

Additional Warnings for Products with a Power Supply

- Always disconnect the system from power and telecommunications networks before cleaning or servicing.
- This product is intended to be powered by an external Limited Power Source (LPS) power supply. Use only the type which is supplied with this product.
- This system is considered to be Pluggable Equipment Type A. The socket outlets must be installed near the equipment and be easily accessible.

Additional Warnings for Products with a Power Cord

- Do not use a power cord that is damaged. This could cause fire or electric shock. Contact the manufacturer for a replacement cord, if necessary.
- Only use a power cord which is appropriately rated and approved relevant to the country of use.
- When connecting to the mains supply, connect only to an earthed supply outlet which is installed near the equipment and is easily accessible.

Additional Warning for Products with Power over Ethernet (PoE) Functionality

- If the product is powered using Power over Ethernet, you must use an appropriately rated and approved networking device, or the power injector identified for use with this product.

USA

Part 15 FCC Rules

Class B Digital Device or Peripheral – Poly Trio C60, Poly Trio C60 ND, and Poly Trio C60 NR Systems

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Poly Trio C60 FCC ID: M72-TC60FR:

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may cause undesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Polycom Inc. could void the user's authority to operate the equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules and of FCC Part 15D.

Poly Trio C60 ND FCC ID: M72-TC60ND:

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may cause undesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Polycom Inc. could void the user's authority to operate the equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device meets all the other requirements specified in Part 15E, Section 15.407 of the FCC Rules.

Modifications

In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment. This equipment may not be used on a coin service or party line.

Radiation Exposure Statement

The antenna used for this transmitter must be installed to provide a separation distance of at least 20 centimeters from all persons and must not be co located or operating in conjunction with any other antenna or transmitter. This device with its antenna complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. To maintain compliance, this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This does not apply to the Poly Trio C60 NR system.

FOR MOBILE DEVICE USAGE (>20cm/low power)

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

FOR COUNTRY CODE SELECTION USAGE (WLAN DEVICES)

Note: This does not apply to the Poly Trio C60 NR system.
The country code selection is for non-US models only and is not available to all US models. Per FCC regulation, all Wi-Fi products marketed in US must be fixed to US operation channels only.

Canada

Industry Canada Statement

This product meets the applicable Innovation, Science and Economic Development Canada technical specifications.

Poly Trio C60 IC Certification: 1849C-TC60FR:

This device complies with RSS247 and RSS-213 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- 1 This device does not cause harmful interference.
- 2 This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Caution:

(i) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

(iv) Where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

Avertissement:

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

- (i) Les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- (iv) Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués.

Poly Trio C60 ND IC Certification number: 1849C-TC60ND:

This device complies with RSS247 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- 1 This device does not cause harmful interference.
- 2 This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Caution :

- (i) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- (iv) Where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

Avertissement:

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment :

- (i) Les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- (iv) Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués.

FOR MOBILE DEVICE USAGE (>20cm/low power)**Radiation Exposure Statement:**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à plus de 20 cm entre le radiateur et votre corps.

This Class [B] digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la Classe [B] est conforme à la norme NMB-003 du Canada.

- Trio C60 IC Certification: 1849C-TC60FR
- Trio C60 ND IC Certification number: 1849C-TC60ND

EEA

CE Mark

Trio C60 and Trio C60 ND are both marked with the CE mark. This mark indicates compliance with Radio Equipment Directive (RED) 2014/53/EU, 2009/125 EC, EC1275/2008, EU 801/2013 and 2011/64/EU. Trio C60 NR is marked with the CE mark. This mark indicates compliance with 2014/35 EU, 2014/30 EU, 2009/125 EC, EC1275/2008, EU 801/2013 and 2011/65/EU.

Japan VCCI

Caution when using power cable 2200-86680-002 with Poly Trio C60 phones.

製品には、同梱された電源コードをお使い下さい。
同梱された電源コードは、他の製品では使用出来ません。

translation
Please use the attached power cord.
The attached power cord is not allowed to use with other product.

VCCI – B

The following VCCI - B is for Poly Trio C60 and Poly Trio NR systems.

この装置は、クラスB機器です。この装置は、住宅環境で使用することを目的としていますが、この装置がラジオやテレビジョン受信機に近接して使用されると、受信障害を引き起こすことがあります。

取扱説明書に従って正しい取り扱いをして下さい。

VCCI – B

The Trio C60 is only approved to transmit indoors within the W52 and W53 bands for Japan:

- W52(5180MHz / 5200MHz / 5220MHz / 5240MHz)
- W53(5260MHz / 5280MHz / 5300MHz / 5320MHz)

This product cannot be connected directly to the telecommunications circuits (or public wireless LANs) of any telecommunication carriers (e.g., mobile communications carriers, fixed communications carriers, or internet providers). In the case of connecting this product to the Internet, be sure to connect it via a router.

New Zealand

IMPORTANT NOTICE

Under power failure conditions, this telephone may not operate. Please ensure that a separate telephone, not dependent on local power, is available for emergency use.

General Conditions

The grant of a Telepermit for any item of terminal equipment indicates only that Telecom has accepted that the item complies with minimum conditions for connection to its network. It indicates no endorsement of the product by Telecom, nor does it provide any sort of warranty. Above all, it provides no assurance that any item will work correctly in all respects with another item of Telepermitted equipment of a different make or model, nor does it imply that any product is compatible with all of Telecom's network services.

New Zealand Telepermit

 TELEPERMIT Telepermit Holder: Polycom Asia Pacific PTE Ltd Product: Trio C60 Conference IP Telephone	 TELEPERMIT Telepermit Holder: Polycom Asia Pacific PTE Ltd Product: Trio C60 NR Conference IP Telephone
PTC 220 / 20 / 006	PTC 220 / 20 / 007

Australia

Warning: This equipment will not operate when main power fails.

Brazil

Para maiores informações consulte o site da ANATEL - www.anatel.gov.br

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

NOTE: This section only applies to the Poly Trio C60 and Trio C60 NR.

The following table identifies the allowable frequencies of use of the Poly Trio C60 system in Brazil:

O produto com nome de modelo Trio C60 incorpora Transceptor de Radiação Restrita com as seguintes características:

Faixa de Frequências Tx (MHz)	Potência Máxima de Saída (W)	Designação de Emissões	Tecnologias	Tipo de Modulação
2.400,0 a 2.483,5	0,0058	1M09F7D	SALTO EM FREQUÊNCIA	GFSK
2.400,0 a 2.483,5	0,0045	1M36G7D	SALTO EM FREQUÊNCIA	8DPSK
2.400,0 a 2.483,5	0,0057	740KF7D	SEQUÊNCIA DIRETA	GFSK
2.400,0 a 2.483,5	0,0056	710KF7D	SEQUÊNCIA DIRETA	GFSK
2.400,0 a 2.483,5	0,1183	10M0X9D	SEQUÊNCIA DIRETA	DBPSK/DOPSK/CCK
2.400,0 a 2.483,5	0,139	17M3X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
2.400,0 a 2.483,5	0,1309	17M6X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
2.400,0 a 2.483,5	0,1125	36M5X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.725,0 a 5.850,0	0,0813	16M4X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.725,0 a 5.850,0	0,0769	17M8X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.725,0 a 5.850,0	0,0805	36M7X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.725,0 a 5.850,0	0,0745	17M8X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.725,0 a 5.850,0	0,0766	36M6X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.725,0 a 5.850,0	0,0771	77M0X9D	OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.150,0 a 5.350,0	0,0058	-	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.150,0 a 5.350,0	0,0103	-	OFDM	BPSK/QPSK/16-QAM/64-QAM
5.150,0 a 5.350,0	0,0092	-	OFDM	BPSK/QPSK/16-QAM/64-QAM

Faixa de Frequências Tx (MHz)	Potência Máxima de Saída (W)	Designação de Emissões	Tecnologias	Tipo de Modulação
5.150,0 a 5.350,0	0,0069		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.150,0 a 5.350,0	0,0105		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.150,0 a 5.350,0	0,0064		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.470,0 a 5.725,0	0,009		OFDM	BPSK/QPSK/16-QAM/64-QAM
5.470,0 a 5.725,0	0,0166		OFDM	BPSK/QPSK/16-QAM/64-QAM
5.470,0 a 5.725,0	0,014		OFDM	BPSK/QPSK/16-QAM/64-QAM
5.470,0 a 5.725,0	0,0105		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.470,0 a 5.725,0	0,0096		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM
5.470,0 a 5.725,0	0,0108		OFDM	BPSK/QPSK/16-QAM/64-QAM/256-QAM

O produto com nome de modelo Trio C60 incorpora Sistemas de Transmissão de Audio, Vídeo e Outras Aplicações com as seguintes características:

Faixa de Frequências Tx (MHz)	Potência Máxima de Saída (W)	Designação de Emissões	Tipo de Modulação
1.910,0 a 1.920,0	0,1795	1M64F7E	GFSK

India

India RoHS

This product, as well as its related consumables and spares, complies with the reduction in hazardous substances provisions of the “India E-waste (Management and Handling) Rule 2022”. It does not contain lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers in concentrations exceeding 0.1 weight % and 0.01 weight % for cadmium, except for where allowed pursuant to the exemptions set in Schedule 2 of the Rule.

Product	ETA Number	Report Number
Poly Trio C60 ND	ETA-SD-20200704069	RF200113C06A, RF200113C06A-1

China Notices

用户须知

欢迎使用惠普 RMN/型號/型号:Trio C60, RMN/型號/型号:Trio C60 ND, RMN/型號/型号:Trio C60 NR
为了您及产品的安全，请您务必注意如下事项：

1. 产品要和地线相接，要使用有正确接地插头的电源线，使用中国国家规定的220V电源。
2. 避免高温和多尘土的地方，否则易引起产品零部件的损坏。
3. 避免接近高温，避免接近直接热源，如太阳光直射，暖气等其他发热体。
4. 不要有异物或液体落入机内，以避免零部件短路。
5. 不要将磁体放置于产品附近。

警告

为防止火灾或触电事故，请不要将该产品淋雨或者放置于潮湿处。

RoHS

The Poly Trio C60 ND and Poly Trio C60 NR comply with China RoHS 2.0 Regulation.

所有在中华人民共和国境内进口或销售的电子信息产品必须附上本文件						
Include this document with all Electronic Information Products Imported or sold in the People's Republic of China						
视频会议设备，话筒和会议电话Video Conference Equipment, Handset, and Conference Phones	有毒有害物质或元素Hazardous Substances					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
电子元件 Electronic Components	X	O	O	O	O	O
金属部件 Metal Parts	X	O	O	O	O	O
印刷电路板组件 Circuit Modules	O	O	O	O	O	O
缆线和缆线组件 Cables and Cable Assemblies	O	O	O	O	O	O
塑料和聚合物部件 Plastics and Polymeric Parts	O	O	O	O	O	O
触摸液晶组件 Touch LCM	O	O	O	O	O	O
本表格依据SJ/T 11364的规定编制。 O: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。Indicates that the concentration of the hazardous substance in all homogeneous materials in the part is below the relevant threshold of the GB/T 26572 standard. X: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限制要求。Indicates that the concentration of the hazardous substance in all homogeneous materials in the part is above the relevant threshold of the GB/T 26572 standard. 本表显示，宝利通公司(Polycom, Inc.)生产的该电子信息产品，由零部件供应商提供的部件中可能含有有毒有害物质，其含量满足或超出SJ/T11364标准规定的限量要求。This table shows some hazardous substances may be found in the supply chain of Polycom, Inc. and indicate the concentration is below or above the SJ/T11364 standard.						

环保使用期（如无标记） **Environment Friendly Use Period (If Unmarked)**

電話機	20
-----	----

Singapore

The Poly Trio C60 full radio version complies with the following:

Complies with
IDA Standards
[DA101619]

South Korea

NOTE: This section only applies to the Poly Trio C60 ND and Trio C60 NR.

Trio C60 ND:



R-R-PLM-Trio-C60-ND

- 상 호 명: POLYCOM INC.
(applicant company name)
- 기자재의 명칭 (모델명): Conference Telephone (Trio C60 ND)
(Equipment name (Model number))
- 제조연월: YYYY/MM
(Manufactured date (Month and Year))
- 제 조 자/제 조 국 : POLYCOM INC./ China,Mexico

Trio C60 NR:



R-R-PLM-Trio-C60-NR

1. 상 호 명: POLYCOM INC.
(applicant company name)
2. 기자재의 명칭 (모델명): Conference Telephone (Trio C60 NR)
(Equipment name (Model number))
3. 제조연월: YYYY/MM
(Manufactured date (Month and Year))
4. 제 조 자/제 조 국 : POLYCOM INC./ China,Mexico

이 장치는 이동전화, Wi-Fi 또는 블루투스 장치 등 무선통신장치와 매우 근접한 장소에서 사용할 경우 오작동을 일으킬 가능성이 있습니다.

해당 무선설비는 전파혼신 가능성이 있으므로 인명안전과 관련된 서비스는 할 수 없음.

해당 무선설비는 5150~5250GHz 대역에서 실내에서만 사용할 수 있음

Taiwan

安全警語:

1. “不得打開產品外殼，以免造成安全問題” 或“不要對本設備進行機械或電氣修改，以免造成安全問題”
2. 請勿任意拆裝設備。任何未經授權或認證人員之設備拆裝可能造成嚴重的安全問題。任何問題，請洽您的銷售人員或經銷商尋求協助。
3. 除非安裝手冊或使用手冊中提及，否則請勿嘗試維修您的設備。永遠遵守安裝手冊及使用手冊的說明。

NCC LPD Statement

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

5GHz U-NII Statement

應避免影響附近雷達系統之操作。

高增益指向性天線只得應用於固定式點對點系統。

NOTE: This section only applies to the Poly Trio C60 ND and Trio C60 NR.

The following table identifies the allowable radio frequencies of use for the Trio C60 ND in Taiwan. This table does not apply to the non-radio version of the product – the Trio C60 NR.

1. 本器材符合下列技術規範標準：

審驗類別/介面	技術規範/標準編號
WLAN介面	【LP0002 (109年版，第4.10.1節、5.7節及6.20.2節)】
Bluetooth介面	【LP0002 (109年版，第4.10.1節)】

2. 本器材詳細輸出功率、工作頻率如下：

工作頻率 (MHz)	頻道數	輸出功率 (dBm)	屬性
2412-2462	11	12.88	WLAN 802.11b/g/n mode, 20MHz Bandwidth
5180-5240	4	14.23	WLAN 802.11a/n/ac mode, 20/40/80MHz Bandwidth
5260-5320	4	13.69	WLAN 802.11a/n/ac mode, 20/40/80MHz Bandwidth
5500-5720	12	12.65	WLAN 802.11a/n/ac mode, 20/40/80MHz Bandwidth
5745-5825	5	12.61	WLAN 802.11a/n/ac mode, 20/40/80MHz Bandwidth

工作頻率 (MHz)	頻道數	輸出功率 (dBm)	屬性
2402-2480	79	5.78	BT EDR
2402-2480	40	1.51	BT LE

低功率電波輻射性電機管理辦法

第十二條 經型式認證合格之低功率射頻電機，非經許可，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

第十四條 低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前項合法通信，指依電信法規定作業之無線電通信。

低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾
使用此產品時應避免影響附近雷達系統之操作。

Taiwan (ROHS)

NOTE: This section only applies to the Poly Trio C60 ND and Trio C60 NR

設備名稱：會議電話 型號（型式）：Trio C60 ND, Trio C60 NR						
單元 Unit	Equipment name 限用物質及其化學符號 Type designation (Type) Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
電子元件 (Electronic Components)	—	○	○	○	○	○
金屬部件 (Metal Parts)	—	○	○	○	○	○
印刷電路板組件 (Circuit Modules)	○	○	○	○	○	○
纜線和纜線組件 (Cables and Cable Assemblies)	○	○	○	○	○	○
觸摸液晶組件 (Touch LCM)	○	○	○	○	○	○
備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考3. “—”係指該項限用物質為排除項目。 Note 3: The “—” indicates that the restricted substance corresponds to the exemption.						

Operating Ambient Temperatures

- Operating temperature: +32 to 104°F (0 to 40°C)
- Relative humidity: 5% to 95%, noncondensing
- Storage temperature: –40 to +160°F (–40 to +70°C)

Waste Electrical and Electronic Equipment (WEEE)



All Poly products that fall within the scope of the EU WEEE Directive carry the crossed wheelie bin symbol which advises customers not to recycle electronic products in the domestic waste stream but to recycle them safely as e-waste. For more information, see <https://www.poly.com/WEEE>.

Restriction of Hazardous Substances Directive

All Poly products comply with the requirements of the EU RoHS Directive. Statements of compliance can be obtained by contacting TypeApproval@poly.com.

Poly Take Back

In addition to any mandated take back requirement, Poly offers free recycling of its branded products to business users. Detailed information is available at <https://www.poly.com/us/en/company/corporate-responsibility/environment/takeback-recycle-program>.

Environmental

For the latest environmental information including Networked Standby Efficiency, Battery use and disposal, take back RoHS and Reach, please visit <https://www.poly.com/us/en/company/corporate-responsibility/environment>.

End of Life Products

Poly encourages you to recycle your end-of-life Poly products in an environmentally considerate way. We recognize our Extended Producer Responsibility (EPR), in accordance with the requirements of the European Waste Electronic and Electrical Equipment (WEEE) Directive 2012/19/EU.

All Poly products are marked with the crossed wheelie bin symbol shown below. Products that carry this symbol should not be disposed of in the household or general waste stream. Further recycling information and detail of the options open to you, including our voluntary free global recycling service to ISO 14001 standard can be found at: <http://www.polycom.com/WEEE>.

The Poly Global Producer Responsibility Statement can be found in the Environment section of the [Poly](#) website.

Getting Help and Copyright Information

GETTING HELP

For more information about installing, configuring, and administering Poly products or services, go to [Poly Support](#).

HP Inc.
1501 Page Mill Road,
Palo Alto 94304
USA

650-857-1501

© 2023 Poly. All trademarks are the property of their respective owners . Bluetooth is a registered trademark of Bluetooth SIG, Inc. All trademarks are the property of their respective owners.