

Product Compliance Datasheet

MARKETING NAME/MODEL NO: Latitude 3540
REGULATORY MODEL P170G
REGULATORY TYPE P170G001
EMC EMISSIONS CLASS: B
EFFECTIVE DATE March 16, 2023
Table of contents

Table of contents

I.	Statement of Compliance
II.	Global Environmental Information2
III.	NFPA 99 Conformity
IV.	Declaration of Similarity
V.	Power Cords and User Documentation
VI.	Trade (Import/Export) Compliance Data 4
VII.	Product Dimensions and Weight5
VIII.	Product Energy Performance Data
IX.	Product Materials Information5
Х.	Packaging7
XI.	Batteries
XII.	Design for Environment
XIII.	France Reparability Index
XIV.	Recycling / End-of-Life Service Information
XV.	Helpful Links
Append	dix A: ErP Lot 3 Product Energy Consumption Information10
Append	dix B: ErP Lot 26 Network Standby Energy Consumption Information 12
Append	dix D: France Reparability Index
Append	dix E: France – Consumer Information about product environmental qualities and characteristics 14



I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. https://www.dell.com/ErP User Information. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab http://www.dell.com/support. Additional compliance documentation for the product is available upon submitting a request at https://support.dellproductcompliance.com Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

II. Global Environmental Information

Environmental (Voluntary Marks)			
Country	Approval	Compliance	
Global	ENERGY STAR (Configuration Dependent)	Version 8.0	
Global	TCO Certified	Version 9.0	
China	CECP	Yes	
China	CEC	Yes	

Japan	Green PC Label	Yes
Taiwan	Greenmark	Yes
Varies by Country	EPEAT (Configuration Dependent)	Refer to EPEAT.net for
See EPEAT.net		specific registration levels and
		countries

Adapter Certification and Declarations		
Country	Authority/Mark	
Australia/New Zealand	Australia/NZ MEPS	
Canada	NRCan	
US – California Energy Commission	Adapter & Battery Charger	
European Union	Regulation EC No 278/2009	
South Korea	South Korea MEPS	

III. NFPA 99 Conformity

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2021. The touch current does not exceed 100 μ A with ground wire intact (if a ground wire is provided) and 500 μ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2021. To determine if this product complies with the above requirements, send a request to <u>https://support.dellproductcompliance.com</u>. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

IV. Declaration of Similarity

Object of the Declaration		
Product Type	Notebook	
Regulatory Model Number	P170G	
Regulatory Type Number	P170G001	
Trade Name/ Trademark	DELL	
Marketing Name(s)	Latitude 3540	

Dell Inc. herby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Dell Inc. herby declares that the platforms or appliances designated by the Regulatory Model listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials,

manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The platforms or appliances may have very minor differences which do not impact the level of conformity. All platforms or appliances identified by the Regulatory Model designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only

Dell Inc. herby declares that the platforms or appliances identified by the Regulatory Model listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trademark as specified in this declaration.

The platforms or appliances may have very minor differences which do not impact the level of conformity. All platforms or appliances identified by the Regulatory Model designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	March 16, 2023	Oimentum an hahalf	Dell Inc.
Title	Dell Global Product Compliance and Environmental Affairs		Compliance and Environmental Affairs

V. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

VI. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <u>http://www.dell.com/learn/us/en/uscorp1/import-export</u> or send email request to <u>WW Export Compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

VII. Product Dimensions and Weight

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
239.69 mm	359.00 mm	19.9 mm	<= 1.81kg (depending upon installed options)

For Display & Client Peripherals products please refer to the edoc/user manual /spec on Dell.com support for weight and dimension information.

VIII. Product Energy Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: <u>Reducing your Footprint</u>

For additional information on ENERGY STAR models refer to the following database: <u>ENERGY</u> <u>STAR Product Finder</u>

The battery[ies] in this product cannot be easily replaced by users themselves.

Computer:

Computers				
Service Level Energy Consumption BTU Calculation Description of Service Level				
CPU stressed	63.12	215.87	The system is running programs to maximize the CPU utilization and/or running programs to maximize the power consumption.	
Short Idle	7.27	24.87	As specified EPA Energy Star Computer mode.	
Long Idle	1.50	5.13	As specified EPA Energy Star Computer mode.	
S3 "Sleep" or Modern Standby 1.50 5.13 Suspend-to-RAM (low-power/sleep mode)		Suspend-to-RAM (low-power/sleep mode)		
Off/Standby	0.40	1.35	System is turned off but still connected to its AC power source.	

Energy Consumption¹

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click <u>here</u> for Dell's Energy efficient products.

*Energy Consumption results are based solely upon the laboratory testing of the System Configuration and in accordance to the described service level. Energy consumption is tested at 230 Volts / 50 Hz.

Declared noise emission values in accordance with ISO 9296. Testing performed in compliance with ISO 7779 with operating modes defined by ECMA-74.

¹ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit https://www.dell.com/learn/us/en/uscorp1/dell-environment

IX. Product Materials Information

Information on Dell's material use is available here.

5

Dell

¹ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit https://www.dell.com/learn/us/en/uscorp1/dell-environment

Dell's Restricted Material for Use guidance document is available here.

Mechanical plastic parts ¹ are BFR/PVC free	⊠ Yes □ No □ NA
Marking of plastics parts is in accordance with ISO 11469 (see below)	⊠ Yes □ No □ NA
Printed circuit boards (without components) >0.5g are BFR PVC free ¹	⊠ Yes □ No □ NA
Insulation materials of external electrical cables are PVC free	□Yes ⊠ No □NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free	□ Yes ⊠ No
Postconsumer recycled Plastics (ITE-Derived) ¹ material content is used in the product	□Yes ⊠No □NA
If yes, indicate the percentage of the postconsumer recycled material per total plastic weight of the product ²	19.8% PCR (Post Consumer Recycled) material in total plastic of product
Biobased Plastic material ³ content is used in the product.	□Yes ⊠ No □ NA
If yes, either indicate the percentage of the biobased plastic material per total plastic weight of the product Or	0% biobased plastic material in total plastic of product

Flame	Retardants	Used in	Motherboard

I lame Retai dante ece			
Part	List the Flame Retardants		
PCB ⁴	DOPO		

¹ This product contains x% post-consumer recycled plastic and/or closed loop recycled plastics (ITE-derived)* *(Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in TCO standard as applies to plastic parts.)

² % May be the same as declared in ENV0025 for Display

³ Bio-based plastics are fully or partially made from biological resources, rather than fossil raw materials. They are not necessarily compostable or biodegradable. It is important to examine the full life cycle of bio-based plastics, to ensure that they are beneficial to the environment beyond the reduction in use of fossil resources. This includes littering and changes in land use

⁴ A PCB is a blank circuit board with no electronic components attached

Flame Retardants Used in Mechanical Plastic Parts

The case material is > PC <

Resin Material Name	Plastic Part Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	List the Flame Retardants used on (i.e. BPA, etc)	List applicable R- Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
LG YER5151RFL/E5511	PC+ABS+15%Talc+30%PC (PC+ABS- TD15FR(40)(REC30))	FR40	BPADP	NA
Covestro FR3021GR/700637	PC+ABS+15%Talc+30%PC (PC+ABS- TD15FR(40)(REC30))	FR40	Halogen-free organic phosphorus compounds	NA
LG ER5151RFN/E5511	PC+ABS+15%Talc+50%PCR (PC+ABS- TD15FR(40)(REC50))	FR40	BPADP	NA
Covestro FR3021R50GCN	PC+ABS+15%Talc+50%PCR (PC+ABS- TD15FR(40)(REC50))	FR40	Halogen-free organic phosphorus compounds	NA
LG GN5151RFA/E5511	PC+ABS+15%Tal (PC+ABS-TD15FR(40))	FR40	BPADP	NA
Covestro FR3021/700637	PC+ABS+15%Tal (PC+ABS-TD15FR(40))	FR40	Halogen-free organic phosphorus compounds	NA

Mercury Information

Number of bulbs	Average per bulb
0	< mg

Additional information:

- Refer to Dell Technologies' Chemical Use Policy for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):
 - o Batteries: Battery MSDS Documentation and Declaration
 - Printer Toner and Ink: <u>MSDS Documentation</u>

X. Packaging

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at <u>www.dell.com/restrictedsubstanceslist</u>.

Packaging Materials	Total Weight, (g)	Sustainable Material Content[1] (e.g Recycled content *,bio-	% Sustainable Material		
Fackdynig Materiais	rotar weight, (g)	based, Sustainable Forested materials)		DAO region	EMEA region
Corrugated Fiberboard	461	Recycled Content	Min 35%	Min 35%	Min 35%
Molded paper pulp	262	Recycled content	100%	100%	100%
PET	15.6	Recycled content	0%	0%	0%
Other, please specify	1				

Product Compliance Datasheet | ENV0023 | A25 Dell, Inc. www.dell.com

XI. Batteries

Battery Description – Batteries	Battery Type	Battery Weight (kg)	Rating
CR-2032 coin cell (KTS)	Lithium Metal	0.0032	
Rechargeable Battery 3 cell	Lithium Ion	0.19	42Wh
Rechargeable Battery 3 cell	Lithium Ion	0.22	54Wh

Below is a listing of batteries that could be present in the product:

XII. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes click <u>here</u>.

XIII. France Reparability Index

On January 1, 2021, France introduced a new Repairability Index for five categories of electronic devices, including laptops. The aim of this new Repairability Index is to inform customers about available repair options for a product prior to purchase.

The Repairability Index is a score ranging from 0 to 10/10, calculated based on five criteria:

- **1. Documentation:** A score determined by the manufacturer's commitment to make technical documents available free of charge, in number of years, to repairers and consumers.
- **2.** Disassembly, tools, and fasteners: A score determined by how easy it is to disassemble the product, the type of tools needed, and the characteristics of the fasteners.
- **3.** Availability of spare parts: A score determined by the length of time the manufacturer commits to makes spare parts available for the product and the time it takes to deliver them.
- 4. Price of spare parts: A score determined by the ratio of the sale price of spare parts to the price of the product.
- **5. Product specific:** A score determined by sub-criteria specific to the product category concerned, which may include availability of remote support, software updates, and resets.

The Repairability Index for this product and the parameters used to calculate the Repairability Index, are provided in Appendix D.

XIV. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit <u>How to Recycle | Dell Technologies US</u> and select the relevant country.



XV. Helpful Links

• Environmental Policy

https://i.dell.com/sites/csdocuments/Corporate_corp-Comm_Documents/en/dell-globalenvironmental-policy.pdf

- Social Impact Progress Made Real
 https://corporate.delltechnologies.com/en-id/social-impact.htm
- Advancing Sustainability
 https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability.htm
- ISO 14001 Certification
 ISO Certification Certificate Environmental 14001 (delltechnologies.com)
- Materials Restricted for Use
 www.dell.com/restrictedsubstanceslist
- Chemical Use Policy
 http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
- Product Carbon Footprint
 <u>https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/sustainable-products-and-services/product-carbon-footprints.htm</u>
- RoHS Compliance
- <u>https://dellproductcompliance.atlassian.net/servicedesk/customer/portal/6/topic/4ef197b3-28bb-4ff8-96ce-0fcb642ecf8f/article/10289411</u>
- REACH Compliance
 www.dell.com/REACH
- Recycling Information
 <u>http://www.dell.com/recycling</u>
- Supplier Responsibility Champion the Many People
 <u>https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/champion-the-many-people.htm</u>

Appendix A: ErP Lot 3 Product Energy Consumption Information

European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, and Small-Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Category	Category A	Category B
Processor Speed in GHz	1.7	1.7
Number of Cores	10	10
Total Installed System Memory in GB	64	64
Graphics	Integrated	G3(with FB Data Width <= 128-bit)
WOL enabled in "Sleep" Mode	No	No
WOL enabled in "Off" Mode	No	No
As Tested: Lowest Power State	0.39	0.39
As Tested: Poff(W) WOL Disabled	0.39	0.39
As Tested: Poff(W) WOL Enabled		
As Tested: Psleep(W) WOL Disabled	1.02	1.04
As Tested: Psleep(W) WOL Enabled		
As Tested: Pidle(W)	3.10	3.70
Base TEC Limit (kWh)	27	36
TEC Adders Limit (kWh)	27.00	40.00
Base + Adders TEC Limit (kWh)	54.00	76.00
Results TEC	11.09	12.68

Additional information on ErP Lot 3, Lot 7 & Lot 26 available here.

Power Supply Model #	Internal or External	Link to efficiency report
LA65NS2-01	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5485275&appliance=EPS&nr=1
HA65NS5-00	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5470487&appliance=EPS&nr=1
DA65NM191	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=34247978&appliance=EPS&nr=1
HKA65NM201	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=36174127&appliance=EPS&nr=1
HA65NM190	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=26886270&appliance=EPS&nr=1
HA65NM192	External	https://oee.nrcan.gc.ca/pml-

Product Compliance Datasheet | ENV0023 | A25 Dell, Inc. www.dell.com

		Imp/index.cfm?action=app.formHandler&operation=details- details&ref=38852152&appliance=EPS&nr=1
DA65NM190	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=24854598&appliance=EPS&nr=1
LA65NM190	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=25946862&appliance=EPS&nr=1
HKA65NM200	External	https://oee.nrcan.gc.ca/pml- Imp/index.cfm?action=app.formHandler&operation=details- details&ref=35902432&appliance=EPS&nr=1

* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption⁵

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click <u>here</u> for Dell's Energy efficient products

Declared Noise Emissions in accordance with ISO 9296. Testing performed in accordance with ISO 7779 at operating modes defined by ECMA 74. Your product may perform differently, depending on the software, components, and peripherals you ordered. No warranty as to accuracy or completeness is expressed or implied.

Service Level	Sound Power Declared mean A- weighted level	Statistical adder for verification	Sound Pressure Declared mean A- weighted emission level	
	L _{WA,m} (B)	К _ν (В)	L _{pA,m} (dB)	
HDD Accessing	3.4	0.4	30.1	
ODD Accessing	-	-	-	
Idle	2.2	0.4	13.7	
Computers Category C:				

Computers Category A:

Computers Calego	ry C.			
	Sound Power	Statistical adder	Sound Pressure	
	Declared mean A-		Declared mean A-	
Service Level	weighted level	for verification	weighted emission level	
	L _{WA,m} (B)	K _v (B)	L _{pA,m} (dB)	
HDD Accessing	3.9	0.4	35.6	
ODD Accessing	-	-	-	
Idle	2.2	0.4	13.6	

⁵ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

Network Standby Classification	LoNA	
Off/Standby - Watts	0.396	
Network Standby - Watts	1.5	
Number of Network Ports	1	
Location of 'Physical' Network Ports	Side	
Network Port Type	PCIE / RJ45	
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"	
Network Port Maximum Performance in GB/s	Wireless: 0.3 / LAN RJ45: 1	
Communication protocol used by equipment	Ethernet : TCPIP	
Description of how to assert Network Standby Mode		
Sequence of events to trigger automatic assertion of Network Standby		
Mode	I. Grandina and 1111. G	
Notes regarding operation of the equipment EX: how the user switches the		
equipment into network standby	www.dell.com/regulatory_compliance	
Default time for PM function to switch equipment into this mode	and/or	
Inactivity time required to enter Network Standby	www.dell.com/support	
Re-activation trigger		
Measurement Method		

Appendix D: France Reparability Index

CALCUL DE L'INDICE DE RÉPARABILITÉ ET PRÉSENTATION DES PARAMÈTRES AYANT PERMIS DE L'ÉTABLIR

Ordinateur portable

FICHE D'INFORMATION À TRANSMETTRE AUX DEMANDEURS (cf. Article L. 541-9-2 du Code de l'environnement)

Nom ou marque commerciale du producteur ou de l'importateur		Dell			
Adresse du producteur ou de l'importateur		1 Dell Way, Round Rock, TX 78682, United States			
Référence du modèle donnée par le producteur ou l'importateur P170		G			
Date du calcul	cul La "DATE D'ENTRÉE EN VIGUEUR" indiqué première page de ce document				
Critère	Sous-critère	Note du sous- critère sur 10	Coefficient du sous critère	Note du critère sur 20	Total des notes des critères sur 100
CRITÈRE 1 : DOCUMENTATION	1.1 Durée de disponibilité de la documentation technique et relative aux conseils d'utilisation et d'entretien	8.5	2	16.9	
CRITÈRE 2 :	2.1 Facilité de démontage des pièces de la liste 2*	9.3	1		
DÉMONTABILITÉ,	2.2 Outils nécessaires (liste 2)	10.0	0.5	19.3	
ACCÈS, OUTILS, FIXATIONS	2.3 Caractéristiques des fixations entre les pièces de la liste 1** et de la liste 2	10.0	0.5	1010	
CRITÈRE 3 :	3.1 Durée de disponibilité des pièces de la liste 2	7.1	1		
DISPONIBILITÉ DES	3.2 Durée de disponibilité des pièces de la liste 1	7.1	0.5	12.4	
PIÈCEȘ	3.3 Délais de livraison des pièces de la liste 2	3.3	0.3	12.4	68.6
DÉTACHÉES	3.4 Délais de livraison des pièces de la liste 1	3.3	0.2		
CRITÈRE 4 : PRIX DES PIÈCES DÉTACHÉES	DES PIÈCES 4. Rapport prix des pièces de la liste 2 sur prix de l'équipement peuf		2	0	
CRITÈRE 5 :	5.1 Informations sur la nature des mises à jour	10.0	1		
CRITÈRE	5.2 Assistance à distance sans frais	10.0	0.5	20.0	
SPÉCIFIQUE	5.3 Possibilité de réinitialisation logicielle	10.0	0.5		
			Note de l'ind	ice sur 10	6.9

*liste 2 : liste des 3 à 5 pièces détachées au maximum (selon la catégorie d'équipements concernée) dont la casse ou les pannes sont les plus fréquentes ;

**liste 1 : liste de 10 autres pièces détachées au maximum (selon la catégorie d'équipements concernée) dont le bon état est nécessaire au fonctionnement de l'équipement.



Appendix E: France – Consumer Information about product environmental qualities and characteristics

Fiche produit relative aux qualités ou caractéristiques environnementales Product Sheet relating to Environmental Qualities or Characteristics

(cf. Articles R. 541-221 et R. 541-222 du Code de l'environnement) (See Articles R.541-221 and R.541-222 of the Environnemental Code)

(See Articles R.541-221 and R.541-222 of the Environnemental Code)		
Référence du modèle donnée par le producteur ou l'importateur (Model reference given by Producer or importer)	P170G	
Qualité / caractéristique environnementale (Quality/Environnemental Characterisitic)		
Incorporation de matière recyclée (Incorporation of recycled material)		
	Produit comportant au moins 19.8% de matières recyclées. Voir la section 'Product Materials Information' du présent document pour plus de détails	
Produit (Product)	(en anglais) Product containing at least 19.8% of recycled materials. See the 'Product Materials information' section of this document for more details	
Emballage (Packaging)	Emballage comportant au moins 0% et jusqu'à 80% de matières recyclées. Voir la section 'Packaging' du présent document pour plus de détails	
	(en anglais) Packaging containing at least 0% and up to 80% recycled materials. See the 'Packaging' section of this document for more details.	
Batterie (Battery)	Batterie comportant au moins 50% de matières recyclées Battery with at least 50% recycled content	
Recyclabilité (Recyclable)		
Produit (Product)	Produit majoritairement recyclable Majority of the Product recyclable	
Emballage (Packaging)	Emballage majoritairement recyclable Majority of the Packaging recyclable	
Présence de métaux précieux (Presence of Precious Metals)	Contient au moins 1 milligramme de métaux précieux Contains at least 1 milligram of precious metals	
Présence de terres rares (Presence of rare earths)	Contient au moins 1 milligramme de terres rares Contains at least 1 milligram of rare earths	
Présence de substances dangereuses (Presence of Hazardous substances)	Contient des substances extrêmement préoccupantes, voir <u>www.dell.com/reach</u> Contains Substances of Very High Concern, see <u>www.dell.com/reach</u>	

