

## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HP	Logo		
Company name *	HP			
Contact information *	HP Sustainability and Compliance Center			
e-mail address	sustainability@hp.com			
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/			
Additional information				

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product \*
 Workstation

 Opened by the statement of the statement o

Commercial name *	HP Z2 SFF G9 Workstation Desktop PC
Model number *	Z2 SFF G9
Issue date *	2/22/2022
Intended market *	🔀 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	Z2 SFF G9	Logo	
Issue date *	2/22/2022		

Product	environmental attributes - Legal requirements		nent met
Item		Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$	
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$	
	Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum		
	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		
P1.4*	terphenyl (PCB) in preparations (see legal reference).	$\boxtimes$	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	ne 🔀	
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \ \mu g/cm^2/wee$	k 🔀	
	(see legal reference).		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$	
	REACH Article 33 Declarations (hp.com)		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$	
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🔀	
	reference)		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		$\Box$
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference	)	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional		
	user", the related text is present and legible on the external packaging (see legal reference)		
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\square$	
	The Declaration of Conformity can be requested at (add link or e-mail address):		
	http://www8.hp.com/uk/en/certifications/technical/regulations-certificates.html sustainability@hp.com		
P3.2*	The product complies with the applicable Eco design requirements for energy-related products,	$\square$	
	(see legal reference).		
	Required information is; given in item P15 or added to this document,	$\boxtimes$	
	🔀 available at (add URL):		
	https://h22235.www2.hp.com/hpinfo/globalcitizenship/environment/productdata/	'e	
	uropeErPLot3desktop-pc.html		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		
1 0.1	hexavalent chromium by weight of these together.		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material	(s) 🔀	
	used (see legal reference).		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$	
	Protocol (see legal reference).	لاللله	
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	Z2 SFF G9	Logo			
Issue date *		2/22/2022				
	- Enviro	mental attributes - Market requirements (See General NOTE GN below onmental conscious design	N)	Requir		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			- 1	Η-
P7.3*		arts > 100 g consist of one material or of easily separable materials.			H	H
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				+
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available to			<u>–</u> –
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			- #	<u> </u>
17.0	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			- #	<u> </u>
P7.9		arts are available after end of production for: 5 years				Η_
P7.10		s available after end of production for: 5 years				<u> </u>
	_	and substance requirements		<u>.</u>	•	<u> </u>
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):	al type:			
P7.12		n materials of external electrical cables are PVC free.	an type:		$\square$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chloring g more than 25% post-consumer recycled content.	etardants,	d 0,1% 🔀		
P7.15		ircuit boards, PCBs (without components) are low halogen: all $\square$ PCBs > 25 g $igksymbol{ imes}$ as defined in IEC 61249-2-21. (See $^5$ NOTE B2)	are low			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PBT+PET-GF30FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:	omponent , CAS #:	s):		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: >PBT+PET-GF30FR(40)<	,			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	/preparatio	ons in		
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104 PET-GF30FR(40)<	3-4:	$\boxtimes$		
P7.19	In plastic assigned The sour	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): ha.europa.eu/web/guest/information-on-chemicals/cl-inventory-database (Se				

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	Z2 SFF G9	Logo	
Issue date *	2/22/2022		

Item	environmental at	tributes - Market r	equirements (cont	inued)		Requi		nt met
						Yes	No	n.a.
	Material and subs	tance requirements	(continued)					
P7.20*	Postconsumer recy	cled plastic material of	content is used in the p	product (See NOTE B6	5 <b>)</b> :			
	a) Of total plastic				content (calculated as a			
		recycled material is	g.					
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	IOTE B7):			$\square$	
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.</li> <li>or</li> <li>b) The weight of the biobased plastic material is g.</li> </ul>							
P7.22*								$\square$
P7.23*	If product includes	an integral display, th	e total mercury conter	t in the integrated disp	olay: mg			$\boxtimes$
P8	Batteries							
P8.1*	Battery chemical co	omposition: <i>lithium/n</i>	nanganese dioxide					
P9	Energy consumpt	ion (See NOTE B8)						
P9.1	For the product the	following power leve	ls or energy consumpt	ions are reported:				
Energy m	ode *	Power level at <b>100</b> V AC	Power level at <b>115</b> V AC	Power level at <b>230</b> V AC	Reference/Standard modes and test meth		ду	
charger pl	power supply / lugged in the wall disconnected from				EPS Energy Test Re	eport		
PTEC * Typical Er	nergy Consumption	25.21 W	25.17 W	25.2 W	EnergyStar@ Progr Requirements for C		r	
						· ·		
	nergy Consumption	kWh/year	kWh/year	kWh/year	EnergyStar@ Progr Requirements for C	am	r	
			kWh/year I Efficiency Marking P		EnergyStar@ Progr	am ompute am		
Annual Er External F	Power Supply Efficien				EnergyStar@ Progr Requirements for C EnergyStar@ Progr	am ompute am ompute am	r	
Annual Er External F Display re	Power Supply Efficien	cy Level (Internationa	I Efficiency Marking P		EnergyStar@ Progr Requirements for C EnergyStar@ Progr Requirements for C EnergyStar@ Progr	am compute compute compute compute compute	r r	
Annual Er External F Display re	Power Supply Efficien esolution * : me me to enter energy sa	cy Level (Internationa egapixels ve mode: minu	I Efficiency Marking P	rotocol) * :	EnergyStar@ Progr Requirements for C EnergyStar@ Progr Requirements for C EnergyStar@ Progr Requirements for C EnergyStar@ Progr	am compute compute compute compute compute	r r	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Z2 SFF G9	Logo	
Issue date *	2/22/2022		<b>IIP</b>

Product	environmenta	al attributes - Marke	t requirements (con	ntinued)		Require	ement	met
Item						Yes	No	n.a
P10	Emissions							
		on – Declared according	g to ISO 9296 (See NC					
P10.1	Mode	Mode description		Statistical uppe <i>L<sub>WA,c</sub></i> (B)	er limit A-weighted sound po	ower level,		
	Idle	* Fans on		* 3.4				
	Operation	* Fans on, HDD spi	inning	* 4.3				
	Other mode							
	Measured acc	ording to: 🔀 ISO 7779	9 🔀 ECMA-74 (only if not covere	d by ECMA-74)				
	Electromagne	etic emissions		· · · · · · · · · · · · · · · · · · ·				
P10.4	program(s):			electromagnetic fields	s of the following voluntary			
P12		gonomics for computing products						
P12.1*	The display m	eets the ergonomic requ	uirements of ISO 9241-	307 for visual displa	y technologies.			$\boxtimes$
P12.2*	The physical i	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13		d documentation						
P13.1*	Product packa Product packa	ging material type(s): P ging material type(s): P ging material type(s): P	APER/Molded Pulp LASTIC/Polyethylene	low density - LDPI	weight (kg): <b>1.20</b> weight (kg): <b>0.72</b> weight (kg): <b>0.04</b>	2 10		
P13.2*		c primary packaging is fi				$\square$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 35 %							
P13.4*		for user and product do						
	Electronic	, Paper 🦲, Other 🔀	"available on hp.com	9				
P13.5		omplete this item if pape uct documentation on p specify:						
	Totally chlorin	e-free						
	Elemental chlo							
	Processed chl							
P14	Voluntary pro							
P14.1	The product m	neets the requirements of	of the following volunta	ry program(s):				
	ENERGY STA		version: 8.0	Date: 02/21/2022	0,			
	Eco-label: TC		version: 9.0	Date: 02/21/2022	Product category: Workst			
	Eco-label: EP	EAI Criteria	version: IEEE 1680.1	Date: 02/21/2022	Product category: Workst	ation		
P15	Additional in	ormation (See NOTE I	B10)					
P9		umption of computer p		of the tested produ	ict configuration:			
All	1. Product en	vironmental informati	on contained in this c	leclaration is valid	as of the date the declarat	tion is pul	blishe	d.
Sections		xternal standards refe			validate some information			
P1	1. This produ	ct does not include D	EHP, BBP, DIBP, or D	BP.				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Product Upgradability and Reparability P7

The following table is provided in accordance with IEEE 1680.1-2018<sup>6</sup> criterion 4.4.2.5.

feature	Available [1]	Repairable [2]	Replaceable [3]	Upgradeable [4]
processor	Y	Y	Y	Y
main memory	Y	Y	Y	Y
mass storage (internal)	Y	Y	Y	Y
wireless networking	Y	Y	Y	Y
integrated graphics	Y	Y	N	Ν
discrete graphics	Y	Y	Y	Y
display panel	N	N/A	N/A	N/A
integrated keyboard	N	N/A	N/A	N/A
batteries	Y	Y	Y	Y
power supply	Y	Y	Y	Y
fan assemblies	Y	Y	Y	Y
speaker(s) (internal)	Y	Y	Y	Y
camera	N	N/A	N/A	N/A
touchpad	N	N/A	N/A	N/A
I/O connectors and external power connector	Y	Y	Y	Y
readers [5]	Y	Y	Y	Y

 Table notes:

 [1] Y\* = feature is available, but may not be included in every configuration

 [2] Product can be repaired (returned to fully functional state) if feature fails.

[3] Feature can be replaced using only commonly available tools without soldering or de-soldering. Y\* = replacement may require replacing an assembly to which the feature is attached.

[4] Base feature may be upgraded by replacing it with a higher performance module or by expanding capacity through use of expansion slots. NOTE: This evaluation does not

account for situations in which the initial configuration purchased is already maximized. Contact HP Sales or an HP authorized reseller to determine the availability of upgrade parts and method to obtain them in your geography.

[5] This feature category includes readers such as fingerprint readers, smart card readers, and other read-only devices, but excludes read/write devices.

P9	1. European U	nion Commission Regulation 1	275/2008- Ener	gy Efficiency Information:	
	Mode / Condit			imption in Watts at 230 VAC	Default Time to Mode / Conditi (if applicable)
	Off Mode (if a	oplicable)	0.229		Not Applicable
	Standby Mode	e (if applicable)	Not Applicable	3	Not Applicable
	Network Standby / Sleep / Long Idle Mode if all wired network ports are connected and all wireless network ports are activated (if applicable) Network Standby / Sleep / Long Idle Mode (if applicable)		N/A N/A		N/A
					N/A
	2.European Uni	on Commission Regulation 1275	/2008- Wireless	Network Instructions:	•
		le, activate and deactivate a wire m. Information is also available a		ing the instructions provided in the support.	e product user guide or the
P10	Sound Pressur				
	Noise emission	n – Declared according to ISO 92	296 (See NOTE	<sup>B9</sup> )	
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound pressure $L_{PA,m}$ (dB)	
	Idle	* Fans on		* 22.9	
	Operation	* Fans on, HDD spinning		* 33.1	
	Other mode				
	Measured acco	rding to: 🔀 ISO 7779 🔀 ECMA	-74		
		Other (only	if not covered l	by ECMA-74)	

<sup>6</sup> IEEE Standard for Environmental and Social Responsibility Assessment of Computers and Displays

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	