




## Installation and Assembly: Universal Tablet Mount

**Model:** PTM200

**Max Load Capacity:**

5 lbs (2.2 kg)



### Features:

- Adjustable height and width allows mount to fit virtually any tablet
- Quick and easy installation onto any 75 x 75mm VESA® Mount
- Theft resistant security kit available
- Sleek hardware covers for a finished look
- Holds virtually any 7.68" - 13.75" tablet

**NOTE:** Read entire instruction sheet before you start installation and assembly.

**⚠ WARNING**

- Do not begin to install your Peerless product until you have read and understood the instructions and warnings contained in this Installation Sheet. If you have any questions regarding any of the instructions or warnings, for US customers please call Peerless customer care at 1-800-865-2112, for all international customers, please contact your local distributor.
- This product should only be installed by someone of good mechanical aptitude, has experience with basic building construction, and fully understands these instructions.
- Make sure that the supporting surface will safely support the combined load of the equipment and all attached hardware and components.
- Never exceed the Maximum Load Capacity. See page one.
- Always use an assistant or mechanical lifting equipment to safely lift and position equipment.
- Tighten screws firmly, but do not overtighten. Overtightening can damage the items, greatly reducing their holding power.
- This product is intended for indoor use only. Use of this product outdoors could lead to product failure and personal injury.

**Tools Needed for Assembly**

- phillips screwdriver

**Accessories**

- ACC954 (security fasteners kit)

**Table of Contents**


Parts List.....	3
Cradle Assembly.....	4-5
Attaching Cradle Assembly to Mount.....	6

Parts (Before beginning, make sure you have all parts shown below).


Parts List		
Description	Qty.	Part #
A main plate	1	021-1045
B side clamp	2	021-1052
C top clamp	1	021-1054
D bottom clamp	1	021-1069
E plastic cover	2	590-1347
F washer	7	540-2003
G M5 x 8mm self tapping phillips screw	11	520-1167
H 1/4" spacer	3	600-1215
I M5 x 20mm phillips screw	4	510-1208
J adhesive foam pad	4	570-0045
K 1/2" spacer	4	540-1057

Parts may appear slightly different than illustrated.


A




B




C



D



E




F




G




H




I



J





K




**1**

Fit top clamp (C) and bottom clamp (D) into main plate (A) and over pins as shown in figures 1.1 and 1.2.


**2**

Secure with three 1/4" spacers (H), three M5 washers (F), and three M5 x 8mm screws (G). Do not tighten screws.




**3**


Secure two side clamps (**B**) to back of main plate (**A**) with four M5 washers (**F**) and four M5 x 8mm self tapping phillips screws (**G**). Do not tighten screws.

**4**

Apply four adhesive foam pads (**J**) to front of main plate (**A**) as shown.

**5**


To prevent scratching the tablet, set a cloth on a flat, level surface. Place tablet face side down, adjust clamps around tablet, then tighten all seven screws.



**6**

Tablet mount can be attached to any VESA 75 x 75mm pattern mounting plate (sold separately) with four M5 x 20mm screws (I), four 1/2" spacers (K), and two plastic covers (E).

*Refer to accompanying instructions with VESA mounting plate to install to supporting surface.*



**ENG** This page intentionally left blank.

ENG	Warranty	ESP	Garantía	FRN	Garantie	DEU	Garantie	NEL	Garantie
ITL	Garanzia	ČES	Záruka	SLK	Záruka	POR	Garantia	TÜR	Garanti

[www.peerless-av.com/warranty](http://www.peerless-av.com/warranty)

**peerless-AV®**

**Peerless-AV**

2300 White Oak Circle  
Aurora, IL 60502  
Email: [tech@peerlessmounts.com](mailto:tech@peerlessmounts.com)  
Ph: (800) 865-2112  
Fax: (800) 359-6500  
[www.peerless-av.com](http://www.peerless-av.com)

© 2021, Peerless Industries, Inc.

**Peerless-AV Europe**

Unit 3 Watford Interchange,  
Colonial Way, Watford, Herts,  
WD24 4WP, United Kingdom  
Customer Care  
44 (0) 1923 200 100  
[www.peerless-av.com](http://www.peerless-av.com)

© 2021, Peerless Industries, Inc.

**Peerless-AV América Latina**

Av. de las Industrias 413  
Parque Industrial Escobedo  
General Escobedo N.L., México 66062  
Servicio al Cliente  
01-800-849-65-77  
[www.peerless-av.com](http://www.peerless-av.com)

© 2021, Peerless Industries, Inc.