

# Product data sheet

Specifications



## APC Rack Air Removal Unit SX Fan Assembly 100-240V 50/60 Hz

ACF115

⚠ To be discontinued on: Aug 30, 2024

⚠ To be end-of-service on: Dec 31, 2027

⚠ To be discontinued

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage 100 V  
120 V  
200 V  
208 V  
230 V

Input Connection Type IEC 60320 C14  
NEMA 5-15P

Number of cables 2

Provided Equipment Installation guide

### General

Air flow 1600 ft<sup>3</sup>/min (755.1 l/s)

### Physical

Color Black

Height 53.3 in (135.3 cm)

Width 23.0 in (58.4 cm)

Depth 7.5 in (19.1 cm)

Net Weight 104.21 lb(US) (47.27 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

### Input

Input power 1200 W

Input Frequency 50/60 Hz

### Conformance

Product Certifications cUL Listed  
CE  
UL Listed  
VDE  
VCCI

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Standards</b>	EN 55022 Class A EN 55024 FCC Part 15 class A ICES-003 IEC 61000-3-2 IEC 61000-3-3
------------------	---

## Environmental

<b>Ambient Air Temperature for Operation</b>	32...122 °F (0...50 °C)
<b>Ambient Air Temperature for Storage</b>	32...122 °F (0...50 °C)
<b>Relative Humidity</b>	0...95 %
<b>Storage Relative Humidity</b>	0...95 %
<b>Storage altitude</b>	0...15000 ft (0.0000000000...4572.0000000000 m)
<b>Acoustic level</b>	79 dBA

## Communications & Management

<b>Control panel</b>	Multi-function LCD status and control console
----------------------	---

## Ordering and shipping details

<b>GTIN</b>	731304240983
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	60.0000000000 in (152.4 cm)
<b>Package 1 Width</b>	12.008 in (30.5 cm)
<b>Package 1 Length</b>	32.008 in (81.3 cm)
<b>Package 1 Weight</b>	125.27 lb(US) (56.82 kg)

## Contractual warranty

<b>Warranty</b>	1 year (parts only)
-----------------	---------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

 Reach Free Of Svhc

---

**Reach Regulation**

[REACH Declaration](#)

---

**Eu Rohs Directive**

Not applicable, out of EU RoHS legal scope

---

**Environmental Disclosure**

[Product Environmental Profile](#)

---

**Circularity Profile**

[End of Life Information](#)

---