



CineTension 2 Series Product Brochure

The CineTension2 is an electric/motorized tab-tensioned premium grade projection screen.



CineTension2 Series



The CineTension2 is an electric/motorized tab-tensioned premium grade projection screen. Its tab-tensioned material provides uniform flatness and has a wide viewing angle.



Screen Material:

- CineWhite® tension 1.1 Gain matte white material
- 180° wide viewing angle
- 4K Ultra HD and Active 3D Ready
- Standard 4-side black masking borders
- Rear projection material models also available
- Available in the following range of diagonal sizes
 - 84" - 150" in 4:3 format
 - 84" - 150" in 16:9 format
 - 94" - 128" in 16:10 format
 - 96" - 153" in 2.35:1 format

Design & Installation:

- Floating installation brackets provide easy alignment with wood studs to accommodate a wall or ceiling installation
- Black Aluminum housing with enamel coating is moisture resistant
- Shipped ready to plug & play with installation kit containing brackets, screws, and bubble leveler included
- Optional in-ceiling trim kit- **sold separately**
- Optional extended 11x4 or 12x8 L brackets- **sold separately**
- Tab-tensioned cords provide uniform flatness on entire projection surface

Control System:

- Standard Infrared (IR) and Standard Radio Frequency (RF) remote controls
- Low-voltage detachable 3-way wall switch for in-line control
- Extended IR "eye" sensor for in-ceiling Infrared operation
- Wireless 5-12 volt trigger included for synchronized screen operation with the projector's power cycle
- RJ45 port allows 3rd party control system integration
- Optional In-wall switch available - **sold separately**

Quality and Reliability:

- Tubular motor allows fast swift operation with a superior weight tolerance and operational lifespan
- Certified by AMX and CRESTRON
- Conforms to ANSI/UL STD. 60950-1
- Certified to CAN/CSA STD. C22.2
- 2-year Parts & Labor manufacturer's warranty
- 3-year warranty offered through ENR-G program (Education, Non-Profit, Religious and Government)



Standard IR & RF remotes and built-In Infrared & Radio Frequency Receivers support your Screens On-wall or In-Ceiling application for a clean appearance. A Low Voltage Controller (LVC) is included with 5-12V trigger port (RJ45) that can be connected to your projector Trigger port. This enables synchronization between the drop/rise cycle of your screen and the power cycle of the projector. You could extend this port using a standard RJ45 connector and CAT-5 cable to anywhere in the room. Or mount your Wall-switch like a regular light Switch.

Extra Eye IR Receiver can be extended when screen is recessed into ceiling and can still be controlled with your IR remote or Universal Learning Remote Control.


Optional Control Accessories:

- Wireless (RF) 5-12V Trigger (Model # ZSP-TR01)
- 50 feet CAT-5 cable for 5-12 volt trigger (Model # ZSP-12V-50B)
- In-wall Up/Down switch (Model ZIW-B, ZIW-W & ZIW-W1)







CineTension2 Series screens are available with up to 30" seamless top masking borders on select models. This is ideal for recessed ceiling installations using our Optional In-Ceiling Trim kit.



Standard Wall / Ceiling Sliding Brackets, make it easier to mount on Studs. Optional 11"x 4" and 12"x 8" L brackets can allow more flexibility when installing the screen away from walls. Please contact your reseller or visit shop.elitescreens.com for accessory parts.



ZHOMELB11-4



Standard Wall/Ceiling Brackets

Optional Elite ZR800D Universal Learning Remote Control, allows one-touch regulation over your entertainment system managing up to 8 devices simultaneously. Each unit has a simplified programming option with learning function to accompany 800 pre-programmed TV/DVD/VCR codes.

CineTension 2 Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material
TE92HC2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.4	26.3	103.3"x7.5"x9.8"	1.0	CineGrey
TE120HD2	120"(16:9)	58.8	104.6	149.4	265.7	52.7	70.6	24.0	32.1	130"x7.5"x9.8"	2.0	Airbright 3D2
TE84VW2	84"(4:3)	50.4	67.2	128.0	170.7	27.6	39.4	12.5	17.9	89.4"x6.7"x9"	1.1	CineWhite®
TE92VW2	92"(4:3)	55.2	73.6	140.2	186.9	29.1	42.0	13.2	19.1	94.0"x7.3"x8.5"	1.1	CineWhite®
TE100VW2	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.5	27.1	103.5"x7.5"x9.8"	1.1	CineWhite®
TE100VW2-E12	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.5	27.1	103.5"x7.5"x9.8"	1.1	CineWhite®
TE120VW2	120"(4:3)	72.0	96.0	182.9	243.8	47.8	65.5	21.8	29.8	120.7"x7.5"x9.8"	1.1	CineWhite®
TE135VW2	135"(4:3)	81.0	108.0	205.7	274.3	51.5	70.6	23.4	32.1	132.8"x7.5"x9.8"	1.1	CineWhite®
TE150VW2	150"(4:3)	90.0	120.0	228.6	304.8	56.4	77.2	25.7	35.1	145.0"x7.5"x9.8"	1.1	CineWhite®
TE84HW2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94"x7.3"x8.5"	1.1	CineWhite®
TE84HW2-E30	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94"x7.3"x8.5"	1.1	CineWhite®
TE94XW2	94"(16:10)	49.8	79.7	126.5	202.4	37.5	52.9	17.0	24.1	103.3"x7.5"x9.8"	1.1	CineWhite®
TE106XW2-E24	106"(16:10)	56.3	90.0	143.0	228.6	41.5	56.9	18.9	25.9	115"x7.5"x9.5"	1.1	CineWhite®
TE128XW2-E12	128"(16:10)	67.8	108.4	172.2	275.3	47.4	66.1	21.5	30.1	133.5"x7.5"x9.5"	1.1	CineWhite®
TE96C-E24	96"(2.35:1)	37.5	88.1	95.3	223.8	39.4	55.1	17.9	25.1	113"x7.5"x9.5"	1.1	CineWhite®
TE125C-E20	125"(2.35:1)	49.0	115.2	124.5	292.5	50.1	68.3	22.8	31.1	139.8"x7.5"x9.5"	1.1	CineWhite®
TE153C-E12	153"(2.35:1)	60.0	141.0	152.4	358.1	60.7	82.4	27.6	37.5	165.5"x7.5"x9.5"	1.1	CineWhite®
TE84VG2	84"(4:3)	50.4	67.2	128.0	170.7	27.6	39.4	12.5	17.9	89.4" x 6.7" x 9"	1.8	PowerGain
TE92VG2	92"(4:3)	55.0	73.3	139.7	186.2	29.1	42.0	13.2	19.1	94"x6.7"x9"	1.8	PowerGain
TE100VG2	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.4	27.0	103.5"x7.5"x9.8"	1.8	PowerGain
TE84HG2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.2	18.8	94"x7.3"x8.5"	1.8	PowerGain
TE92HG2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.3	26.2	103.3"x7.5"x9.8"	1.8	PowerGain
TE92HW2	92"(16:9)	45.1	80.2	114.6	203.7	41.4	58.5	18.8	26.5	103.5"x7.9"x9.8"	1.1	CineWhite®
TE100HW2	100"(16:9)	49.0	87.2	124.5	221.5	45.9	61.1	20.9	27.8	110.2"x7.5"x9.8"	1.1	CineWhite®
TE100HW2-E24	100"(16:9)	49.0	87.2	124.5	221.5	45.9	61.2	20.9	27.8	110.2"x7.5"x9.8"	1.1	CineWhite®
TE100HW2-E36	100"(16:9)	49.0	87.2	124.5	221.5	51.3	68.9	23.3	31.2	117.5"x7.9"x9.8"	1.1	CineWhite®
TE106HW2	106"(16:9)	52.0	92.4	132.1	234.7	40.9	65.4	18.6	29.7	116.5"x7.9"x9.8"	1.1	CineWhite®
TE106HW2-E24	106"(16:9)	52.0	92.4	132.1	234.7	51.0	66.5	23.1	30.2	165.3"x7.7"x9.8"	1.1	CineWhite®
TE110HW2	110"(16:9)	53.9	95.9	136.9	243.6	51.9	70.2	23.5	31.8	121.5"x7.7"x9.8"	1.1	CineWhite®
TE110HW2-E36	110"(16:9)	53.9	95.9	136.9	243.6	53.8	73.3	24.4	32.2	124.0"x7.5"x9.8"	1.1	CineWhite®
TE120HW2	120"(16:9)	58.8	104.6	149.4	265.7	53.8	74.8	24.4	33.9	131.1"x7.7"x9.8"	1.1	CineWhite®
TE120HW2-E36	120"(16:9)	58.8	104.6	149.4	265.7	58.5	78.5	26.5	35.6	135.4"x7.9"x9.8"	1.1	CineWhite®
TE135HW2	135"(16:9)	66.2	117.7	168.1	299.0	62.1	83.0	28.2	37.6	142.9"x7.7"x9.8"	1.1	CineWhite®
TE135HW2-E20	135"(16:9)	66.2	117.7	168.1	299.0	64.1	86.3	29.1	39.1	146.5"x7.9"x9.8"	1.1	CineWhite®
TE150HW2	150"(16:9)	73.5	130.7	186.7	332.0	69.8	92.3	31.7	41.9	156.7"x7.7"x9.8"	1.1	CineWhite®
TE150HW2-E20	150"(16:9)	73.5	130.7	186.7	332.0	72.0	93.7	32.7	42.5	157.1"x7.9"x9.8"	1.1	CineWhite®

CineTension 2 Rear Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material
TE84HR2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94.0"x7.3"x8.5"	2.2	WraithVeil
TE92HR2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.3	26.2	103.3"x7.5"x9.8"	2.2	WraithVeil
TE106HR2	106"(16:9)	52.0	92.4	132.1	234.7	40.9	57.5	18.6	26.1	116.5"x7.9"x9.8"	2.2	WraithVeil
TE120HR2	120"(16:9)	58.8	104.6	149.4	265.7	52.7	70.5	24.0	32.1	129.9"x7.9"x9.8"	2.2	WraithVeil
TE135HR2	135"(16:9)	66.2	117.7	168.1	299.0	62.5	82.8	28.3	37.6	142.9"x7.9"x9.8"	2.2	WraithVeil
TE150HR2	150"(16:9)	73.5	130.7	186.7	332.0	68.9	91.1	31.3	41.3	155.9"x7.9"x9.4"	2.2	WraithVeil

CineTension 2 Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w/ bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE92HC2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE120HD2	120"(16:9)	3106	2657	2878	2992	1862	1494	1692	1811	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE84VW2	84"(4:3)	2110	1707	1897	1980	1698	1280	1528	1648	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92VW2	92"(4:3)	2281	1869	2060	2149	1821	1402	1651	1770	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VW2	100"(4:3)	2438	2032	2222	2323	1942	1524	1772	1892	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VW2-E12	100"(4:3)	2438	2032	2222	2323	2095	1524	1925	2045	96	120	170	305	122	24	132	87	47	35	17.5	103	55	20	10
TE120VW2	120"(4:3)	2880	2438	2658	2765	2196	1828	2026	2146	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135VW2	135"(4:3)	3185	2743	2964	3071	2426	2057	2256	2375	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150VW2	150"(4:3)	3510	3048	3269	3396	2654	2286	2484	2604	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE84HW2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE84HW2-E30	84"(16:9)	2280	1860	2050	2150	2074	1046	1904	2024	96	120	170	762	122	24	132	87	47	35	18	103	55	20	10
TE94XW2	94"(16:10)	2438	2024	2215	2324	1684	1265	1514	1633	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106XW2-E24	106"(16:10)	2723	2283	2473	2608	2303	1427	2133	2253	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE128XW2-E12	128"(16:10)	3185	2757	2947	3070	2294	1723	2124	2244	96	120	170	305	122	24	132	87	47	35	18	103	55	20	10
TE96C-E24	96"(2.35:1)	2683	2244	2434	2568	1831	955	1661	1781	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE125C-E20	125"(2.35:1)	3361	2921	3141	3246	2017	1243	1847	1967	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10
TE153C-E12	153"(2.35:1)	4015	3576	3796	3900	2092	1521	1922	2042	96	120	170	305	122	24	132	87	47	35	18	103	55	20	10
TE84VG2	84"(4:3)	2110	1707	1897	1980	1698	1280	1528	1648	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92VG2	92"(4:3)	2280	1869	2059	2150	1820	1402	1650	1770	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VG2	100"(4:3)	2438	2032	2222	2323	1942	1524	1772	1892	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE84HG2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HG2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HW2	92"(16:9)	2438	2037	2228	2324	1562	1146	1392	1514	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100HW2	100"(16:9)	2616	2215	2403	2499	1664	1245	1494	1613	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100HW2-E24	100"(16:9)	2616	2215	2403	2499	2121	1245	1951	2070	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE100HW2-E36	100"(16:9)	2769	2215	2454	2652	2426	1245	2256	2375	96	120	170	914	122	24	132	87	47	35	18	103	55	20	10
TE106HW2	106"(16:9)	2769	2347	2538	2652	1737	1321	1567	1689	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106HW2-E24	106"(16:9)	2769	2347	2538	2652	2197	1321	2027	2146	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE110HW2	110"(16:9)	2880	2436	2654	2766	1788	1369	1618	1737	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE110HW2-E36	110"(16:9)	2931	2436	2705	2814	2550	1369	2380	2499	96	120	170	914	122	24	132	87	47	35	18	103	55	20	10
TE120HW2	120"(16:9)	3106	2657	2878	2992	1862	1494	1692	1811	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE120HW2-E36	120"(16:9)	3205	2657	2926	3091	2675	1494	2504	2624	96	120	170	914	122	24	132	87	47	35	18	103	55	20	10
TE135HW2	135"(16:9)	3439	2990	3208	3325	2050	1682	1880	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135HW2-E20	135"(16:9)	3439	2990	3208	3325	2456	1682	2286	2405	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10
TE150HW2	150"(16:9)	3802	3320	3541	3688	2235	1867	2065	2187	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150HW2-E20	150"(16:9)	3802	3320	3541	3688	2644	1869	2474	2593	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10

Unit: mm

CineTension 2 Rear Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w/ bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE84HR2	84"(16:9)	2281	1859	2050	2149	1463	1047	1293	1415	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HR2	92"(16:9)	2438	2037	2228	2324	1562	1146	1392	1514	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106HR2	106"(16:9)	2769	2347	2538	2652	1737	1321	1567	1689	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE120HR2	120"(16:9)	3106	2657	2878	2992	1862	1494	1692	1811	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135HR2	135"(16:9)	3439	2990	3208	3325	2050	1682	1880	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150HR2	150"(16:9)	3802	3320	3541	3688	2235	1867	2065	2187	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10

Unit: mm

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w/ bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE84HR2	84"(16:9)	89.8	73.2	87.2	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HR2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HR2	106"(16:9)	109.0	92.4	99.9	104.4	68.4	52.0	61.7	66.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HR2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HR2	135"(16:9)	135.4	117.7	126.3	130.9	80.7	66.2	74.0	78.7	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HR2	150"(16:9)	149.7	130.7	139.4	145.2	88.0	73.5	81.3	86.1	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4

Unit: inch

CineTension 2 Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w/ bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE92HC2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HD2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84VW2	84"(4:3)	83.1	67.2	74.7	78.0	66.9	50.4	60.2	64.9	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92VW2	92"(4:3)	89.8	73.6	81.1	84.6	71.7	55.2	65.0	69.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VW2	100"(4:3)	96.0	80.0	87.5	91.5	76.5	60.0	69.8	74.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VW2-E12	100"(4:3)	96.0	80.0	87.5	91.5	82.5	60.0	75.8	80.5	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120VW2	120"(4:3)	113.4	96.0	104.6	108.9	86.5	72.0	79.8	84.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135VW2	135"(4:3)	125.4	108.0	116.7	120.9	95.5	81.0	88.8	93.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150VW2	150"(4:3)	138.2	120.0	128.7	133.7	104.5	90.0	97.8	102.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HW2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HW2-E30	84"(16:9)	89.8	73.2	80.7	84.6	81.7	41.2	75.0	79.7	3.8	4.7	6.7	30.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE94XW2	94"(16:10)	96.0	79.7	87.2	91.5	66.3	49.8	59.6	64.3	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106XW2-E24	106"(16:10)	107.2	89.9	97.4	102.7	90.7	56.2	84.0	88.7	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE128XW2-E12	128"(16:10)	125.4	108.5	116.0	120.9	90.3	67.8	83.6	88.3	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE96C-E24	96"(2.35:1)	105.6	88.3	95.8	101.1	72.1	37.6	65.4	70.1	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE125C-E20	125"(2.35:1)	132.3	115.0	123.7	127.8	79.4	48.9	72.7	77.4	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE153C-E12	153"(2.35:1)	158.1	140.8	149.4	153.5	82.4	59.9	75.7	80.4	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84VG2	84"(4:3)	83.1	67.2	74.7	78.0	66.9	50.4	60.2	64.9	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92VG2	92"(4:3)	89.8	73.6	81.1	84.6	71.7	55.2	65.0	69.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VG2	100"(4:3)	96.0	80.0	87.5	91.5	76.5	60.0	69.8	74.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HG2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HG2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HW2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HW2	100"(16:9)	103.0	87.2	94.6	98.4	65.5	49.0	58.8	63.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HW2-E24	100"(16:9)	103.0	87.2	94.6	98.4	83.5	49.0	76.8	81.5	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HW2-E36	100"(16:9)	109.0	87.2	94.6	104.4	95.5	49.0	88.8	93.5	3.8	4.7	6.7	36.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HW2	106"(16:9)	109.0	92.4	99.9	104.4	68.4	52.0	61.7	66.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HW2-E24	106"(16:9)	109.0	92.4	99.9	104.4	86.5	52.0	79.8	84.5	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE110HW2	110"(16:9)	113.4	95.9	104.5	108.9	70.4	53.9	63.7	68.4	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE110HW2-E36	110"(16:9)	113.4	95.9	106.5	110.8	100.4	53.9	93.7	98.4	3.8	4.7	6.7	36.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HW2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HW2-E36	120"(16:9)	126.2	104.6	115.2	121.7	105.3	58.8	98.6	103.3	3.8	4.7	6.7	36.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HW2	135"(16:9)	135.4	117.7	126.3	130.9	80.7	66.2	74.0	78.7	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HW2-E20	135"(16:9)	135.4	117.7	126.3	130.9	96.7	66.2	90.0	94.7	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HW2	150"(16:9)	149.7	130.7	139.4	145.2	88.0	73.5	81.3	86.1	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HW2-E20	150"(16:9)	149.7	130.7	139.4	145.2	104.1	73.6	97.4	102.1	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4

Unit: inch

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

