Product data sheet

Specifications



Rack PDU, Basic, Zero U, 5.7kW, 208V, (36)C13 & (6)C19

AP7564

Overview

Lead time Usually in Stock

Main

Color	Black
Product or Component Type	PDU
PDU Type	Basic
Cord length	3 ft (0.9 m)
Number of cables	1
Provided Equipment	Installation guide Rack Mounting brackets Toolless Mounting Kit

Complementary

Input Voltage	208 V 3 phase	
Height	70.000000000 in (177.8 cm)	
Width	2.2 in (5.6 cm)	
Output Voltage	208 V	
Depth	1.7 in (4.4 cm)	
Net Weight	12.02 lb(US) (5.45 kg)	
mounting location	Side	
Mounting preference	No preference	
Input Plug Type	NEMA L21-20P	
Mounting Mode	Rack-mounted	
Rack units	OU	
Mounting position	Vertical	
Line Rated Current	16 A	
Input current limits	20 A	
Load Capacity	5700 VA	
Input Frequency	50/60 Hz	
Outlet type and quantity	36 IEC 60320 C13 6 IEC 60320 C19	

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Product Certifications	cUL Listed UL Listed	
Standards	CSA C22.2 No. 60950-1-03 UL 60950-1	
Ambient Air Temperature for Operation	32.0000000000113.0000000000 °F (045 °C)	
Relative Humidity	595 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	-13.0000000000149.0000000000 °F (-2565 °C)	
Storage Relative Humidity	595 %	
Storage altitude	050000 ft (0.000000000015240.000000000 m)	

Ordering and shipping details

GTIN	731304207948
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	84.02 in (213.4 cm)
Package 1 Width	5.0000000000 in (12.7 cm)
Package 1 Length	6.0 in (15.2 cm)
Package 1 Weight	14.02 lb(US) (6.36 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product



Take-Back Program Available

Well-being performance



Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information