


JetFlash 200

4GB/8GB/16GB USB2.0

Description

TS4/8/16GJF200 is a 4/8/16GB USB Flash Drive with 1pcs of 4/8/16Gbx8 Flash Memory assembled on printed circuit board.

Outline



Features

- Frame Color: Black
- Support hardware AES-256 bits data encryption
- Fully compatible with hi-speed USB 2.0
- Easy Plug and Play installation
- USB powered. No external power or battery needed
- JetFlash SecureDrive
- Transcend elite software pack*

System Requirement

- Hardware: Desktop or notebook computer with USB port

7	Vista	XP	2000	Me	Mac	Linux
---	-------	----	------	----	-----	-------

USB Flash Drive	●	●	●	●	●	●	●
-----------------	---	---	---	---	---	---	---

SecureDrive	●	●	●				
-------------	---	---	---	--	--	--	--

*Latest Windows® Service Packs recommended; Mac® OS 9.0 or later, Linux® Kernel 2.4.2 or later.

Dimensions

Side	Millimeters	Inches
A	70.00 ± 0.10	2.77 ± 0.004
B	21.00 ± 0.10	0.82 ± 0.004
C	8.10 ± 0.10	0.32 ± 0.004

*JetFlash software pack

Function	
Favorites	Store your favorite website addresses
Secret-Zip	Compress and/or password protect saved files
PC-Lock	Makes JetFlash a key to your computer
E-Mail	Backup your e-mails
DataBackup	Backup, restore and synchronize your data

JetFlash 200

4GB/8GB/16GB USB2.0

Pinouts

Pin No.	Pin Name	Function
01	VCC	USB power input
02	USB-	USB differential signal
03	USB+	
04	VSS	Ground

Specifications

Storage Capacity	4GB, 8GB, 16GB**
Connector Durability	10,000 times
System Performance	Read: 17MB/sec (max.), Write: 5MB/sec (max.)
Wear-leveling	Dynamic
Power Supply	DC 5V±10%, Max current: 200 mA
Temperature Range	Operation: 0-70°C, Non-Operating: -20°C-75°C

Above technical information is based on industry standard data and tested to be reliable. However, Transcend makes no warranty, either expressed or implied, as to its accuracy and assumes no liability in connection with the use of this product. Transcend reserves the right to make changes in specifications at any time without prior notice.

** 1GB = 1 billion bytes. A certain portion of the storage capacity may be reserved for firmware and maintenance use.