

HP LaserJet Enterprise MFP M725z+ (CF069A)



Overview

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.

Enable large-volume printing on a wide range of paper sizes—up to A3—with a standard 4100-sheet input capacity. Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Expand your options with sharp A3 printing

Empower your teams to do more—print, scan, copy, and fax on paper sizes up to A3.

Quicken your business pace.

Streamline tasks—print, scan, copy, and fax projects directly at the MFP's large color touchscreen.

Manage and protect your fleet for the long run.

Simplify fleet management using world-class tools such as HP Web Jetadmin,[7] and reliably safeguard devices.

Help save energy and reduce environmental impact.

Reduce energy use with HP Auto-On/Auto-Off Technology,[9] and conserve power with Instant-on Technology.[11]

Features



A3 support



Only the power you need^[13]



Prints in a flash, savings that last^[14]



On-the-go printing with HP ePrint^[15]



Unleash your printing^[16]



Scan in Color

[7]HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin.

[9]HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[11]Compared with products that use traditional fusing.

[13] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[14] When compared with fluorescent tubes.

[15] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>

[16] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

Print Resolution Technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 41 ppm
Print speed black (ISO, letter)	Up to 40 ppm
Print speed	Print speed up to 40 ppm (black)
Bottom margin (A4)	2 mm
Left margin (A4)	2 mm
Right margin (A4)	2 mm
Top margin (A4)	2 mm
Functions	Print, copy, scan, fax
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 200,000 pages
Duty cycle (monthly, letter)	Up to 200,000 pages ^[9]
Printer smart software features	HP ePrint, Apple AirPrint, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview
Copier smart software features	Auto scale; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; staple
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
Fax smart software features	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 14A Black LJ Toner Cartridge CF214A (10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (17,500 pages) ^[2]
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Connectivity, optional	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A
Modem	33.6 kbps
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)

Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd); Novell (http://www.novell.com/iprint); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software); SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver) ^[12] <i>(Windows Installer has the same Operating System support as the driver except the following: Windows XP SP2+ (32-bit only); Windows Server 2003 SP1+ (32-bit only); Windows Vista Starter not supported in Driver nor Installer)</i>
Sustainable impact specifications	Mercury Free
Ecolabels	ENERGY STAR® qualified, CECP, EPEAT® Silver
Copy speed (black, normal quality, A4)	Up to 41 cpm
Copy speed black (normal, letter)	Up to 40 cpm
Copy speed black duplex (A4)	Up to 27 ipm
Copy speed black duplex (Letter)	Up to 27 ipm
Digital sending standard features	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
Digital sending optional features	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax Resolution Black (best)	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
Faxing	Yes
Scan speed (normal, A4)	Up to 50 ppm (black and white), up to 30 ppm (color)
Scan speed (normal, letter)	Up to 49 ppm (black and white), up to 30 ppm (color)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan input modes	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXF) applications
Scan technology	Charge Coupled Device (CCD)
Scanner type	Flatbed, ADF

Display	8.0-in (20.3 cm) touchscreen; LCD (color graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Minimum dimensions (W x D x H)	745 x 681 x 1192 mm
Minimum dimensions (W x D x H)	29.3 x 26.8 x 46.9 in
Weight	102.42 kg
Weight	225.8 lb
Power consumption	890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) ^[1] <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.)</i>
Power supply type	Built-in power supply
What's in the box	HP LaserJet Enterprise MFP M725; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Telecom cable
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

ADF Capacity	100
Accessories	HP LaserJet 500-sheet Feeder and Tray CF239A, HP LaserJet 1 x 500-sheet Paper Feeder with Cabinet and Stand CF243A, HP LaserJet 3 x 500-sheet Feeder and Stand CF242A, HP LaserJet 3500-sheet HCI Feeder and Stand CF245A, HP Staple Cartridge Refill C8091A, HP 200-pin DDR2 512 MB x64 DIMM CF306A, HP LaserJet MFP Analog Fax Accessory 500 CC487A, HP LaserJet 110V Maintenance/Fuser Kit CF249A, HP LaserJet 220V Maintenance/Fuser Kit CF254A, HP 100 ADF Roller Replacement Kit L2718A
Acoustic power emissions (active copy)	7.1 B(A)
Acoustic power emissions (active scan)	6.8 B(A)
Acoustic power emissions (active, printing)	6.8 B(A)
Acoustic power emissions (ready)	5.0 B(A)
Acoustic power note	Acoustic values are subject to change. For current information see hp.com/support . Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.
Acoustic pressure emissions bystander (active scan)	52 dB(A)
Acoustic pressure emissions bystander (active, printing)	54 dB(A)
Acoustic pressure emissions bystander (ready)	36 dB(A)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	No
Bit depth	24-bit
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Capacity	500 GB
Cartons per layer	1
Color or black	Black and white
Color scanning	Yes
Component type	Printer
Connection type	Wireless

Consumables CO2e (kg)	20
Control panel	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Copier scaling (ADF)	25 to 400%
Copier settings	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 600 dpi
Copy resolution (black text)	600 x 600 dpi
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Count of layers in pallet	1
Country of origin	Made in China; Netherlands; Mexico
Datasheet photo 1	Publication photos/M725z+.jpg
Datasheet photo 4	Publication photos/C2LF96Awalkaround.jpg
Distinctive ring detection supported	No
Downloadable software	Universal Print Driver for Windows, Windows CD image, Mac CD Image, Web JetAdmin, Smart Web Printing In-House Marketing, Unix/Linux driver, Enterprise installer utility, Plug and Play bundles
Driver updates	Recent printer drivers for all supported operating systems are available at hp.com/go/ljMFPM725_software
Duplex ADF scanning	Yes, reversing ADF
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Eco label	ENERGY STAR® qualified
Electromagnetic compatibility	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
End of Life CO2e (kg)	0.5
Energy Usage CO2e (kg)	520
Engine life	900000
Envelope Feeder	No

FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax Auto Redial	Yes
Fax Broadcast Locations	100 locations
Fax PC Interface Supported	Yes
Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 100 numbers (each can contain 100 numbers)
Fax Transmission Speed	33.6 kbps
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax delayed sending	No
Fax forwarding	Yes
Fax memory	Up to 100 pages
Fax memory	Up to 100 pages
Fax phone TAM interface supported	No
Fax resolution black	204 x 196 dpi, 256 levels of gray
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page ^[6]
File Format Supported	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Finished output handling	Sheetfed, staple
First copy out black (letter)	As fast as 10.5 sec
First page out black (A4, ready)	As fast as 10 sec
First page out black (letter, ready)	As fast as 10 sec
First page out color (letter, sleep)	As fast as 20.5 sec
First page out footnote	Exact speed varies depending on the system configuration, software application, driver and document complexity.
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
HP ePrint capability	Yes
Input capacity	Up to 4100 sheets

Internal Storage	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Junk fax barrier	Yes
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	1.5 GB
Maximum dimensions (W x D x H)	917 x 1032 x 1192 mm
Maximum dimensions (W x D x H)	36.1 x 40.6 x 46.9 in
Maximum input capacity (sheets)	Up to 4600 sheets
Maximum metric depth	1032
Maximum metric height	1192
Maximum metric width	917
Maximum output capacity (sheets)	Up to 750 sheets
Maximum print area	308 x 465.9 mm
Media size (ADF)	Letter; letter-R; executive; legal; 11 x 17 in; U.S. checks; 4 x 6 in; 5 x 7 in; 5 x 8 in; A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 16K
Media size, tray 1	A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm
Media size, tray 2	A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm
Media size, tray 3	A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm
Media sizes supported	A3; A4; A5; B4 (JIS); B5 (JIS)
Media sizes supported	Tray 1, 2: Letter, legal, executive, 8.5 x 13 in; Tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 4, 5: letter
Media sizes supported, key	A4; A3
Media sizes supported, key	Letter; Legal; 11 x 17 in
Media sizes, custom	Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm
Media sizes, custom	Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 x 14.3 in; Tray 3: 5.8 x 8.3 to 11.7 x 17 in
Media type and capacity, ADF	Sheets: 100
Media type and capacity, tray 1	Sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10
Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	Tray 3: sheets: 250; Tray 4: sheets: 1500; Tray 5: sheets: 2000
Media types	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Media weight (tray 1)	60 to 199 g/m ²

Media weight (tray 2)	60 to 120 g/m ²
Media weight (tray 3)	60 to 120 g/m ²
Media weight, supported	Tray 1: 16 to 53 lb; Tray 2 - 5: 16 to 32 lb
Media weight, supported	Tray 1: 60 to 199 g/m ² ; Trays 2 - 5: 60 to 120 g/m ²
Media weights, supported ADF	45 to 199 g/m ²
Media weights, supported ADF	12 to 53 lb
Memory	1 GB
Memory Slots	1 slot, 200-pin, DDR2 DIMM
Memory upgrade	Expandable to 1.5 GB through 512 MB industry-standard DIMM
Metric depth	681
Metric height	1192
Metric width	745
Minimum System Requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com
Minimum System Requirements for Macintosh	Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com
Model number	M725z+
Multitasking supported	Yes
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 (black)
Number of users	10-30 Users
Operating humidity range	20 to 80% RH
Operating temperature range	50 to 91°F
Operating temperature range	10 to 32.5°C
Output capacity	Up to 750 sheets
Package dimensions (W x D x H)	33.7 x 29.9 x 61.1 in
Package dimensions (W x D x H)	856 x 760 x 1553 mm
Package weight	122 kg
Package weight	268 lb
Page yield footnote	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutesupplies .
Pallet dimensions	33.7 x 29.9 x 61.1 in
Pallet dimensions (W x D x H)	856 x 760 x 1553 mm

Pallet weight	122 kg
Pallet weight	268 lb
Paper handling input, optional	Optional 500-sheet input tray
Paper handling input, standard	100-sheet multipurpose tray, two 250-sheet input trays, and one 3500 sheet HCI + stand
Paper handling output, standard	250-sheet output bin, 500-sheet output bin
Paper trays, standard	5
Ports	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Power	110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: (Option #AAZ) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4
Print quality black (normal)	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
Print speed black (normal, A3)	Up to 20 ppm
Print speed black (normal, tabloid)	Up to 20 ppm
Print speed duplex (A4)	Up to 28 ipm
Print speed duplex (letter)	Up to 28 ipm
Print technology	Laser
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Printer black pages (MPV black)	4200
Processor speed	800 MHz
Product long name specifications	HP LaserJet Enterprise MFP M725z+, Black and white Printer for Business, Print, copy, scan, fax, Automatic document feeder; Front USB flash drive port; Optional high-capacity trays; Scan to email; Scan to PDF; Touchscreen; Two-sided printing; Two-sided scanning; Print from mobile device
Product short name specifications	HP LaserJet Enterprise M725z+ Wireless Multifunction Black and white Printer
Production CO2e (kg)	491
Quantity per pallet	1
RMN number	BOISB-1105-02
Recommended media weight (duplex)	60 to 199 g/m ²
Recommended media weight (duplex)	16 to 32 lb

Recommended monthly page volume	5000 to 20,000
Recommended monthly scan volume	6250 to 10,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	50 to 91°F
Recommended operating temperature range	10 to 32.5°C
Replacement cartridges footnote	Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutesupplies .
Resolution	600 dpi
Resolution (black and white, standard mode)	204 x 98 dpi
Resolution (black and white, superfine mode)	300 x 300 dpi, 256 levels of gray
Resolution (black photo grayscale)	300 x 300 dpi (400 x 400 dpi for received faxes only)
Safety	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	297 x 420 mm
Scan size (ADF), maximum	11 x 17 in
Scan size (ADF), minimum	68 x 148 mm
Scan size (ADF), minimum	2.7 x 5.8 in
Scan size, maximum	11 x 17 in
Scan size, maximum	297 x 420 mm
Scan speed duplex (normal, A4)	Up to 20 ipm (black and white), up to 15 ipm (color)
Scan speed duplex (normal, letter)	Up to 19 ipm (black and white), up to 14 ipm (color)
Scan speed footnote	Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Segment (filter)	Business
Services	Onsite service the next business day after the service call is received

Services	Onsite support within four hours after a service call received within the coverage window
Services	Onsite replacement of your printer's maintenance kit including parts, materials, and labor
Services description headline 01	4 hr Onsite Support:
Services description headline 02	Next Business Day Onsite Support:
Services description headline 03	Maintenance Kit Replacement Service:
Standard media sizes (duplex)	60 to 120 g/m ²
Standard media sizes (duplex, imperial)	16 to 32 lb
Standard output capacity (envelopes)	Up to 50 envelopes
Standard output capacity (transparencies)	Up to 750 sheets
Storage device and direct print support	Front-facing USB/Flash drive
Storage temperature range	32 to 140°F
Storage temperature range	0 to 60°C
Sub-brand name	LaserJet
Target user and print volume	For teams over 25 users; Prints up to 20,000 pages/month
Tariff numbers	8443321010; 8443318000
Technology logo 1	Publication logos/AMS_EnergyStar.jpg
Technology logo 2	Publication logos/AMS_Compatible with Win7.jpg
Technology logo 3	Publication logos/AMS_mac_hires.jpg
Technology logo 4	Publication logos/AMS_hp_eprint.jpg
Technology logo 5	Publication logos/AMS_USB easy access.jpg
Technology logo 6	Publication logos/AMS_Epeat bronze.jpg
Telecom compliance (fax capability)	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
Telephone handset supported	No
Top key features	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
Total CO₂e (kg)	1060 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO₂ equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i>
Transportation CO₂e (kg)	24

Tray capacity	4100
Typical electricity consumption (TEC) number	2.8 kWh/Week (Blue Angel); 0.653 kWh/Week (Energy Star 3.0)
UNSPSC code	43212110
UPC number	887111017222
Waste electrical and electronic weight	104.5 kg

[1]Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.

[2]Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies.

[6]Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

[9]Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[12]Windows Installer has the same Operating System support as the driver except the following: Windows XP SP2+ (32-bit only); Windows Server 2003 SP1+ (32-bit only); Windows Vista Starter not supported in Driver nor Installer

Ink/Toner/Paper/Printer Supplies

HP Maintenance Kits

★ : Recommended

HP ScanJet Maintenance Kits

HP 100 ADF Roller Replacement Kit	L2718A ★
-----------------------------------	----------

HP Laser Toner Cartridges and Kits

HP Laser Printer Supply Kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit	CF249A ★
---	----------

HP LaserJet CF254A 220V Maintenance/Fuser Kit	CF254A ★
---	----------

HP Black and White Laser Toner Printer Cartridges

HP 14A Black Original LaserJet Toner Cartridge	CF214A
--	--------

HP 14X High Yield Black Original LaserJet Toner Cartridge	CF214X
---	--------

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
--	--------

HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
--	--------

HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
--	--------

HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
--	--------

HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
--	--------

HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm	Q2399A
--	--------

HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
--	--------

HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
---	--------

HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
--	--------

HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
--	--------

HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
---	---------

HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
--	--------

HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
---	--------

HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
---	--------

HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
---	---------

HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
---	--------

HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
--	--------

HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
--	--------

HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
---	--------

HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210
---	--------

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
--	---------

HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
--	---------

HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
--	----------

HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
---	--------

HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120
--	---------

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN06A
---	--------

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
---	--------

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN09A
---	--------

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A
---	--------

HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP840
--	--------

HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
--	--------

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
---	--------

HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
--	--------

HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
---	--------

HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	Q6612A
---	--------

HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
--	--------

HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
--	--------

HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A
---	--------

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm	Q2396A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A
---	--------

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A14E ★
HP 1 year Post Warranty 4 hour 9x5 LaserJet M725 Multi-Function Printer Support	U7Y74PE
HP 1 year Post Warranty Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7Y76PE
HP 3 year 4 hour 9x5 LaserJet M725 Multi-Function Printer Hardware Support	U7A08E
HP 4 year 4 hour 9x5 LaserJet M725 Multi-Function Printer Hardware Support	U7A10E
HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A15E
HP 5 year 4 hour 9x5 LaserJet M725 Multi-Function Printer Hardware Support	U7A12E
HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M725 MFP	U7A16E

Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for LaserJet M725 MFP	U7Y77PE
HP 3 year Parts Exchange Service for LaserJet M725 MFP	U7A20E
HP 4 year Parts Exchange Service for LaserJet M725 MFP	U7Y64E
HP 5 year Parts Exchange Service for LaserJet M725 MFP	U7Y65E
HP Installation Service with network configuration for Department Printer (1 unit)	U9JT3E

Accessories

Paper Handling

★ : Recommended

Staple Cartridges

HP Staple Cartridge Refill	C8091A ★
----------------------------	----------

Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand	CF243A ★
---	----------

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand	CF245A ★
--	----------

HP LaserJet 3x500-sheet Feeder and Stand	CF242A ★
--	----------

HP LaserJet 500-sheet Feeder and Tray	CF239A ★
---------------------------------------	----------

Fax Upgrades

HP MFP Analog Fax Accessory 700	2EH31A ★
---------------------------------	----------

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★
----------------------	----------

Network Print Servers

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server	J8026A ★
--	----------

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory	J8029A ★
--	----------

Security and Protection

Smart Cards and SmartCard Readers

HP USB Universal Card Reader	X3D03A ★
------------------------------	----------

Fonts

MICR

HP MICR Printing Solution - USB	HG277TT
---------------------------------	---------

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---	----------

HP Document and Workflow Solutions

HP Document and Workflow Solutions Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

HP Document and Workflow Solutions Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
----------------------	----------------

HP Document and Workflow Solutions Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

HP Document and Workflow Solutions Mobile Printing

ePRINTit	HP3PEPRINTIT
----------	--------------

Disclaimer — Copyright

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Aug 30, 2024 12:46 PM UTC+0000