



HP LaserJet Enterprise 700 Printer M712xh (CF238A)



Overview

Get fast black-and-white printing up to A3—with energy-saving features and security controls.

Enable high-volume, black-and-white printing on paper sizes up to A3—and capacity up to 4600 sheets.[1] Control costs with energy-saving features and two-sided printing. Protect sensitive business data and centrally manage printing policies.

Upsize and accelerate—fast A3 printing

Save time and keep business moving with blazing-fast printing from this black-and-white A3 workgroup printer.

Conserve resources and help control costs

Save energy—Auto On/Auto Off turns your printer on when you need it, and off when you don't.[6]

Simplify IT management and safeguard data

Boost printing and imaging safeguards and help protect business data with fleet-level security solutions.

Invest in a forward-thinking, easy-to-use solution

Extend the value of your investment—easily update and expand device capabilities with HP FutureSmart Firmware.

Features



A3 support



2-sided printing



Only the power you need^[11]



Prints in a flash, savings that last^[12]



On-the-go printing with HP ePrint^[13]



Ethernet (printer)

[1]The base paper capacity of the HP LaserJet Enterprise 700 printer M712xh is 1100 sheets (2 x 250-sheet trays, 1 x 100-sheet multipurpose tray, and 1 x 500-sheet tray). With optional accessories, the maximum capacity is 4600 sheets.

[6]HP Auto-On and Auto-Off capabilities subject to printer and settings.

[11] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[12] When compared with fluorescent tubes.

[13] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>

Specifications

| | |
|--|---|
| Print Resolution Technologies | HP ProRes 1200, HP FastRes 1200, HP REt, 600 dpi, 300 dpi |
| Print quality black (best) | Up to 1200 x 1200 dpi |
| Print speed black (ISO, A4) | Up to 41 ppm |
| Print speed black (ISO, letter) | Up to 40 ppm |
| Print speed | Print speed up to 41 ppm (black) |
| Duplex printing | Automatic (standard) |
| Duty cycle (monthly, A4) | Up to 100,000 pages |
| Duty cycle (monthly, letter) | Up to 100,000 pages ^[2] |
| Printer smart software features | HP ePrint, Apple AirPrint™, Mopria-certified, HP Auto On/Auto Off technology, FutureSmart Firmware, Hardware Integration Pocket, Easy Access USB |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology; Instant-on Technology |
| Replacement cartridges | HP 14A Black LaserJet Toner Cartridge (~10,000 yield) CF214A; HP 14X Black LaserJet Toner Cartridge (~17,500 yield) CF214X |
| Connectivity, standard | 2 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access Walkup Port; 1 Hardware Integration Pocket (HIP) |
| Connectivity, optional | 802.11b/g/n wireless LAN (station mode), other networking accessories, HP Jetdirect 2700w USB Wireless Print Server |
| Network capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (optional) |
| Wireless capability | Optional, enabled with purchase of a hardware accessory |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™-certified |
| Network protocols, supported | IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print |
| Software included | Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver |

| | |
|---------------------------------------|---|
| Compatible Operating Systems | <p>Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd); Novell (http://www.novell.com/iprint); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/unix, http://www.hp.com/go/unixmodelscripts, http://www.hp.com/go/jetdirectunix_software); SAP device types (http://www.hp.com/go/sap/drivers, http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver)</p> <p><i>(Windows Installer has the same Operating System support as the driver except the following: Windows XP® SP2+ (32-bit only); Windows® Server 2003 SP1+ (32-bit only); Windows Vista® Starter not supported in Driver nor Installer)</i></p> |
| Ecolabels | Blue Angel; Taiwan Green Mark |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies |
| Display | 2-in, 4-line LCD (color text and graphics) |
| Minimum dimensions (W x D x H) | 568 x 596 x 517 mm |
| Minimum dimensions (W x D x H) | 22.4 x 23.4 x 20.4 in |
| Weight | 49.8 kg |
| Weight | 109.8 lb |
| Power consumption | <p>786 watts (Printing), 22.1 watts (Ready), 6.1 watts (Sleep), 0.21 watts (Off)</p> <p><i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.)</i></p> |
| Power supply type | Built-in power supply |
| What's in the box | HP LaserJet Enterprise 700 M712xh Printer (includes built-in automatic two-sided printing, HP Jetdirect Gigabit Ethernet embedded print server, and High-Performance Secure 250 GB Hard Disk); HP Black LaserJet Toner Cartridge (~10,000 pages); Getting Started Guide; CD containing drivers and electronic documentation; Power cord; 500-sheet input tray |
| Manufacturer Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Additional specifications

| | |
|---|---|
| Accessories | HP LaserJet 3500-sheet HCI Feeder and Stand CF245A, HP LaserJet Duplex Printing Assembly CF240A, HP LaserJet 110V Maintenance/Fuser Kit CF249A, HP LaserJet 220V Maintenance/Fuser Kit CF254A, HP 512 MB 144-pin x32 DDR2 DIMM CE483A |
| Acoustic power emissions (active, printing) | 6.8 B(A) |
| Acoustic power emissions (ready) | Inaudible |
| Acoustic power note | Acoustic values are subject to change. For current information see hp.com/support . Configuration tested: M712dn model, simplex printing, A4 paper at an average of 41 ppm. |
| Acoustic pressure emissions bystander (active, printing) | 54 dB(A) |
| Acoustic pressure emissions bystander (ready) | Inaudible |
| Additional information about HP | http://www.hp.com |
| Additional information about HP in the countries | hp.com |
| Automatic paper sensor | No |
| Bottom margin (A4) | 2 mm |
| Business filter | cMPS |
| Cable included | No, please purchase USB cable separately |
| Capacity | 250 GB |
| Cartons per layer | 1 |
| Color or black | Black and white |
| Component type | Printer |
| Consumables CO2e (kg) | 16 |
| Control panel | 2-in, 4-line LCD (color text and graphics); job control buttons; LED status indicators; 10-button keypad, Hardware Integration Pocket; easy access USB |
| Count of layers in pallet | 2 (Americas, AP); 1 (EMEA) |
| Country of origin | Made in China |
| Datasheet photo 1 | Publication photos/CF238A.jpg |
| Datasheet photo 4 | Publication photos/LJ Ent 700 M712 wkp.jpg |
| Driver updates | Current HP printer drivers and software for all supported operating systems can be obtained from HP Support Web site, hp.com/go/lj700M712_software |

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

| | |
|---|--|
| Electromagnetic compatibility | CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008;EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); other EMC approvals as required by individual countries |
| End of Life CO2e (kg) | 0.4 |
| Energy Usage CO2e (kg) | 293 |
| Engine life | 900000 |
| Envelope Feeder | No |
| FCC Class A emissions | FCC Class A emissions - for use in commercial environments, not residential environments |
| Finished output handling | Sheetfed |
| First page out black (A4, ready) | As fast as 10.5 sec |
| First page out black (letter, ready) | As fast as 10.5 sec |
| First page out black (letter, sleep) | As fast as 23.5 sec |
| HP ePrint capability | Yes |
| Input capacity | Up to 1100 sheets |
| Internal Storage | Standard, High-Performance Secure Hard Disk, 500 GB |
| Left margin (A4) | 2 mm |
| Mac compatible | Yes |
| Maximum Memory | 1 GB |
| Maximum dimensions (W x D x H) | 858 x 989 x 517 mm |
| Maximum dimensions (W x D x H) | 33.8 x 38.9 x 20.4 in |
| Maximum input capacity (sheets) | Up to 4600 sheets (CF239A (1x) and CF243A can be installed together; no other input accessories can be combined) |
| Maximum metric depth | 989 |
| Maximum metric height | 517 |
| Maximum metric width | 858 |
| Maximum output capacity (sheets) | Up to 250 sheets |
| Media size, tray 1 | A3; A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm |
| Media size, tray 2 | A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm |
| Media size, tray 3 | A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm |
| Media sizes supported | Tray 1, 2: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 3: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 4: A3; A4; A4-R; A5; B5 (JIS) |
| Media sizes supported | Tray 1: Letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 2: Letter, legal, executive, 8.5 x 13 in; Tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 4: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 16K |

| | |
|--|--|
| Media sizes supported, key | Letter; Legal; 11 x 17 in |
| Media sizes supported, key | A4; A3 |
| Media sizes, custom | Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 to 363 mm; Tray 3, 4: 148 x 210 to 297 to 431 mm |
| Media sizes, custom | Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 to 14.3 in; Tray 3, 4: 5.8 x 8.3 to 11.7 to 17 in |
| Media type and capacity, tray 1 | Sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 |
| Media type and capacity, tray 2 | Sheets: 250 |
| Media type and capacity, tray 3 | sheets: 250; sheets: 500 (tray 4) |
| Media types | Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum |
| Media weight (tray 1) | 60 to 199 g/m ² |
| Media weight (tray 2) | 60 to 120 g/m ² |
| Media weight (tray 3) | 60 to 120 g/m ² |
| Media weight, supported | Tray 1: 60 to 199 g/m ² ; Tray 2, 3, 4: 60 to 120 g/m ² |
| Media weight, supported | Tray 1: 16 to 53 lb; Tray 2, 3, 4: 16 to 32 lb |
| Memory | 512 MB |
| Memory Slots | One 144 pin DDR2 DIMM slot |
| Memory upgrade | Expandable to 1 GB through 1 industry-standard DIMM slot |
| Metric depth | 596 |
| Metric height | 517 |
| Metric width | 568 |
| Minimum System Requirements | Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com |
| Minimum System Requirements for Macintosh | Mac OS X v10.6, 10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com |
| Model number | M712xh |
| Network ready | Standard (built-in Gigabit Ethernet) |
| Non-Operating Humidity Range | 10 to 90% RH |
| Number of print cartridges | 1 (black) |
| Number of users | 10-30 Users |
| Operating humidity range | 20 to 80% RH |
| Operating temperature range | 50 to 91°F |
| Operating temperature range | 10 to 32.5°C |
| Output capacity | Up to 250 sheets |
| Package dimensions (W x D x H) | 31.9 x 30.9 x 36.4 in (Americas, AP); 32.5 x 31.5 x 42.3 in (EMEA) |

| | |
|--|--|
| Package dimensions (W x D x H) | 810 x 785 x 924 mm (Americas, AP); 825 x 800 x 1074 mm (EMEA) |
| Package weight | 137.9 lb |
| Package weight | 62.7 kg (Americas, AP); 83.2 kg (EMEA) |
| Page yield footnote | Declared yield value for black cartridge in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies |
| Pallet dimensions | 32.5 x 31.5 x 78.7 in (Americas, AP); 32.5 x 31.5 x 42.3 in (EMEA) |
| Pallet dimensions (W x D x H) | 825 x 800 x 1998 mm (Americas, AP); 825 x 800 x 1074 mm (EMEA) |
| Pallet weight | 125.4 kg. (Americas, AP); 83.2 kg (EMEA) |
| Pallet weight | 275.8 lb (Americas, AP); 183 lb (EMEA) |
| Paper handling input, optional | Optional 3500-sheet high capacity input tray with stand |
| Paper handling input, standard | 100-sheet multipurpose tray, 2 x 250-sheet input trays, 500-sheet input tray |
| Paper handling output, standard | 250-sheet output bin |
| Paper trays, maximum | 6 |
| Paper trays, standard | 4 |
| Ports | 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access USB; 1 Hardware Integration Pocket (HIP) |
| Power | Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) |
| Print Technology | Laser |
| Print colors | No |
| Print languages | HP PCL 6, HP PCL 5, HP postscript 3 emulation, native PDF printing (v 1.4) |
| Print quality black (normal) | HP FastRes 1200 (1200 dpi effective quality), 600 dpi with HP Resolution Enhancement technology |
| Print speed black (normal, A3) | Up to 20 ppm |
| Print speed black (normal, tabloid) | Up to 20 ppm |
| Print speed duplex (A4) | Up to 26 ipm |
| Print speed duplex (letter) | Up to 26 ipm |
| Print technology | Laser |
| Printer Management | HP Web Jetadmin, HP Utility (Mac) |
| Printer black pages (MPV black) | 4000 |
| Processor speed | 800 MHz |
| Product long name specifications | HP LaserJet Enterprise 700 Printer M712xh, Black and white Printer for Business, Print, Optional high-capacity trays; Front USB flash drive port; Two-sided printing; Print from mobile device |
| Product short name specifications | HP LaserJet Enterprise M712xh Black and white Printer, Ethernet Only; Duplex |
| Production CO2e (kg) | 328 |
| Quantity per pallet | 2 (Americas, AP); 1 (EMEA) |

| | |
|--|--|
| RMN number | BOISB-1105-00 |
| Recommended media weight (duplex) | 16 to 32 lb |
| Recommended media weight (duplex) | 60 to 120 g/m ² |
| Recommended monthly page volume | 5000 to 20,000 ^[3] |
| Recommended monthly page volume note | HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. |
| Recommended operating humidity range | 30 to 70% RH |
| Recommended operating temperature range | 50 to 91°F |
| Recommended operating temperature range | 10 to 32.5°C |
| Right margin (A4) | 2 mm |
| Safety | IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); IEC 62479:2010; EN 62479:2010; other safety approvals as required by individual countries |
| Security management | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |
| Segment (filter) | Business |
| Services | Onsite replacement of your printer's maintenance kit including parts, materials, and labor |
| Services | Onsite service the next business day after the service call is received |
| Services | Assembly, network configuration, and basic administrator familiarization |
| Services | Onsite support within four hours after a service call received within the coverage window |
| Services description headline 01 | Onsite Support: |
| Services description headline 02 | Next Business Day Onsite Support: |
| Services description headline 03 | Maintenance Kit Replacement Service: |
| Services description headline 04 | Installation with Network Configuration Service: |
| Standard input capacity (envelopes) | Up to 10 envelopes |
| Standard media sizes (duplex) | A3; A4; A5; B4 (JIS); B5 (JIS) |
| Standard media sizes (duplex, imperial) | Letter; legal; executive; 8.5 x 13 in; 11 x 17 in; 16K |

| | |
|---|--|
| Standard output capacity (envelopes) | Up to 50 envelopes |
| Standard output capacity (transparencies) | Up to 250 sheets |
| Storage device and direct print support | Front-facing USB/Flash drive |
| Storage temperature range | 0 to 60°C |
| Storage temperature range | 32 to 140°F |
| Target user and print volume | For teams over 25 users; Prints up to 20,000 pages/month |
| Tariff numbers | 8443321010 |
| Top key features | Front-facing USB printing; Two-sided printing |
| Top margin (A4) | 2 mm |
| Total CO2e (kg) | 660 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i> |
| Transportation CO2e (kg) | 18 |
| Tray capacity | 1100 |
| Typical electricity consumption (TEC) number | 3.289 kWh/Week |
| UNSPSC code | 43212105 |
| UPC number | 886112999841 |

[2] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[3] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Laser Printer Supply Kits

| | |
|---|----------|
| HP LaserJet CF249A 110V Maintenance/Fuser Kit | CF249A ★ |
| HP LaserJet CF254A 220V Maintenance/Fuser Kit | CF254A ★ |

HP Black and White Laser Toner Printer Cartridges

| | |
|---|----------|
| HP 14A Black Original LaserJet Toner Cartridge | CF214A ★ |
| HP 14X High Yield Black Original LaserJet Toner Cartridge | CF214X ★ |

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

| | |
|--|---------|
| HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm | CHP712 |
| HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm | CHP715 |
| HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm | CHP710 |
| HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm | CHP920 |
| HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP910 |
| HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm | Q2399A |
| HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm | Q2400A |
| HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in | Q2398A |
| HP Home and Office Paper-500 sht/A4/210 x 297 mm | CHP150 |
| HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | HPC3HP |
| HP Office Paper-10 reams/Letter/8.5 x 11 in | HPC8511 |
| HP Office Paper-2500 sht/A4/210 x 297 mm | CHP113 |
| HP Office Paper-500 sht/A3/297 x 420 mm | CHP120 |
| HP Office Paper-500 sht/A4/210 x 297 mm | CHP110 |
| HP Office Quickpack-2500 sht/Letter/8.5 x 11 in | HP2500S |
| HP Premium Choice Paper-500 sht/A4/210 X 297 mm | CHP812 |
| HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm | CHP235 |
| HP Printing Paper-2500 sht/A4/210 x 297 mm | CHP215 |
| HP Printing Paper-500 sht/A3/297 x 420 mm | CHP220 |
| HP Printing Paper-500 sht/A4/210 x 297 mm | CHP210 |

HP Multipurpose Paper

| | |
|--|----------|
| HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | HPM113H |
| HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in | HPM115R |
| HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in | HPM115RC |
| HP Multipurpose Paper-500 sht/A4/210 x 297 mm | CHP225 |
| HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in | HPM1120 |

HP Recycled Paper

| | |
|---|---------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN06A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN07A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN09A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN11A |
| HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm | CHP840 |
| HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP830 |
| HP Recycled Paper-10 reams/Letter/8.5 x 11 in | HPE1120 |

HP Business Papers

HP Business Papers for laser

| | |
|--|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m ² , A4 (210 x 297 mm), 150 sheets | CG965A |
| HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6611A |
| HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6543A |
| HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | Q6612A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN08A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN10A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN05A |

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

| | |
|---|----------|
| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets | HPM1720 |
| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets | HPM1720P |
| HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets | HPM1120R |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420 |

HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets

HPM1420P

HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets

HPJ1124P

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm

Q2396A

HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in

HPU1132P

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets

6MF93A

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

| | |
|---|----------|
| HP 3 year Next business day and Defective Media Retention LaserJet M712 Hardware Support | U6Z05E ★ |
| HP 1 year Post Warranty 4 hour 9x5 LaserJet M712 printer Hardware Support | U6Z22PE |
| HP 1 year Post Warranty Next Business Day w/Defective Media Retention Service for LaserJet M712 | U6Z24PE |
| HP 3 year 4 hour 9x5 LaserJet M712 printer Hardware Support | U6Y99E |
| HP 4 year 4 hour 9x5 LaserJet M712 printer Hardware Support | U6Z01E |
| HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M712 | U6Z06E |
| HP 5 year 4 hour 9x5 LaserJet M712 printer Hardware Support | U6Z03E |
| HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M712 | U6Z07E |

Imaging and Printing Commercial Care Pack Services

| | |
|--|---------|
| HP 1 year Post Warranty Parts Exchange Service for LaserJet M712 | U4TH1PE |
| HP 3 year Parts Exchange Service for LaserJet M712 | U4TG8E |
| HP 4 year Parts Exchange Service for LaserJet M712 | U4TG9E |
| HP 5 year Parts Exchange Service for LaserJet M712 | U4TH0E |
| HP Installation Service with network configuration for Personal Scanner and Printer (1 unit) | U9JT1E |

Accessories

Memory

★ : Recommended

DDR Memory

HP 512 MB 144-pin x32 DDR2 DIMM

CE483A ★

Network Print Servers

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server

J8026A ★

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A ★

Paper Handling

Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand

CF243A ★

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand

CF245A ★

HP LaserJet 500-sheet Feeder and Tray

CF239A ★

Security and Protection

Smart Cards and SmartCard Readers

HP USB Universal Card Reader

X3D03A ★

Fonts

Barcodes

HP BarCode Printing Solution

HG271TT

HP Barcodes and More Printing Solution for USB version 2 slot based LaserJet

HG281TS

HP Scalable Barcodes Printing Solution for USB version 2 slot based LaserJet

HG282TT

MICR

HP MICR Printing Solution - USB

HG277TT

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

| | |
|---|----------|
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A ★ |
|---|----------|

HP Document and Workflow Solutions

HP Document and Workflow Solutions Printing Security

| | |
|---|--------------------|
| Celiveo Enterprise | HP3PCELIVEO |
| HP Access Control Secure Printing and Job Accounting Solution | HPACOLUTION |
| HP Proximity Card Reader | HPPROXIMTYRDR |
| HP Secure Print and Insights | HPJETADSECUREPRINT |
| HP Security Manager | HPJETADSECMGR |
| Kofax SafeCom Security and Job Accounting Solution | HPNSAFECOMSOL |
| Pharos Blueprint | HP3PHAROSBPRNT |

HP Document and Workflow Solutions Print Management

| | |
|--------------------------------|---------------|
| HP Universal Print Driver | HPUNIVPRNTDRV |
| HP Web Jetadmin | HPWEBJETADMIN |
| Kofax ControlSuite | HP_CSUITE |
| LRS VPSX for Output Management | HP3PLRS |

HP Document and Workflow Solutions Mobile Printing

| | |
|----------|--------------|
| ePRINTit | HP3PEPRINTIT |
|----------|--------------|

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.