



# HP Color LaserJet Enterprise flow MFP M880z (A2W75A)



## Overview

**Streamline and accelerate workflows across your business with a top-of-the-line enterprise MFP.**

This top-of-the-line enterprise MFP helps streamline workflows and accelerate document tasks—with advanced finishing options and file sharing. Give users simple, direct access to this MFP through mobile printing and touch-to-print capabilities.[7]

### **Give workgroups the speed they need**

Let departments scan without worry. HP EveryPage detects potential errors or missed pages on the spot.

### **Keep business moving**

Save on both sides—capture documents faster with two-sided, single-pass scanning.

### **Mobile printing—more efficient**

Mobile printing at a touch—enable touch-to-print convenience from mobile devices.[1]

### **Invest once, expand easily, and manage efficiently**

Expand your options. Easily upgrade firmware on your schedule. Easily integrate solutions or devices at will.

## Features



Print color up to 46 ppm



A3 support



20.3 cm color touchscreen (printer)



Keyboard



Advanced security

---

*[1] Touch-to-print capability is standard in the HP Color LaserJet Enterprise flow MFP M880z+ D7P71A model, and may be added as an option to the HP Color LaserJet Enterprise M880z+ A2W76A and M880z A2W75A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting)*

*[7] Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting) for more details.*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone© Calibrated
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print quality color (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 46 ppm
<b>Print speed black (ISO, letter)</b>	Up to 45 ppm
<b>Print Speed Color (ISO)</b>	Up to 46 ppm
<b>Print speed color (ISO)</b>	Up to 45 ppm
<b>Print speed</b>	Print speed up to 46 ppm (black) and 46 ppm (color)
<b>Functions</b>	Print, copy, scan, fax
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 200,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 200,000 pages (print)
<b>Printer smart software features</b>	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone© Calibrated, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset, booklet making, hole punch
<b>Copier smart software features</b>	Auto scale; Reduce/enlarge from scanner glass (25 to 400 %); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; Offset; Staple, booklet making, hole punch
<b>Scanner advanced features</b>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; Auto orientation; Auto page crop; HP Quick Sets
<b>Fax smart software features</b>	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
<b>Energy savings feature technology</b>	HP Auto-on/Auto-off Technology; Instant-on Technology
<b>Replacement cartridges</b>	HP 827A Black LaserJet Toner Cartridge (29,500 pages) CF300A; HP 827A Cyan LaserJet Toner Cartridge (32,000 pages) CF301A; HP 827A Yellow LaserJet Toner Cartridge (32,000 pages) CF302A; HP 827A Magenta LaserJet Toner Cartridge (32,000 pages) CF303A; HP 828A Black LaserJet Imaging Drum (30,000 pages) CF358A; HP 828A Cyan LaserJet Imaging Drum (30,000 pages) CF359A; HP 828A Yellow LaserJet Imaging Drum (30,000 pages) CF364A; HP 828A Magenta LaserJet Imaging Drum (30,000 pages) CF365A
<b>Connectivity, standard</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T Network; 1 Foreign Interface; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host; 1 Fax

<b>Connectivity, optional</b>	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A; HP Jetdirect 2800w NFC & Wireless Direct J8029A
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional); Touch to Print and Wireless Direct (optional). Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time.
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™-certified; Mobile Apps; Wireless Direct printing
<b>Network protocols, supported</b>	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint
<b>Software included</b>	HP PCL 6 Discrete Printer Driver; Mac SW Link to Web (Mac Installer); Windows Installer
<b>Compatible Operating Systems</b>	Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print ( <a href="http://support.apple.com/kb/ht4356">http://support.apple.com/kb/ht4356</a> ); Android ( <a href="http://www.android.com/">http://www.android.com/</a> ); Citrix and Windows Terminal Services ( <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ); HP ePrint Software Driver ( <a href="http://www.hp.com/go/eprintsoftware">http://www.hp.com/go/eprintsoftware</a> ); Linux ( <a href="http://www.hplip.net">http://www.hplip.net</a> ); Novell ( <a href="http://www.novell.com/iprint">http://www.novell.com/iprint</a> ); SAP device types ( <a href="http://www.hp.com/go/sap/drivers">http://www.hp.com/go/sap/drivers</a> ); SAP Print ( <a href="http://www.hp.com/go/sap/print">http://www.hp.com/go/sap/print</a> ); UNIX ( <a href="http://www.hp.com/go/unix">http://www.hp.com/go/unix</a> ); UNIX JetDirect ( <a href="http://www.hp.com/go/jetdirectunix_software">http://www.hp.com/go/jetdirectunix_software</a> ) <i>(Windows Installer has the same Operating System support as the printer driver except the following: Windows XP (SP3 or higher) (32-bit only); Windows Server 2003 (SP2 or higher) (32-bit only); Windows Vista Starter not supported in Driver nor Installer; HP Software Installer CD for Windows - The HP PCL 6 discrete driver and .NET 3.5 SP1 are installed for Windows operating systems along with other optional software. .NET 4.0 is included in Windows 8/Server 2012; HP Software for Mac is no longer included on the CD, but can be downloaded from hp.com - the Mac driver and Mac Utility are installed for Mac operating systems.)</i>
<b>Sustainable impact specifications</b>	Mercury free
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	ENERGY STAR® qualified; EPEAT® Silver, CECP
<b>Copy speed (black, normal quality, A4)</b>	Up to 46 cpm
<b>Copy speed (color, normal quality, A4)</b>	Up to 46 cpm
<b>Copy speed black (normal, letter)</b>	Up to 45 cpm
<b>Copy speed color (normal, letter)</b>	Up to 45 cpm

<b>Copy speed black duplex (A4)</b>	Up to 43 ipm
<b>Copy speed black duplex (Letter)</b>	Up to 43 ipm
<b>Digital sending standard features</b>	Scan to e-mail; Save-to-Network Folder; Scan to SharePoint; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL
<b>Digital sending optional features</b>	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management
<b>Fax Resolution Black (best)</b>	Up to 300 x 300 dpi
<b>Faxing</b>	Yes
<b>Scan speed (normal, A4)</b>	Up to 70 ppm (b&w), up to 68 ppm (color)
<b>Scan speed (normal, letter)</b>	Up to 70 ppm (b&w), up to 68 ppm (color)
<b>Scan file format</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Scan input modes</b>	Copy, scan-to-email, scan to network folder, scan to USB, save to device
<b>Scan technology</b>	Charge Coupled Device (CCD)
<b>Scanner type</b>	Flatbed, ADF
<b>Display</b>	8" SVGA 800 x 600 dpi resolution capacitive-touch display with gesture support and extended keyboard
<b>Minimum dimensions (W x D x H)</b>	704 x 635 x 1199 mm
<b>Minimum dimensions (W x D x H)</b>	27.7 x 25 x 47.2 in
<b>Weight</b>	150.6 kg
<b>Weight</b>	332 lb <i>(Weight varies with output devices.)</i>
<b>Power consumption</b>	972 watts (Printing), 972 watts (Copying), 80 watts (Ready), 8.0 watts (Sleep), 1.2 watt (Auto-Off), 0.4 watts (Off) <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
<b>Power supply type</b>	Built-in power supply
<b>What's in the box</b>	HP Color LaserJet Multifunction Printer; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multipurpose tray 1; 500-sheet input tray 2; Automatic duplexer (built-in); Encrypted Hard Drive: 3 x 500-sheet paper input; Fax; Fax cable
<b>Manufacturer Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

## Additional specifications

<b>ADF Capacity</b>	200
<b>Accessories</b>	HP LaserJet Booklet Maker/Finisher A2W83A, HP LaserJet Booklet Maker/Finisher with 2/3 hole punch A2W84A, HP LaserJet Booklet Maker/Finisher with 2/4 hole punch CZ999A, HP LaserJet Stapler/Stacker A2W80A, HP LaserJet Stapler/Stacker with 2/4 hole punch A2W82A, HP LaserJet MFP Analog Fax Accessory 500 CC487A, USB Wireless Print Server J8026A, NFC/Wireless Direct Kit J8029A, HP LaserJet Smpd/Trdl Chns Ovrlys Keybrd A7W12A, HP LaserJet Dnsh/Frnch/Ger Ovrlys Keybrd A7W13A
<b>Acoustic power emissions (active copy)</b>	7.2 B(A)
<b>Acoustic power emissions (active scan)</b>	7.0 B(A)
<b>Acoustic power emissions (active, printing)</b>	7.0 B(A)
<b>Acoustic power emissions (ready)</b>	5.0 B(A)
<b>Acoustic power note</b>	Configurations tested included color and mono printing, simplex and duplex printing, and 110 VAC and 220 VAC units at 46 ppm.
<b>Acoustic pressure emissions bystander (active scan)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	33 dB(A)
<b>Auto fax reduction supported</b>	Yes
<b>Automatic document feeder capacity</b>	Standard, 200 sheets (20 lb, 75 g/m <sup>2</sup> )
<b>Automatic paper sensor</b>	Yes
<b>Bit depth</b>	24-bit
<b>Bottom margin (A4)</b>	2.1 mm
<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase USB cable separately
<b>Capacity</b>	500 GB
<b>Cartons per layer</b>	1
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes

**Compatible Network Operating Systems**

Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (32-bit/64-bit) (Including Starter Edition); Windows Vista (32-bit) (Including Starter Edition); Windows Vista (64-bit); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 R2; Windows Server 2012 (No Software Installer support); Windows Server Win7/2008 R2 (SP1); Windows Server 2008 (Standard Edition); Windows Server 2008 (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2008 Server Terminal Services; Windows Server 2008 Server Terminal Services with Citrix XenApp; Windows Server 2003 (Standard Edition); Windows Server 2003 (Enterprise Edition); Windows Server 2003 (32-bit/64-bit) (SP1); Windows Server 2003 (32-bit/64-bit) (SP2); Windows Server 2003 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2003 Server Terminal Services; Windows Server 2003 Server Terminal Services w/Citrix Metaframe XP with Feature Release 3; Windows Server 2003 Server Terminal Services w/Citrix Presentation Server 4.0; Windows Server 2003 Server Terminal Services with Citrix Presentation Server 4.5; Novell NetWare 6; Novell NetWare 6.5 [SP8 minimum for full Windows Vista, Windows 7 and Windows XP (SP7 if only Windows XP)]; Novell Novell iPrint Client v5.4 for Windows XP, Windows Vista and Windows 7, (x86 and x64); Novell Novell iPrint Support Only; Novell Novell Open Enterprise Server 2 (Linux); Novell Novell Open Enterprise Server 6.5; Other Citrix (Print): Citirx XenApps 6.0, Xen Server 5.6, Xen Desktop 5.5; Other Cluster Support; Mac 10.5; Mac 10.6.8; Mac 10.7.5; Mac 10.8.x; Mac 10.9.x; For Linux OS versions, refer to the HP Linux web site: [hplipopensource.com/hplip-web/index.html](http://hplipopensource.com/hplip-web/index.html); Unix HPUX 11i; IBM AIX 3.2.5 or higher; MPE-iX; Citirx MetaFrame Server; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows Vista)

<b>Component type</b>	Printer
<b>Control panel</b>	8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
<b>Copier scaling (ADF)</b>	25 to 400%
<b>Copier settings</b>	Sides; Collate; Paper Selection; Color/Black; Reduce/Enlarge; Image Adjustment; Content Orientation
<b>Copies, maximum</b>	Up to 9999 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 x 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed color duplex (A4)</b>	Up to 43 ipm
<b>Copy speed color duplex (Letter)</b>	Up to 43 ipm
<b>Copy speed note</b>	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <a href="http://hp.com/go/printerclaims">hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<b>Count of layers in pallet</b>	1
<b>Country of origin</b>	Made in China; Mexico (#AC4; #AC8; #201; #AAZ; #BGJ)
<b>Distinctive ring detection supported</b>	Yes
<b>Downloadable software</b>	Basic Color Match; Enterprise installer utility; Linux Driver; Mac CD image; Plug and Play bundles; Smart Web Printing In-House Marketing; Universal Print Driver for Windows; Unix Driver; Web JetAdmin; Windows CD image
<b>Driver updates</b>	Latest drivers for supported operating systems are available at: In the US, go to <a href="http://www.hp.com/support/colorlflowMFP880">http://www.hp.com/support/colorlflowMFP880</a> ; Outside the US, go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Select your country/region. Select Drivers & Downloads. Enter a product name/number. Select your product, select your driver language, select your operating system, under Download, select Drivers or Firmware. If no access to the Internet, see the install notes on the CD that came in the printer box.
<b>Duplex ADF scanning</b>	Yes, single pass duplexing ADF
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Eco label</b>	ENERGY STAR® qualified
<b>Electromagnetic compatibility</b>	CISPR 22:2008 / EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
<b>Engine life</b>	1200000
<b>Envelope Feeder</b>	No
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Fax Auto Redial</b>	Yes
<b>Fax Broadcast Locations</b>	100
<b>Fax PC Interface Supported</b>	Yes, PC fax send only
<b>Fax Polling</b>	No
<b>Fax Remote Retrieval</b>	No
<b>Fax Speed Dials, Maximum Number</b>	Up to 100 (each can contain 100 numbers)
<b>Fax Transmission Speed</b>	33.6 kbps
<b>Fax Transmission Speed Note</b>	Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
<b>Fax delayed sending</b>	No
<b>Fax forwarding</b>	Yes
<b>Fax memory</b>	Incoming fax can be stored to disk
<b>Fax memory</b>	Incoming fax can be stored to disk

<b>Fax phone TAM interface supported</b>	No
<b>Fax resolution black</b>	200 x 200 dpi, 256 levels of gray
<b>Fax telephone mode supported</b>	No
<b>Fax transmission speed (letter)</b>	3 sec per page
<b>File Format Supported</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Finished output handling</b>	Sheet feed; Staple; hole punch; fold; fold and stitch (only available with an optional finisher attached)
<b>First copy out black (letter)</b>	As fast as 8 sec
<b>First copy out color (letter)</b>	As fast as 8 sec
<b>First page out black (A4, ready)</b>	As fast as 8 sec
<b>First page out black (letter, ready)</b>	As fast as 8 sec
<b>First page out black (letter, sleep)</b>	As fast as 18 sec
<b>First page out color (A4, ready)</b>	As fast as 8 sec
<b>First page out color (letter, ready)</b>	As fast as 8 sec
<b>First page out color (letter, sleep)</b>	As fast as 18 sec
<b>First page out footnote</b>	Exact speed varies depending on the system configuration, software application, driver and document complexity.
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>
<b>HP ePrint capability</b>	Yes
<b>Input capacity</b>	Up to 2100 sheets (75 g/m <sup>2</sup> media)
<b>Internal Storage</b>	Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
<b>Junk fax barrier</b>	Yes, as blocked fax numbers
<b>Left margin (A4)</b>	2.1 mm
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	2.5 GB (system memory)
<b>Maximum dimensions (W x D x H)</b>	1000 x 800 x 1199 mm
<b>Maximum dimensions (W x D x H)</b>	39.4 x 31.5 x 47.2 in

<b>Maximum input capacity (sheets)</b>	Up to 2100 sheets (75 g/m <sup>2</sup> media)
<b>Maximum metric depth</b>	800
<b>Maximum metric height</b>	1199
<b>Maximum metric width</b>	1000
<b>Maximum output capacity (sheets)</b>	Up to 3000 sheets (75 g/m <sup>2</sup> media) with an optional output device.
<b>Maximum print area</b>	312 x 457.2 mm
<b>Media size (ADF)</b>	B6 (JIS); A5; B5 (JIS); Letter; A4; Legal 13" (Officio); Legal 14"; B4; Ledger (11 x 17 in); A3
<b>Media size, tray 1</b>	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS); RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), RA3, SRA3, A6, B6 (JIS), photo 2L, Dpostcard (JIS); Envelopes: B5, C5, C6, DL
<b>Media size, tray 2</b>	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273)
<b>Media size, tray 3</b>	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), RA3, SRA3
<b>Media sizes supported</b>	Tray 1: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); RA3, SRA3, A6, B6 (JIS), Photo 2L, DPostcard (JIS); Envelopes: B5, C5, C6, DL; Tray 2: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Trays 3+: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), 8.5 x 13, RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); RA3, SRA3
<b>Media sizes supported</b>	Tray 1: Letter, Letter-R, Legal, Executive, Ledger (11 x 17), 8.5 x 13, 12 x 18, Statement, 4 x 6 Index card, 5 x 7 Index card, 5 x 8 Index card, 3 x 5 Index card, Envelopes: #9, #10, Monarch; Tray 2: Letter, Letter-R, Legal, Executive, Ledger (11 x 17), 8.5 x 13; Trays 3+: Letter, Letter-R, Legal, Executive, Ledger (11 x 17), 8.5 x 13, 12 x 18
<b>Media sizes supported, key</b>	10 x 15 cm; A4; A3; Envelopes
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 12.6 x 18 in; Tray 2: 5.8 x 8.3 to 11.7 x 17 in; Trays 3-5: 5.8 x 8.3 to 12.6 x 18 in
<b>Media sizes, custom</b>	Tray 1: 76.2 x 127 to 320 x 457.2 mm; Tray 2: 148 x 210 to 297 x 432 mm; Tray 3, 4, 5: 148 x 210 to 320 x 457 mm
<b>Media type and capacity, ADF</b>	Sheets: 200 (20 lb, 75 g/m <sup>2</sup> )
<b>Media type and capacity, tray 1</b>	Sheets: 100 (75 g/m <sup>2</sup> ); Envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets: 500 (75 g/m <sup>2</sup> )
<b>Media type and capacity, tray 3</b>	Sheets: 500 (75 g/m <sup>2</sup> )
<b>Media types</b>	Cut sheet paper, labels, transparencies, glossy paper, glossy film, photo media, tough paper, envelopes
<b>Media weight (tray 1)</b>	60 to 220 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	60 to 220 g/m <sup>2</sup>

<b>Media weight (tray 3)</b>	Tray 3, 4, 5: 60 to 220 g/m <sup>2</sup>
<b>Media weight, supported</b>	16 to 58 lb
<b>Media weight, supported</b>	60 to 220 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	45 to 199 g/m <sup>2</sup>
<b>Memory</b>	2.5 GB (system memory)
<b>Memory Slots</b>	1 slot, 200-pin, DDR2 DIMM
<b>Memory upgrade</b>	Not expandable
<b>Metric depth</b>	635
<b>Metric height</b>	1199
<b>Metric width</b>	704
<b>Minimum System Requirements</b>	Windows 10, Windows 8, Windows 7 SP1+, Windows Vista, Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2 (64 bit), Windows Server 2012 (64-bit), Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a>
<b>Minimum System Requirements for Macintosh</b>	Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see <a href="http://apple.com">apple.com</a> )
<b>Mobile printing capability footnote</b>	HP ePrint: Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see <a href="http://hp.com/go/eprintcenter">hp.com/go/eprintcenter</a> . HP Wireless Direct printing; Requires purchase of optional HP Jetdirect 2800w USB Wireless Print Server J8029A HIP accessory. Apple AirPrint™: Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. Mobile Apps: For additional solutions, see <a href="http://hp.com/go/mobile-printing-solutions">hp.com/go/mobile-printing-solutions</a>
<b>Model number</b>	Flow M880z
<b>Multitasking supported</b>	Yes
<b>Network ready</b>	Standard (built-in Gigabit Ethernet)
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Number of print cartridges</b>	4 (1 each Cyan, Magenta, Yellow, Black)
<b>Number of users</b>	Over 25 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	59 to 86°F
<b>Operating temperature range</b>	15 to 30°C

<b>Orderable product number</b>	A2W75A#AAZ, A2W75A#AB0, A2W75A#AB1, A2W75A#AB2, A2W75A#ABJ, A2W75A#ABT, A2W75A#ABY, A2W75A#AC4, A2W75A#AC8, A2W75A#ACJ, A2W75A#ACQ, A2W75A#B19, A2W75A#BAZ, A2W75A#BBU, A2W75#BGM, A2W75#201
<b>Orderable supplies</b>	HP LaserJet Transfer and Roller Kit D7H14A, HP Color LaserJet 110Volt Fuser Kit C1N54A, HP Color LaserJet 220Volt Fuser Kit C1N58A, HP ADF Roller Replacement Kit C1P70A, HP Stapler Cartridge Refill C8091A, HP 2-pack 2000-staple Cartridge CC383A
<b>Output capacity</b>	Up to 500 sheets (75 g/m <sup>2</sup> media)
<b>Package dimensions (W x D x H)</b>	33.71 x 31.11 x 61.7 in
<b>Package dimensions (W x D x H)</b>	856 x 790 x 1567 mm
<b>Package weight</b>	173.33 kg
<b>Package weight</b>	381.3 lb
<b>Page yield footnote</b>	Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://hp.com/go/learnaboutsupplies">hp.com/go/learnaboutsupplies</a> .
<b>Pallet dimensions</b>	33.71 x 31.11 x 61.7 in
<b>Pallet dimensions (W x D x H)</b>	856 x 790 x 1567 mm
<b>Pallet weight</b>	381.3 lb
<b>Pallet weight</b>	173.33 kg
<b>Paper handling input, standard</b>	100-sheet multipurpose tray, 4 x 500-sheet input tray
<b>Paper handling output, optional</b>	Stapler/Stacker, Stapler/Stacker with 2/4 Hole Punch, Booklet Maker, Booklet Maker with 2/4 Hole Punch, Booklet Maker with 2/3 Hole Punch
<b>Paper handling output, standard</b>	500-sheet face-down bin
<b>Paper trays, maximum</b>	5
<b>Paper trays, standard</b>	5
<b>Photo (product photo, jpg, 190x170)</b>	Printers and Multifunction/hp-color-laserjet-enterprise-flow-m880-multifunction-printer-series_190x170.jpg
<b>Photo (product photo, jpg, 70x100)</b>	Printers and Multifunction/hp-color-laserjet-enterprise-flow-m880-multifunction-printer-series_70x100.jpg
<b>Ports</b>	1 Hi-Speed device USB 2.0; 2 Host USB 2.0 (for third party connections); 1 Jetlink; 1 Accessory (for Kensington Lock); 1 Gigabit ethernet 10/100/1000; 1 Fax; 1 FIH
<b>Power</b>	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>Print Technology</b>	Laser
<b>Print colors</b>	Yes
<b>Print languages</b>	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print speed black (normal, A3)</b>	Up to 22 ppm

<b>Print speed black (normal, tabloid)</b>	Up to 22 ppm
<b>Print speed color (normal, A3)</b>	Up to 22 ppm
<b>Print speed color (normal, tabloid)</b>	Up to 22 ppm
<b>Print speed duplex (A4)</b>	Up to 43 ipm
<b>Print speed duplex (A4)</b>	Up to 43 ipm
<b>Print speed duplex (letter)</b>	Up to 43 ipm
<b>Print speed duplex (letter)</b>	Up to 43 ipm
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Web Jetadmin; HP Utility (Mac)
<b>Printer black pages (MPV black)</b>	3600
<b>Printer color pages (MPV color)</b>	2400
<b>Processor speed</b>	800 MHz
<b>Product logos</b>	Energy Star; Blue Angel
<b>Product long name specifications</b>	HP Color LaserJet Enterprise flow MFP M880z, Color Printer for Business, Print, copy, scan, fax, Automatic document feeder; Front USB flash drive port; Flow; Scan to email; Two-sided printing; Print from mobile device; Scan to PDF; Touchscreen; Two-sided scanning; Optional Stapling
<b>Product short name specifications</b>	HP LaserJet Enterprise Flow M880z Multifunction Color Printer, Ethernet Only; Copier, Scanner
<b>Quantity per pallet</b>	1
<b>RMN number</b>	BOISB-1308-00
<b>Recommended media weight (duplex)</b>	60 to 220 g/m <sup>2</sup>
<b>Recommended media weight (duplex)</b>	16 to 58 lb
<b>Recommended monthly page volume</b>	5000 to 25,000
<b>Recommended monthly scan volume</b>	26,750 to 44,600
<b>Recommended operating humidity range</b>	10 to 80% RH
<b>Recommended operating temperature range</b>	15 to 30°C
<b>Recommended operating temperature range</b>	59 to 86°F
<b>Replacement cartridges footnote</b>	Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://hp.com/go/learnaboutesupplies">hp.com/go/learnaboutesupplies</a> .
<b>Resolution</b>	Up to 300 x 600 dpi (ADF), Up to 600 x 600 dpi (flatbed)
<b>Resolution (black and white, standard mode)</b>	100 x 100 dpi

<b>Resolution (black and white, superfine mode)</b>	300 x 300 dpi, 256 levels of gray
<b>Right margin (A4)</b>	2.1 mm
<b>Safety</b>	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
<b>Scan resolution, hardware</b>	Up to 600 x 600 dpi
<b>Scan resolution, optical</b>	Up to 600 dpi
<b>Scan size (ADF), maximum</b>	11.7 x 17 in
<b>Scan size (ADF), maximum</b>	297 x 432 mm
<b>Scan size (ADF), minimum</b>	5.8 x 2.7 in
<b>Scan size (ADF), minimum</b>	147 x 68 mm
<b>Scan size, maximum</b>	297 x 432 mm
<b>Scan size, maximum</b>	11.7 x 17 in
<b>Scan speed duplex (normal, A4)</b>	Up to 85 ipm (b&w), up to 63 ipm (color)
<b>Scan speed duplex (normal, letter)</b>	Up to 85 ipm (b&w), up to 63 ipm (color)
<b>Security management</b>	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions; Security management: Compatible with HP Imaging and Printing Security Center
<b>Standard media sizes (duplex)</b>	A3; A4; A4-R; B5 (JIS); B4 (JIS); RA3; SRA3; RA4; SRA4; 216 x 340 mm; 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm)
<b>Standard media sizes (duplex, imperial)</b>	Letter; Letter-R; Legal; Executive; 11 x 17 in; 8.5 x 13 in; 12 x 18 in
<b>Standard output capacity (envelopes)</b>	Up to 60 envelopes
<b>Standard output capacity (transparencies)</b>	Up to 100 sheets
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive; USB printing
<b>Storage temperature range</b>	32 to 95°F
<b>Storage temperature range</b>	0 to 35°C
<b>Sub-brand name</b>	LaserJet
<b>Target user and print volume</b>	For teams over 25 users; Prints up to 25,000 pages/month

<b>Tariff numbers</b>	844331000 (Nat); 844331000 (AM); 844331800 (EU); 844331900 (AP)
<b>Telecom compliance (fax capability)</b>	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
<b>Telephone handset supported</b>	No
<b>Top key features</b>	200-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
<b>Top margin (A4)</b>	2.1 mm
<b>Tray capacity</b>	2100
<b>Typical electricity consumption (TEC) number</b>	0.734 kWh/Week (Energy Star 3.0)
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(201) 887111779533; (A62) 887758944738; (A67) 887758944745; (AAZ) 887111382504; (AB0) 887111382368; (AB1) 887111382375; (AB2) 887111382382; (ABJ) 887111382399; (ABT) 887111382436; (ABY) 887111382443; (AC4) 887111382481; (AC8) 887111382498; (ACJ) 887111382405; (ACQ) 887111382450; (B13) 888182820889; (B19) 887111382467; (BAZ) 887111382474; (BBU) 887111382412; (BGJ) 887111382511; (BGM) 887111382429

---

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Color Laser Toner Printer Cartridges

HP 828A Black LaserJet Image Drum	CF358A ★
HP 828A Cyan LaserJet Image Drum	CF359A ★
HP 828A Magenta LaserJet Image Drum	CF365A ★
HP 828A Yellow LaserJet Image Drum	CF364A ★
HP 827A Black Original LaserJet Toner Cartridge	CF300A
HP 827A Cyan Original LaserJet Toner Cartridge	CF301A
HP 827A Magenta Original LaserJet Toner Cartridge	CF303A
HP 827A Yellow Original LaserJet Toner Cartridge	CF302A

#### HP Laser Printer Supply Kits

HP LaserJet ADF Roller Replacement Kit	C1P70A ★
HP LaserJet D7H14A Transfer and Roller Kit	D7H14A ★
HP LaserJet Fuser Kit 110V	C1N54A ★
HP LaserJet Fuser Kit 220V	C1N58A ★

### HP Paper for Multiple Uses

#### HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm	Q2399A
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113

HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

### HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-10 reams/Letter/8.5 x 11 in	HPM1120
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225

### HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN06A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN09A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV81A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV82A
HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP840
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

## HP Paper Designed for Laser Printers

### HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360
HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370

HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310
HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm	Q2396A
HP Premium Choice Laser Paper-250 sht/A4/210 x 297 mm	Q2397A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P

### HP Laser Brochure Paper

HP High-gloss Laser Paper-200 sht/A4/210 x 297 mm	Q2421A
HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A

### HP Laser Cover and Card Stock

HP Premium Cover Paper-100 sht/A4/210 x 297 mm	Q2414A
--	--------

## HP Business Papers

### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720
HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R

HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets

HPM1420

HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets

HPM1420P

HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets

HPJ1124P

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets

6MF93A

## Accessories

### Keyboards/Mice and Input Devices

★ : Recommended

#### Keyboards

HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland	A7W13A ★
HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese	A7W12A
HP LaserJet Swedish Overlay Keyboard	A7W14A

### Paper Handling

#### Staple Cartridges

HP Staple Cartridge Refill	C8091A ★
HP 2-pack 2000-staple Cartridge	CC383A ★

#### Output Trays and Stackers

HP Color LaserJet Booklet Maker/Finisher with 2/4 hole punch	CZ999A ★
HP LaserJet Booklet Maker/Finisher	A2W83A ★
HP LaserJet Booklet Maker/Finisher with 2/3 hole punch	A2W84A ★
HP LaserJet Stapler/Stacker	A2W80A ★
HP LaserJet Stapler/Stacker with 2/4 hole punch	A2W82A ★

#### Input Trays

HP LaserJet 3x500-sheet Paper Feeder and Stand	C1N63A ★
--	----------

#### Fax Upgrades

HP LaserJet MFP Analog Fax Accessory 500	CC487A ★
--	----------

### Accessory Bundles

#### Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★
----------------------	----------

### Network Print Servers

#### Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server	J8026A ★
--	----------

## External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A ★

## Security and Protection

### Smart Cards and SmartCard Readers

HP USB Universal Card Reader

X3D03A ★

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

## Fonts

### Barcodes

HP BarCode Printing Solution

HG271TT

HP Barcodes and More Printing Solution for USB version 2 slot based LaserJet

HG281TS

HP Scalable Barcodes Printing Solution for USB version 2 slot based LaserJet

HG282TT

### MICR

HP MICR Printing Solution - USB

HG277TT

## Solutions

### Imaging and Printing Solutions

★ : Recommended

#### Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---	----------

### HP Document and Workflow Solutions

#### HP Document and Workflow Solutions Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
MyQ Solutions	MYQSOL
Pharos Blueprint	HP3PHAROSBPRNT

#### HP Document and Workflow Solutions Print Management

Genius Bytes	GENIUSMFP
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS
YSoft SafeQ	YSOFT

#### HP Document and Workflow Solutions Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
----------------------	----------------

#### HP Document and Workflow Solutions Mobile Printing

HP Roam for Business	HPROAM
ePRINTit	HP3PEPRINTIT

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty 4 hour 9x5 Color LaserJet M880 Multifunction printer Hardware Support	U8D40PE
HP 1 year Post Wty Next business day w/Defective Media Retention Service for Color LaserJet M880 MFP	U8D42PE
HP 3 year 4 hour 9x5 Color LaserJet M880 Multifunction printer Hardware Support	U8D17E
HP 3 year Next Business Day w/Defective Media Retention Service for Color LaserJet M880 MFP	U8D23E
HP 4 year 4 hour 9x5 Color LaserJet M880 Multifunction printer Hardware Support	U8D19E
HP 4 year Next Business Day w/Defective Media Retention Service for Color LaserJet M880 MFP	U8D24E
HP 5 year 4 hour 9x5 Color LaserJet M880 Multifunction printer Hardware Support	U8D21E
HP 5 year Next Business Day w/Defective Media Retention Service for Color LaserJet M880 MFP	U8D25E

#### Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for Color LaserJet M880 MFP	U0LV8PE
HP 3 year Parts Exchange Service for Color LaserJet M880 MFP	U8D29E
HP 4 year Parts Exchange Service for Color LaserJet M880 MFP	U8D30E
HP 5 year Parts Exchange Service for Color LaserJet M880 MFP	U8D31E
HP Installation Service with network configuration for Department Printer (1 unit)	U9JT3E

---

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.