

3 YEAR
WARRANTY



**BUILT-IN &
FREESTANDING
COLLECTION**
2013

We welcome you to the new world of Blomberg.

A world where green is respected, design is timeless and expectations are exceeded.

A world which is...

... in harmony with nature through products designed to preserve natural resources.


... in harmony with your home through a universal design that will complement various styles.

... in harmony with you through practical solutions, unique innovations and reliable quality.

Let us discover this world together.

BLOMBERG

IN HARMONY WITH YOUR LIFE



3 YEAR
WARRANTY



Blomberg
seit 1883

Reddot Design Award

The Reddot Design Award ranks among the world's biggest design competitions, and is recognised internationally as a seal of quality. Blomberg's logitronic dishwasher GSN 1580 XB won the Reddot Design Award, confirming it as an innovative appliance with outstanding design features.



reddot design award

EcoTopTen

EcoTopTen is a major initiative, promoting reduced energy consumption and environmentally friendly product innovation. The research project and the campaign are both supported by the German Federal Ministry for Education and Research, the German Federal Ministry for Consumer Protection, Nutrition and Agriculture, as well as the Foundation Zukunftserbe ("Heritage of Future"). The German Eco-Institute selected Blomberg heat pump dryer TKF 1350 S as one of only three products nominated in the EcoTopTen ranking. The following Blomberg refrigerator models were recommended for their energy saving: TSM 1541 A++, KSM 9650 X A++, KSM 9650 A++, DSM 1510 A++, DSM 9630 X A++ and DSM 9630 A++. Also the following dishwasher models were recommended for their energy saving and environment-friendly features: smarTouch, GSN 9585 XB, GSN 9580 XB, GVN 9380 XL, GVN 1380, GIN 9585 XB.



Stiftung Warentest

Stiftung Warentest is the leading consumer safety group in Germany. Blomberg's heat pump dryers TKF 1350 A/S and TKF 7350, washing machines WAF 7340 and WAF 7442 SL, and dishwasher models GIN 1580 XB and GVN 1380 have been recommended by Stiftung Warentest for their outstanding quality.

Stiftung Warentest	GUT (1,9)	Stiftung Warentest	GUT (2,0)	Stiftung Warentest	GUT (2,5)
test		test		test	
	Blomberg GIN 1580 XB Im Test: 10 Geschirrspüler Qualitätsurteil: 8 gut, 2 befriedigend Ausgabe 07/2006		Blomberg TKF 1350 A/S Im Test: 13 Kondensationstrockner Qualitätsurteil: 11 gut, 2 befriedigend Ausgabe 10/2006		Blomberg WAF 7340 Im Test: Waschmaschinen Qualitätsurteil: 6 gut, 1 befriedigend, 3 ausreichend, 1 mangelhaft Ausgabe 09/2007
Stiftung Warentest	GUT (2,3)	Stiftung Warentest	GUT (2,3)	Stiftung Warentest	GUT (2,0)
test		test		test	
	Blomberg GVN 1380 Im Test: 15 voll integrierbare Waschmaschinen Qualitätsurteil: 13 gut, 1 ausreichend, 1 ohne Urteil Ausgabe 04/2008		Blomberg WAF 7442 SL Im Test: 11 Waschmaschinen 7 x gut Ausgabe 09/2009		Blomberg TKF 7350 Im Test: 11 Wäschetrockner 5 x gut Ausgabe 10/2009

Excellence in Design Award

Blomberg mirror refrigerator MDND 1880 received a Bronze award in appliance DESIGN Magazine's 22nd Annual Excellence in Design Awards Competition. The purpose of appliance DESIGN's annual design competition is to honour those designers who have excelled in meeting the modern challenge of harmoniously melding technology and industrial design.



Plus X Award

The Plus X Award is Germany's biggest competition in the consumer electronics market and was created to offer consumers meaningful and reliable evaluation of goods. In the big white goods category Blomberg received several Plus X Awards: washing machine WAF 1560 S, built-in oven BEO 9576 X and free standing cooker BGM 15320 DX PR for design; dishwasher GSN 1581 X for design and innovation; tumble dryer TKF 1350 S for innovation; refrigerator KND 1650 X for innovation and ecology; washing machines WAF 7360 AQ and WAF 7462 S, and dryer TKF 7459 A for ecology; built-in oven BEO 1690 X, side-by-side refrigerator KQD 1360 X, dishwashers GLN 9220 E and smarTouch™, and built-in oven BEO 9770 X for design and ease of use; washing machines WNF 8428 A30 and WNF 8447 A50, and dishwasher GSN 9582 XB7 for ease of use and ecology; refrigerator MDND 1880 and built-in oven BEO 9761 X for design and ecology; and dryer TKF 8439 A for ease of use.



Energy+ Award

The European Commission commended Blomberg's refrigerator/freezer CT 1300 A the most energy efficient refrigerator at the Energy+ Competition. With the daily electricity consumption of a 16 W light bulb, this Blomberg refrigerator has lower annual average energy consumption than any comparable appliance. In terms of the EU label classification, it qualifies for an A++ label.



VDE

Blomberg's Q line washing machines and logitronic dishwashers have received the VDE approval for their outstanding performance. VDE, the Association for Electrical, Electronic & Information Technologies, is a Germany-based testing institute, which is one of the largest technical and scientific associations in Europe. Blomberg is the first brand to receive the VDE approval for both washing machines and dishwashers.

D
Quality Tested
gute Bedienbarkeit
hohe Reinigungs-/
Trocknungsqualität
Hygiene geprüft
ID. 40021583

D
Quality Tested
gute Bedienbarkeit
hohe Waschqualität
Hygiene geprüft
ID. 40018485

Blomberg®
seit 1883

All Blomberg appliances have a 3-year warranty as standard to give you complete piece of mind.

**3 YEAR
WARRANTY**

CONTENTS

BUILT-IN

OVENS
8-23



HOBS
24-31



WASHING
MACHINE
32-37



DISHWASHER
38-45



REFRIGERATION
46-53



TECHNICAL DETAILS
BUILT-IN
FREESTANDING

105
106-110
111-118

FREESTANDING

COOKERS
56-63



WASHING
MACHINE
64-71



TUMBLE
DRYER
72-79



DISHWASHER
80-87



REFRIGERATION
88-103



BUILT-IN INSTALLATION
DIAGRAMS

120-122

BUILT-IN COLLECTION

2013

Blomberg
seit 1883

BUILT-IN OVENS

We invite you to admire the sleek edges, straight lines, smooth surfaces and timeless style that define the Blomberg built in oven range... Appreciate the functionality and simplicity and discover the cooking technology provided by Blomberg.

Welcome to the next level of cooking.





Blomberg

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

'A' Energy Performance

All Blomberg built in ovens are 'A' energy rated, **using 20% less energy than standard 'A' rated models**. They offer the best performance with minimum energy consumption.



IN HARMONY WITH YOU

ELEGANT DESIGN



Practical control panels

Blomberg offers a variety of easy-to-use control panels. The dials have a stainless steel look, in line with the oven handle. For a perfect and clean line finish look, some of the Blomberg ovens also feature the push-in pop-out knobs.

The **animated electronic timer** is controlled with practical rotary knobs. The electronic display is easy to use and recommends the most suitable cooking rack level based on the selected cooking function. For improved cooking performance, the ovens also feature a sensitive temperature adjustment in 5°C increments (between 40°C and 280°C).

The Blomberg **digital LED timers** feature easy to view and easy to use symbols and functions. The light of the display panel can be adjusted in 3 different shades and the timer can be set at 3 separate tones. in addition delay timer option is designed to help you manage your time efficiently.

Sophisticated 'White Gloss' collection

The new Blomberg 'White Gloss' collection has been designed to create a stylish and premium look. The 2 ovens BDO 9400WG and BEO 9400WG will compliment any kitchen style with the white high gloss finish and metal handles. The control panel is controlled by large push in push out knobs for a sleek surface.

To complement the look, the chic glossy white ceramic glass hob MKN 24201 W has cool contemporary metal effect side control knobs and offers four distinctive cooking zones with chrome rings. Simple but elegant, the smooth hob surface will make cleaning effortless.



Large glass window

It will allow you to see the oven interior without opening the door, avoiding heat and energy loss during the cooking cycle.



Robust oven door

All Blomberg ovens feature a full glass door that can support heavy dishes and trays up to 22.5kgs. In addition the new design hinge system allows easy door opening and removal – making the oven cleaning even easier.

Made of stainless steel, the straight and solid handle will create a modern finish look while complementing perfectly the control knobs.



**IN HARMONY
WITH YOU**

PRACTICAL

Telescopic shelf system

The Blomberg ovens BEO 9444 X and BDO 9400 WG are designed with the telescopic shelf system. The extending arms provide an easier access to the cooking tray. The integrated stop mechanism also guarantees safety when basting and serving dishes.



Large oven capacity

With 65 litres oven capacity (100 litres combined for double ovens), Blomberg offers one of the most spacious oven interior in its class. It will provide enough room to roast a large turkey or prepare a big feast for your family or friends. The full size tray will also give you optimal cooking space while the deep tray design is ideal for roasting and baking.



Interior light

The Blomberg ovens BEO 9414 X, BDO 9400 WG, BEO 9444 X and BEO 9400 WG feature an interior light with cylindrical lamp placed either on the rear or the sides of the oven cavity. It will give you an easy cooking progress checking without opening the oven door. The grey coloured cavity surface also helps reduce reflection on the glass door.

The same halogen lamp, available on BDO 9564 X provides even more energy efficient and brighter white lighting.

Booster function

The booster function available with BDO 9564 X has been designed to save you time. With this setting, all heating elements are activated at the same time for quick pre-heating, and the oven is heated 35% faster in comparison to standard functions. Once the desired temperature is reached, the oven will automatically switch back to the preset cooking mode.



Recommended shelf level

The electronic timer of your Blomberg oven will indicate the recommended shelf level based on the cooking function you choose. To make the cooking process even easier, the level of each shelf is indicated with a visible number from 1 to 5.

IN HARMONY WITH NATURE

EASY TO CLEAN

'Nano' Technology – keeps glass doors clean

With the oleophobic Nano coating on the inner glass door, Blomberg BEO 9444 X single oven maintains its shiny good look for years. Thanks to this special technology, the door simply requires cleaning with soapy water and a soft cloth after every 20 cooking cycles.



Easy-to-remove side racks

The side racks fixed to the oven can be easily detached without any tool allowing a complete oven cleaning with minimal effort.

Smooth cavity

With no visible screws or interior points, the Blomberg oven interior gives a shiny and smooth surface. It helps reduce the amount of dirty food in the oven and makes it easier to clean.



Easy Clean enamel

All Blomberg ovens are coated with an 'Easy Clean' grey enamel. This long lasting finish gives an elegant look and allows an easy, quick and ecologic cleaning of the oven cavity and trays.



IN HARMONY WITH YOU

EASY TO CLEAN

Full glass door

All Blomberg ovens have an easily removable doors that is easy to clean with a single wipe. In certain models the glass window is also removable to allow you to clean the glass separately.



Catalytic liners

All Blomberg ovens have catalytic liners in the oven interior, these absorb cooking grease and reduce food odours, reducing the need for aggressive cleaning and harsh chemicals.

Fingerprint free surface

All Blomberg ovens in the range have fingerprint free panel and doors, so you won't have to worry about leaving behind a mark.



IN HARMONY WITH NATURE

SAFE

Key lock

For complete piece of mind, the Blomberg electronic ovens have a key lock, which allows you to lock the timer settings. The function will prevent accidental pressing of buttons while it is in operation.

Recessed grill

The top grill / heater in the Blomberg ovens has been recessed to avoid the risk of self injury while reaching the top shelf. In addition, it minimizes the temperature of the oven handle and knobs for a safe touch.



IN HARMONY WITH YOU

COOKING FUNCTIONS



Booster

All heating elements are activated for 35% quicker pre-heating. This function is ideal when you are running short on time.



Bottom heater

Only the base cooking element is in operation - ideal for slow cooking, pizza, quiches and pastries that require additional heat at the base.



Conventional

The top and bottom heating elements are in operation. For even heating from above and below - ideal for stews, casseroles, pastries and meats.



Low grill

Only the mid part of the grill is in operation. This is an energy-efficient function designed to grill a small amount of food with minimum energy consumption.



Grill

The full grill is in operation. This function is ideal for grilling and browning larger quantities of food.



Fan cooking

The circular heater and the fan motor operate together. The heat in the oven is distributed evenly in the centre. In this setting, you can cook 2 or 3 different foods that require the same or similar temperature settings.



Grill+fan

The full grill and fan motor operate together. This function is ideal for lean meats and fish.



Defrost

The fan motor is in operation - Quick and hygienic, ideal for delicate food like quiches which require a lower temperature defrost.



Conventional+fan

The bottom and top heating elements operate together with the fan motor. This function is ideal for using the whole oven, with particular focus on browning and base heat.



3D cooking

Top, bottom and central heating elements operate together with the fan motor. Convenient and time saving, this function allows you to cook 3 separate dishes simultaneously on different shelves.



Warm keeping

Ideal for keeping the food warm until it is time for serving. It also helps cakes and bread to rise.



Pizza

Bottom heating element, circular heater and fan are in operation. This function is ideal for cooking pizza.



Slow cooking

The fan motor and central heater operate together. It allows better flavour distribution and helps tenderise many meat dishes through the cooking process as well as saving energy.

BUILT-IN DOUBLE OVEN



BDO 9564 X

Multifunction double oven with programmable animated timer

AA Energy rated - 20% more energy efficient than A class

Main Oven Features

- A Energy rated - 20% more energy efficient than A class
- Large display programmable electronic timer with rotary control
- Large oven capacity - 65 lt
- 12 cooking functions: Static, static+fan, fan cooking, 3D, pizza, grill+fan, grill, low grill, slow cooking, bottom heater, warm keeping, defrost
- Booster, fast to-the-degree heating
- Electronic temperature control, 5°C sensitive
- 5-level removable side racks
- Interior light with 2 square halogen bulbs
- Catalytic liners mounted on the side wall

Top Oven Features

- A Energy rated - 20% more energy efficient than A class
- Large oven capacity - 35lt
- Tilted grill for easy cleaning
- Catalytic liners mounted on the side wall
- 4 cooking functions: Static, bottom heater, low grill, grill
- Interior light

Additional Features

- Removable full width glass inner door
- Key lock
- Pop in - pop out knobs for top oven

Accessories

- 1 Full size enamel cooking tray with internal grill rack
- 1 Enamel baking tray
- 3 Wire shelves with stop position system

Product Dimensions

- HxWxD: 895x594x567 mm

Colour

- Fingerprint free stainless steel with black glass control panel



NEW

BDO 9400 WG

Fan double oven with programmable LED timer

AA Energy rated - 20% more energy efficient than A class

Main Oven Features

- A Energy rated - 20% more energy efficient than A class
- Programmable digital LED timer
- Large oven capacity - 65 lt
- 7 cooking functions: Fan cooking, defrost, warm keeping, static, grill, bottom heater, low grill
- Telescopic shelf system
- Easy clean enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb
- Catalytic liners mounted on the side wall

Top Oven Features

- A Energy rated - 20% more energy efficient than A class
- Large oven capacity - 35lt
- 4 cooking functions: Static, bottom heater, low grill, grill
- Interior light
- Catalytic liners mounted on the side wall

Additional Features

- Key lock
- Tilted grill for easy cleaning
- Catalytic liners on side wall
- Pop in - pop out knobs

Accessories

- Deep Cooking tray
- Baking tray
- 3 wire shelves

Product Dimensions

- HxWxD: 895 x594x567 mm

Colour

- White Gloss fascia finish



BUILT-IN SINGLE OVEN

NEW



BEO 9444 X

Fully featured multifunction oven with programmable LED timer

Easy Clean via Oleophobic Nano coating on inner glass doors
A Energy rated - 20% more energy efficient than A class

Main Features

- Large fully programmable animated LED timer
- Large oven capacity - 65 lt
- 8 cooking functions: Conventional, conventional+fan,fan cooking, grill+fan, grill, 3D cooking, bottom heater, defrost
- Telescopic shelf system
- Easy clean enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb

Additional Features

- Removable full width glass inner door
- Key lock
- Tilted grill for easy cleaning
- Catalytic liners on side wall
- Pop in - pop out knobs

Accessories


- 1 telescopic system with wire shelf for easy access
- 1 full size enamel cooking tray with internal grill rack
- 1 wire shelf with stop position system

Product Dimensions

- HxWxD: 595x594x567 mm

Colour

- Fingerprint free stainless steel with black glass control panel





NEW

BEO 9400 WG

Fan oven with programmable LED timer and white gloss fascia

A Energy rated - 20% more energy efficient than A class
Sleek design with push in push out control knobs

Main Features

- Programmable digital LED timer
- Large oven capacity - 65 lt
- 4 cooking functions: Defrost, grill+fan, grill, fan cooking
- Easy clean enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb

Additional Features

- Key lock
- Tilted grill for easy cleaning
- Catalytic liners on side wall
- Pop in - pop out knobs
- Removable full width glass inner door

Accessories

- 1 full size enamel cooking tray with internal grill rack
- 2 wire shelves with stop position system

Product Dimensions

- HxWxD: 595x594x567 mm

Colour

- White gloss fascia finish





BEO 9414 X

Fan oven with programmable LED timer

A Energy rated - 20% more energy efficient than A class

Main Features

- Programmable large digital timer
- Large oven capacity - 65 lt
- 4 cooking functions: defrost, grill+fan, grill, Fan cooking
- Easy clean enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb

Additional Features

- Key lock
- Tilted grill for easy cleaning
- Catalytic liners on back wall
- Pop in - pop out knobs
- Removable full width glass inner door

Accessories

- 1 full size enamel cooking tray with internal grill rack
- 2 wire shelves with stop position system

Product Dimensions

- HxWxD: 595x594x567 mm

Colour

- Fingerprint free stainless steel with black glass control panel







BUILT-IN HOBS

Blomberg offers a range that will suit your preferred cooking method. The design of the range has been developed with care and detail to ensure the appliance will complement your built in oven and any style of kitchen.



IN HARMONY
WITH YOU

SOPHISTICATED 'WHITE GLOSS' COLLECTION


The new Blomberg 'White Gloss' collection has been designed to create a stylish and premium look. The chic glossy white ceramic glass hob MKN 24201 W has cool contemporary metal effect side control knobs and offers four distinctive cooking zones with chrome rings.

Simple but elegant, the smooth hob surface will make cleaning effortless. The 2 ovens BDO 9400WG and BEO 9400WG will complement the hob with the white high gloss finish doors and metal handles. The control panel is controlled by large push in push out silver knobs for a sleek surface.




Elegant design

Blomberg ceramic hob features a scratch- resistant, easy-to-clean smooth surface. It is designed with a stainless steel front and back frames and bevelled side edges to withstand everyday use, further enhancing the appearance and functionality of your kitchen.



Easy to use control panel

Designed with a touch control panel, the Blomberg ceramic hob allows you to set precise temperature and settings. Each heating zone is also operated by a separate touch point meaning they can be individually and easily regulated.



Timer

The timer allows you to set a cooking time for each cooking zone separately. When the cooking time is up, the hob will automatically switch off the zone and a buzzer will signal the end of cooking.



Heat-up and simmering

With this setting the hob first operates at maximum power for instant heating for a preset time. Then, it automatically switches to a less powerful mode for simmering.

Safety features

The **residual heat indicators** will warn you with a visible "H" sign that the cooking zone is not cold enough to touch safely. The **child lock** will prevent accidental pressing of buttons that might change the cooking setting and temperature.

The **anti overflow system** automatically shuts off the power in case of liquid boiling over onto the control panel. Also, the hob will automatically switch off if the zone is left on for a long period of time.





**IN HARMONY
WITH YOU**

EXPERT COOKING WITH GAS HOBS


From professional chefs to those who are passionate about cooking, the benefits of the traditional gas cooking are a preferred way of cooking for many people.

Elegant design

The Blomberg gas hob is made of modern stainless steel. The front controls facilitate temperature settings and match the knobs of the Blomberg ovens for a harmonious look in your kitchen.

Under dial instant ignition

With new and improved control knobs, the ignition is now quicker and easier. Simply press and turn the dial for instant auto ignition and you are ready to cook.



Practical pan supports

Blomberg pan supports are cast iron finish and have been designed to guarantee maximum stability and generous spacing between the burners. Their continuous straight design allows you to slide pots and pans from one burner to another very easily.



Flame safety device

For your total safety and peace of mind, the Blomberg gas hob has a 'flame safety device' fitted as standard. The device senses when the gas has gone out and automatically cuts off the gas.



Wok burner

The Blomberg triple crown wok burner reaches an efficient 3800W. It will allow you to cook food rapidly without compromising any nutritional values. The crown ensures that the heat is distributed evenly, resulting in excellent cooking performance over a shorter period of time.




BUILT-IN HOBS

NEW

MKN 54322 X



MKN 24201 W



60 cm Touch control ceramic hob

Main Features

- 4 vitroceramic cooking zones including Dual zone and extended zone
- Front and back stainless steel frames
- Bevelled side edges
- Front Touch control with separate touch pads
- 1-9 cooking levels per zone
- Digital display
- Precise heat adjustment
- On / off indicator
- Individual Timer for all zones
- Intelligent pan size recognition
- Heat-up and simmering

Safety

- Child lock
- Individual residual heat indicators
- Anti-over flow system
- Automatic stop system

Product Dimensions

- HxWxD: 55x580x510 mm

Colour

- Black ceramic

60 cm Side control ceramic hob with white high gloss finish

Main Features

- 4 ceramic cooking zones
- Chrome rings finish
- Metal effect side control knobs
- 1-6 cooking power levels per zone

Safety


- On / off indicator
- Wipe clean hob surface
- Induction residual heat indicators

Product Dimensions

- HxWxD: 71x580x510 mm

Colour

- White high gloss finish



GEN 53415 E



60cm Front control gas hob

Main Features

- 4 gas burners including 1 wok burner (3.3 kw wok burner)
- Cast iron pan supports
- Auto ignition front control knobs
- One piece Hob surface for easy cleaning

Safety

- Flame safety device for all burners

Product Dimensions

- HxWxD: 98x580x510 mm

Colour

- Stainless steel

* Picture used as illustration purposes only





BUILT-IN WASHING MACHINE

Combining great performance with style, the Blomberg integrated washing machine has been designed for modern living. The model features time saving and innovative programmes to help you protect your clothes and keep them looking as good as new for longer.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

Blomberg washing machine WMI7462 W20 has been designed to achieve outstanding fabric care and wash results using the least possible amount of detergent, water and electricity. It is A++ energy efficient, **consuming up to 20% less energy than "A" class models.**

Automatic water adjustment system

For conservation of water resources, the Blomberg washing machine is equipped with an automatic water adjustment system, which enables your machine to adjust its water intake based on the amount of the laundry.



IN HARMONY WITH YOU

PRACTICAL



Time Saving programmes and functions

The Blomberg WMI7462W20 combines time saving programmes with clever options to give you complete control over your laundry task and therefore maximise your free time. The '**Fast Full Load**' will wash a full load in **just 39 minutes** while the '**Mini 14**' will wash **2kg of laundry in just 14 minutes**. You can also select the time delay function to allow you to wash at a time convenient for you.



Smart programmes

The Bloomberg integrated washing machine has a variety of wash programmes for different textile types. In addition special programmes have been developed to meet any of your laundry care requirements.

Cotton 20



Lingerie



Dark wash



Machine care



Hygiene



IN HARMONY WITH NATURE

SAFE

aquAvoid

aquAvoid is an anti-leak system designed to protect your home against flooding. The Blomberg washing machine is equipped with aquAvoid security system, which cuts off the water intake to the machine, should leakage occur from the internal hose



Durable heater

The Blomberg washing machine is equipped with a special nickel-coated heater. This heater is a hundred times more durable than regular heaters. Thus, it prolongs the life of your washing machine. The heater also eliminates the need for scaling arising from hard water, and consequently saves energy and time while heating the water.

Quality tested

For long life expectancy, we test 100% of our washing machines before they leave our factory. For maximum durability, 2% of all machines undergo a thorough audit test. Every machine is tested for safety and functionality. Furthermore, Blomberg washing machines are tested continuously for life cycle durability on various programmes.



BUILT-IN WASHING MACHINE

3 YEAR
WARRANTY



WMI 7462 W20

7kg Washing Machine

7 kg load capacity; 1600 rpm spin speed

A++AA

Mini LCD control with time remaining display

Variable spin speed and temperature control

Programmes

- 16 programmes including
Mini 14', Fast Full Load, Dark Wash, Hygiene, Cotton 20,
Refresh, Lingerie

Functions

- Prewash/ Quickwash/ Rinseplus/ Anti crease

Main Features

- 24 h time delay
- Liquid detergent compartment
- Automatic water adjustment system
- Durable heater

Safety

- Child lock

Product Dimensions

- HxWxD: 820x600x540 mm



N.B - Door and door handle not supplied with appliance





BUILT-IN DISHWASHER

Designed to provide high quality and performance, the Blomberg dishwasher is packed with special programmes, great features and storage solutions that will help you save time and money.

Discover how it will provide a real style statement in your kitchen...

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Great performance

The Blomberg dishwasher GVN9483E has “**A++AA**” rating for energy consumption, cleaning performance and drying level. It will consume up to **20% less energy than standard ‘A’ class models**.



IN HARMONY WITH YOU

PRACTICAL



Multi detergent compatible

The Blomberg dishwasher is compatible with all types of liquid, powder and tablet detergents. Regardless of your choice of detergent, your dishwasher will give the same outstanding performance. Furthermore, the detergent container is user friendly and has cross opening lids for an easy refill.

Turbo fan drying

Turbo fan drying is an active ventilation system with increased air circulation. By means of this technology not only does your dishwasher achieve better drying performance but also leaves dishes cool enough to touch at the end of the drying cycle.

**IN HARMONY
WITH YOU**

PRACTICAL

Multi level wash

The Blomberg dishwasher uses a multi level wash system to provide immaculately clean dishes. In this system, two spray arms, placed in the bottom and the middle of the dishwasher, work in coordination with the showerhead at the top spraying water from every direction to reach even the most remote parts of your dishes.



IN HARMONY WITH NATURE

PRACTICAL



Half load

There is no need to wait for both baskets to be fully loaded to start your dishwasher. The half-load option offers complete load flexibility. No matter where you place your dishes, the half load function will wash them thoroughly optimising water consumption according to the dish load.

Auto Sense system

Using an advanced technology, the Auto Sense system automatically monitors the dirt level of the dishes and selects the cycle temperature and time accordingly. Simply select the function and your dishwasher will apply the most suitable wash programme with minimum water and energy

Time saving programmes

Blomberg offers some of the shortest programmes in the market, giving you perfect results every time. The Mini 30' washes lightly soiled dishes in 30 minutes while **the Express 58'** programme delivers an amazing "A" cleaning performance in just under an hour, helping you save time and money.



Salt and rinse aid indicators

In dishwashers, salt is used to adjust the water hardness level in order to avoid etching marks on delicate glassware. And, for sparkling dishes and glasses, rinse aid adds the finishing touch. The Blomberg dishwasher has salt and rinse aid indicators that will let you know when it is time for a refill.



IN HARMONY WITH YOU

EASY TO LOAD

Flexible upper basket

The Blomberg dishwasher is equipped with the smartRACK, a height-adjustable upper basket, which can be raised to make space for large pans or plates and baking trays in the bottom basket or lowered to hold tall glasses. This system allows you to adjust the basket height in one simple action, even when the basket is fully loaded. The height adjustable shelves for mugs can be positioned at two separate levels depending on your needs.



Practical lower basket

To maximize space in the lower basket, Blomberg integrated dishwasher is equipped with **folding tines** that are easily folded down for easy placement of large pots and pans.



Sliding cutlery basket

The Blomberg dishwasher's cutlery basket slides easily in the lower basket allowing dishes and pans to be more effectively loaded. It can also be removed to make space for larger items.



IN HARMONY WITH NATURE

SAFE

Stainless steel interior

The Blomberg integrated GVN 9483 E has stainless steel high quality interiors that not only protect the machine from heat and corrosion, but also sanitise your dishes with the highest wash temperatures available.



aquaVoid™

In case the float system detects water leakage, safety switch activates the drain pump and deactivates the water inlet valve. The water inside the dishwasher is then discharged.



Quality tested

We test 100% of Blomberg dishwashers before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg dishwashers are tested for life cycle durability on various programmes.

Flow through heater

The heater on the Blomberg dishwasher is concealed to provide a safer and more convenient alternative to an exposed heater. This allows plastic dishware to be placed on the top or bottom baskets without the risk of damage.

Antibacterial seal

Food and dirt particles collected on the bottom of the dishwasher tank lead to bacteria formation. To maximise hygiene conditions, the dishwasher door is coated with an antibacterial seal that helps reduce bacteria for maximum hygiene.





GVN 9483 E

60 cm Fully Integrated Dishwasher

13 place settings
A++AA
LCD Control display

Programmes

- 8 wash programmes:

Prewash, Mini 30°, Eco 50, A Xpress58°, Intensive 70°, Delicate 40°, Hygiene, Auto Wash

Special Functions

- Half load
- Time delay

Main Features

- 9 h time delay
- Turbo fan drying
- Salt and rinse aid indicator

Interior Design

- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid™
- Antibacterial seal

Product Dimensions

- HxWxD: 820-920x598x548 mm



N.B - Door and door handle not supplied with appliance

BUILT-IN REFRIGERATION

The Blomberg refrigeration range of built in appliances has been developed to offer maximum performance, convenience and reliability.

A wide range of practical features, combined with the latest cooling technology, ensure all your cooling needs are met. The style and finish reflect the excellent build quality and design of the collection.





IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

"A+" energy efficiency

Preservation of natural resources is a priority for Blomberg. Therefore all our cooling models are 'A+' energy rated, consuming up to 25% less energy than 'A' rated appliances.



IN HARMONY WITH YOU

FUNCTIONAL

4-star freezing

All Blomberg freezers have a 4-star rating, for efficient freezing performance. They can freeze and store food at a minimum temperature of -18°C, and for up to 12 months.



Frost free

Frost free technology is an advanced cooling system featured in the Blomberg integrated fridge freezers KNM1561i and KNM1551i. Frost free cooling creates a permanently cold environment, eliminating build-up of ice and bacteria in the freezer compartment. You will find food packs do not stick together. And best of all, you will not need to defrost your freezer any more



**IN HARMONY
WITH YOU**

FUNCTIONAL

0-3°C super fresh zone

The super fresh zone featured in the model KNM1561i maintains the temperature of the compartment just above freezing point and keeps humidity at an optimum level. It ensures that fish and meat retain their vitamin and nutritional values, subtle flavours and a fresh and attractive appearance for twice as long compared to a regular fridge.



IN HARMONY WITH NATURE

FUNCTIONAL



Glass shelves

The shelves are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto lower shelves, making cleaning easier. They can easily be placed on different levels to allow maximum flexibility.

smartFIX hinge system

The Blomberg TSM1750u and FSE1630u feature a special hinge system to connect the furniture door to the fridge or freezer door without the need for extra drilling. This system can hold up to 60 kilos and provides easy access to the interior with a 115° door opening.

The heavy duty self closing hinges, means there is no risk of the doors being left ajar.



IN HARMONY WITH YOU

SAFE



Transparent freezer drawers

The front of the freezer drawers in Blomberg models are transparent, to allow you to see the contents clearly, saving time and minimising energy loss.



Antibacterial door seals

For maximum hygiene, Blomberg fridge, freezer and fridge freezer door seals are coated with an antibacterial seal to eliminate bacteria.

Quality tested

We test 100% of our integrated cooling appliances before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg integrated cooling products are tested for life cycle durability on various functions.

BUILT-IN REFRIGERATION

KNM 1551 i



Combi Fridge Freezer

177 cm
280 lt / 9.8 cu ft total gross volume
Frost Free

Fridge

- 190 lt / 6.7 cu ft net volume
- Height adjustable safety glass shelves
- 1 chrome coated wine rack
- Chrome coated door rack accessory

Freezer

- 50 lt / 1.7 cu ft net volume
- 2 transparent drawers + 1 flap transparent drawer
- Freezing capacity: 2.5 kg / 24 h
- Temperature rise time: 13 h

Build Details

- Reversible door

Product Dimensions

- HxWxD: 1770x540x535 mm

KNM 1561 i



Combi Fridge Freezer

177 cm
230 lt / 8.1 cu ft total gross volume
Frost Free

Fridge

- 155 lt / 5.5 cu ft net volume
- Height adjustable safety glass shelves
- 1 chrome coated wine rack
- Chrome coated door rack accessory
- Chiller zone (Super fresh zone)

Freezer

- 62 lt / 2.2 cu ft net volume
- 3 transparent drawers + 1 flap
- Freezing capacity: 3.5 kg / 24 h
- Temperature rise time: 13 h

Build Details

- Reversible door

Product Dimensions

- HxWxD: 1770x540x535 mm



TSM 1750 u



Built Under Larder Fridge

82 cm
130 lt / 4.6 cu ft total gross volume

Fridge

- 128 lt / 4.5 cu ft net volume
- 3 height adjustable glass shelves
- Chrome coated door rack accessory

Build Details

- Reversible door
- smartFIX, integrated hinge system

Product Dimensions

- HxWxD: 813-863x595x545 mm

FSE 1630 u



Built Under Freezer

82 cm
96 lt / 3.3 cu ft total gross volume
Electronic control

Freezer 

- 87 lt net / 3.0 cu ft volume
- 5 separate compartments. 3 drawers, 1 handy rack and concealed basin
- Freezing capacity: 6 kg / 24 h
- Temperature rise time: 19 h

Build Details

- Reversible door
- smartFIX, integrated hinge system

Product Dimensions

- HxWxD: 813-863x595x545 mm

 **A⁺** (82)

 **A⁺** (82)

**FREE
STANDING
COLLECTION**
2013



FREESTANDING COOKERS

Today, kitchens serve as a place for cooking and dining as well as meeting family and friends. To make this environment as attractive as possible, Blomberg cookers have been specially developed to add a stylish touch to the smartest kitchen.

Designed with inspirational and interactive styles, they will help you to get the best results, so you can prepare delicious meals with joy and ease.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

The Blomberg electric models are **'AA' energy rated**, using **20% less energy than standard 'A' rated models**, offering the best performance with minimum energy consumption.

IN HARMONY WITH YOU

PRACTICAL

Large oven capacities

With 65 litres (electric model) and 61 litres (gas models) in capacity for the main oven, Blomberg offers one of the most spacious oven interiors in its class. It will provide enough room to roast a large turkey or prepare a big feast for your family or friends. The full size tray will also give you optimal cooking space while the deep tray is ideal for roasting and baking. The top oven is 35 litres (electric model) and 31 litres (gas model) and is an ideal compartment for traditional grilling or for use as an oven.

Interior light

The Blomberg ovens feature an interior light with cylindrical lamp placed either on the rear or the sides of the oven cavity. It will give you an easy cooking progress checking without opening the oven door. The grey coloured cavity surface also helps reduce reflection on the glass door.

Practical pan supports

The Blomberg gas cooker models feature cast iron finish pan supports that have been designed to guarantee maximum stability and generous spacing between the burners. The continuous straight design allows you to slide pots and pans from one burner to another very easily.



IN HARMONY WITH YOU

PRACTICAL


Elegant design

Blomberg cookers have been developed with a careful and detailed design to complement your other Blomberg appliances while giving a harmonious look in your kitchen. With the large display digital timer, symbols and functions are easy to view and use while the oven door interior has a large viewing window for maximum visibility. The handles are made of modern stainless steel (black models) or have a solid metal finish (white models) that will match the clean finish push-in pop-out knobs.



IN HARMONY WITH YOU

EASY TO CLEAN



Removable full glass door

The Blomberg cookers feature a removable full glass door for the main oven. It will allow you to clean the door with a single wipe while the interior is easy to access to make cleaning simpler and quicker.

Catalytic panels

The catalytic panels mounted on each side of the main oven cavity absorbs cooking grease and reduces food odours, reducing the need of aggressive cleaning and harsh chemicals.

Easy-to-remove side racks

The side racks fixed to the oven can be easily detached without any tool allowing a complete oven cleaning with minimal effort.



IN HARMONY WITH YOU

SAFE

Recessed grill

The top grill / heater in the Blomberg ovens has been recessed to avoid the risk of self injury while reaching the top shelf. In addition, it minimizes the temperature of the oven handle and knobs for a safe touch.



Flame failure safety device

For your total safety and peace of mind, the Blomberg gas hob has a 'flame safety device' fitted as standard. The device senses when the gas has gone out and automatically cuts off the gas.



Residual heat indicators

Residual heat indicators on the ceramic glass top will warn you if the cooking zone is not cool enough to touch safely.

Auto – shut off

The Blomberg gas cooker is equipped with a glass lid that will provide a safety automatic shut off. The supply of gas is cut off if the lid is accidentally closed with the burners still on.

IN HARMONY WITH YOU

COOKING FUNCTIONS

Conventional

For even heating from above and below. Ideal for stews, casseroles, pastries and meats.



Grill

This function is ideal for grilling and browning larger quantities of food.



Fan Cooking

The circular heater and the fan motor operate together. The heat in the oven is distributed evenly in the centre. In this setting, you can cook 2 or 3 different foods that require the same or similar temperature settings.



HKN 9310 / HKN 9310 Z

60 cm electric cooker

Double oven

‘AA’ Energy rated - 20% more energy efficient than A class
Ceramic hob



Main Oven

- “A” energy rated
- Large oven cavity - 65 lt
- Fully programmable Digital timer
- 3 cooking functions: conventional, grill, fan cooking,
- Side panels with self clean Catalytic liners
- Interior light
- Removable full glass door
- 5 shelf positions

Top oven

- A energy rated
- Large oven capacity - 35lt
- Integrated recessed grill
- Side panels with self clean Catalytic liners
- Interior light

Hob

- 4 ceramic rapidlite cooking zones
- Push in pop out knobs
- Residual heat indicators

Accessories and additional features


- Deep cooking tray - main oven
- Standard cooking tray - top oven
- 3 wire shelves with stoppers
- Adjustable feet

Product Dimensions

- HxWxD: 90x60x60 cm

Colours

- White - HKN9310
- Black - HKN9310Z





GGN 9351 Z

60 cm gas cooker

Double oven
Gas hob

Main Oven

- Large oven cavity - 61 lt
- Fully programmable Digital timer
- 2 cooking functions: conventional, grill
- Side panels with self clean Catalytic liners
- Interior light
- Removable full glass door
- 5 shelf positions

Top oven

- Large oven capacity - 31lt
- Integrated recessed grill
- Side panels with self clean Catalytic liners
- Interior light

Hob

- 4 gas burners
- Flame Safety device on all burners
- Cast iron pan supports
- Auto shut off glass lid

Accessories and additional features

- Deep cooking tray - main oven
- Standard cooking tray - top oven
- 3 wire shelves with stoppers
- Adjustable feet

Product Dimensions

- HxWxD: 90x60x60 cm

Colour

- Black - GGN9351Z



Blomberg

8kg 1400 rpm A++

Greenplus



FREESTANDING WASHING MACHINES

Combining great performance with an exquisite design, Blomberg washing machines bring a new dimension to laundry care. Designed to provide perfect wash results with the most efficient use of energy and water, Blomberg washing machines are stylish, high performing and easy to use.

IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

All Blomberg washing machines have been designed to achieve outstanding fabric care and wash results using the lowest possible amount of detergent, water and electricity.

All Blomberg washing machines are at least **“A+” energy rated**, and achieve **“A” wash performance**.



IN HARMONY WITH YOU

PRACTICAL


Smart controls

Blomberg washing machines feature a large control panel, fully electronic controls and intelligent programmes controlled by a single dial knob, for simple programme selection.



Slim depth for easy installation

Blomberg features slim depth washing machines for tight spaces and cupboards. It will ensure a flush finish with the kitchen units.



**IN HARMONY
WITH YOU**

PRACTICAL

Extra large porthole

To make loading and unloading of large items easier, the new Blomberg 8 kg WNF 8441 AE20 washing machine has a 34 cm extra large door that opens to 165°.



Automatic water adjustment system

For conservation of water resources, Blomberg washing machines are built with an automatic water adjustment system, which enables your machine to adjust its water intake based on the amount of the laundry.

IN HARMONY WITH YOU

PRACTICAL

Time saving programme and functions

Mini 14' programme has been developed to maximise your free time. Your machine will wash a 2 kg load of lightly soiled clothes in only 14 minutes.



Smart programmes

Blomberg washing machines offer a variety of wash programmes for different textile types. In addition to the common programmes for cottons, synthetics, and mixed fabrics, Blomberg offers special programmes that can be used for special needs.

Woollens



Hand wash



Fast full load



Dark wash



Refresh



Lingerie




IN HARMONY WITH YOU

PRACTICAL

Durable heater

All Blomberg washing machines are equipped with a special nickel-coated heater. This heater is a hundred times more durable than regular heaters. Thus, it prolongs the life of your washing machine. The heater also eliminates the need for scaling due to hard water, and consequently saves energy and time while heating the water.



aquAvoid

aquAvoid is an anti-leak system designed to protect your home against flooding. All Blomberg washing machines are equipped with aquAvoid security system, which cuts off the water intake to the machine, should leakage occur from the internal hose.



Child lock function

For maximum security, Blomberg washing machines have a child lock. Once the **child lock** is activated, any alteration to the selected settings is ignored, and therefore the programme won't be changed accidentally.

Quality tested

For long life expectancy, we test 100% of our washing machines before they leave our factory. For maximum durability, 2% of all machines undergo a thorough audit test. Every machine is tested for safety and functionality. Furthermore, Blomberg washing machines are tested continuously for life cycle durability on various programmes.

WASHING MACHINES

WNF 8441 E20



8kg Washing Machine

8 kg load capacity; 1400 rpm spin speed
Variable spin speed and temperature control
Mini LCD control with time remaining display

Programmes

- 16 programmes including:
 Mini 14', fast full load, intensive, handwash, woollens, lingerie

Functions

- Prewash / Quickwash / Rinseplus / Anti crease

Main Features

- A++ energy efficiency
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety


- aquAvoid™
- Child lock with indicator light
- No water warning indicator light

Product Dimensions

- HxWxD: 84x60x55 cm

Colour

- White with silver fascia



WNF 7341 A



7 kg Washing Machine

7 kg load capacity; 1400 rpm spin speed
Variable spin speed and temperature control
Digital display with time remaining display

Programmes

- 11 programmes including:
 Mini 14', dark wash, hand wash, woollens, shirts, sportswear

Functions

- Prewash / Quick wash / Rinse plus / Rinse hold

Main Features

- A+ energy efficiency
- Digital display showing time remaining
- 19 hr time delay
- Variable spin speed and temperature
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety


- aquAvoid™
- Child lock
- No water warning indicator light

Product Dimensions

- HxWxD: 84x60x55 cm

Colour

- White with silver fascia



WNF 6221



6 kg Washing Machine

6 kg load capacity; 1200 rpm spin speed
Variable spin speed and temperature control
LED indicator lights

Programmes

- 11 programmes including:
 Mini 14', dark wash, hand wash, woollens,
 shirts, sportswear

Functions

- Prewash / Quick wash / Rinse hold

Main Features

- A+ energy efficiency
- 3 / 6 / 9 hr time delay
- Variable spin speed and temperature
- Automatic water adjustment system
- 30 cm porthole diameter
- Durable heater

Safety


- aquAvoid™
- Child lock

Product Dimensions

- HxWxD: 84x60x51 cm

Colour

- White





FREESTANDING TUMBLE DRYER

Designed to save you time and money, the Blomberg heat pump tumble dryer is very simple and easy to operate.

Styled to complement the Blomberg washing machine range in aesthetics and functionality, it will be the perfect partner to bring harmony to your laundry care.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

The Blomberg TKF 8451 AG50 heat pump tumble dryer uses 70% less energy compared to an average condenser tumble dryer C energy rated.



IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY

Heat pump technology


Blomberg dryer range features an innovative dryer with heat pump technology. Heat pump systems have been widely used in air conditioning for many years. This technology transports energy from one environment to another, for more efficient heating.



A heat pump dryer is a combination of a condensing dryer and an air conditioner. The evaporator in the heat pump system does the work of the condenser, drying the saturated air. The condenser in the heat pump system is used to heat the air that dries the laundry. This closed loop system is a very energy-efficient way to dry laundry and condense the water from it. By means of this energy-efficient heat exchange system, the air temperature inside the drum is considerably lower compared to conventional dryers.

By means of this system heat pump dryers consume minimum amount of energy. Blomberg's heat pump model TKF8451 AG50 is A++ energy rated and consumes 70% less energy compared to a C class model.

Furthermore, by maintaining a relatively low temperature and with an advanced drum movement, Blomberg heat pump dryer allows you to dry more delicate items. Since the laundry's average temperature is kept around 55°C – much lower than the temperature of the air used in conventional air-vented and condenser dryers – heat pump dryers are safer and gentler to your laundry than standard dryers. Lower temperature means there's a much lower risk of hot air injury when you open the dryer during the cycle to put extra items in.





IN HARMONY WITH NATURE

PRACTICAL

Smart programmes

Blomberg heat pump tumble dryer offers special programmes to suit your needs.

Wool refresh



Jeans



Bedding



Lingerie



Shirt 30'



Refresh



Sportswear



Viscose



Special drum paddles

With their unique forms, the special drum paddles ensure more homogenous drying and creasing. Moreover, they will prevent any tangling problems of big items, such as bed sheets.



IN HARMONY WITH YOU

PRACTICAL


Large capacity and porthole

With 8kg capacity, the Blomberg condenser tumble dryers allow you to dry large loads in one cycle. To make loading even easier, they are designed with a 39.5 cm large door that opens to 150°.



Reverse action drum

To minimise creasing, the drum automatically reverses during the drying cycle.



Easy access fluff filter

The fluff filter collects the fluff that is produced when clothes are dried. It is located on the front of the machine allowing easy access. With its wide handle, it is easily removed and cleaned, and its large surface area improves the drying performance of your machine.



Anti-crease

The anti crease cycle separates and smooths your laundry after the drying cycle, by means of a gentle drum action; so it is wrinkle free and ready to wear.



IN HARMONY WITH NATURE

SAFE

Auto cool-down

Cool air is blown at the end of the cycle, so the clothes are not too hot to handle when the machine is unloaded.

Sensor drying

The Blomberg heat pump tumble dryer features a combination of moisture and temperature sensors, which automatically determine when the clothes are dry, preventing damage from over-drying. The sensors allow you to reach the right level of dryness for different types of fabrics.

Easy-to-reach water tank

With its side opening door cover, the Blomberg heat pump tumble dryer provides an easy access to the water tank for increased ergonomics and ease of use.

Interior drum

The Blomberg heat pump tumble dryer is equipped with interior light; so even the smallest items of laundry will not be left inside.

Child lock

Once activated, the child lock option will eliminate any accidental pressing of buttons that might change the pre-set programme.

Warning indicators

The Blomberg tumble dryers have a series of warning indicator lights that will remind you when the filter needs to be cleaned, the water tank to be emptied and when to clean the condenser. The end of cycle buzzer will inform you when the drying programme ends, while you will also have the option to stop it by pressing the buzzer button.

Quality tested

For long life expectancy, we test 100% of our tumble dryers before they leave our factory. For maximum durability, 2% of all the machines undergo a thorough audit test. Every machine is tested for safety and functionality.



TUMBLE DRYERS



TKF 8451 AG50

Heat Pump Dryer

8 kg load capacity
Mini LCD control display
A++ energy rated

Programmes

- 16 programmes including:
Refresh, shirts, jeans, bedding, shirts 30'

Main Features

- Stainless steel drum
- Automatic sensor drying
- 1-24 hr time delay and remaining time
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Anti-creasing cycle option
- Mains drain option
- 3-level drying

Safety

- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions

- HxWxD: 85x60x60 cm

Colour

- White with Silver Fascia





Blomberg
60.0°C
A+

FREESTANDING DISHWASHER

Providing high performance, maximum safety and flexibility, the Blomberg dishwasher will be the perfect assistant in your kitchen.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Great performance – A+AA

The Blomberg dishwasher range has “**A+**” ratings for energy consumption and “**A**” for washing performance and drying effectiveness.

Low noise level

The new Blomberg GSN 9476 A is one of the quietest dishwasher on the market offering a low noise level at 43 dBA.



IN HARMONY WITH YOU

PRACTICAL

Smart controls

The Blomberg dishwashers are equipped with easy-to-use fully electronic controls. The GSN 9476 A features an interactive LCD display that allows you to monitor the progress of your wash programme. As well as displaying the time remaining of the chosen programme, it allows you to select and change the temperature for each programme and set time delay function up to 24 hours.

Multi level wash

The Blomberg dishwashers use a multi level wash system to provide immaculately clean dishes. In this system, three spray arms, placed in the bottom, the middle and at the top of the dishwasher, work in coordination spraying water from every direction to reach even the most remote parts of your dishes.



Time saving

We continually try to minimise the duration of wash cycles to maximise your free time.



Therefore, Blomberg offers some of the shortest programmes in the market. **Mini 30'** cleans lightly soiled dishes in 30 minutes. **A express 58'** programme delivers “A” washing performance in 58 minutes.

IN HARMONY WITH YOU

PRACTICAL

Multi detergent compatible

The Blomberg dishwashers are compatible with all kinds of liquid, powder and tablet detergents.

Regardless of your choice of detergent, your dishwasher will give the same outstanding performance. Furthermore, the detergent container is user friendly and has cross opening lids for an easy refill.



Half load

There's no need to wait for both baskets to be fully loaded to start your dishwasher. The half-load option offers complete load flexibility. No matter where you place your dishes, the half load function will wash them thoroughly optimising water consumption according to the dish load.



Salt and rinse aid indicators

In dishwashers, salt is used to adjust the water hardness level in order to avoid etching marks on delicate glassware. And, for sparkling dishes and glasses, rinse aid adds the finishing touch. The Blomberg dishwashers have salt and rinse aid indicators that will let you know when it is time for a refill.

IN HARMONY WITH YOU

EASY TO UNLOAD

Flexible upper basket

The Blomberg dishwashers are equipped with smartRACK, a height-adjustable upper basket, which can be raised to make room for pans, large plates and baking trays in the bottom basket or lowered to hold tall glasses. This system allows you to adjust the basket height in one simple action, even when the basket is fully loaded.

The upper basket also features **height adjustable shelves for mugs** that can be positioned at two separate levels depending on your needs.

Practical lower basket

To maximise space in the lower basket the Blomberg dishwashers feature **folding tines** that are easily folded down for easy placement of large pots and pans.



Sliding cutlery basket

The Blomberg dishwasher's cutlery basket slides easily along the tilting tines in the lower basket for flexible placement.

IN HARMONY WITH YOU

EASY TO UNLOAD

Stainless steel interior

The Blomberg dishwashers have stainless steel high quality interiors that not only protect the machine from heat and corrosion, but also sanitise your dishes with the highest wash temperatures available.



Flow through heater

The heater on the Blomberg dishwashers are concealed to provide a safer and more convenient alternative to an exposed heater. This allows plastic dishware to be placed on the top or bottom baskets without the risk of damage.

IN HARMONY WITH YOU

SAFE

Antibacterial seal

Food and dirt particles collected on the bottom of the dishwasher tank lead to bacteria formation. To maximise hygiene conditions, the dishwasher door is coated with an antibacterial seal that helps reduce bacteria for maximum hygiene.



aquaVoid™

In case the float system detects water leakage, safety switch activates the drain pump and deactivates the water inlet valve. The water inside the dishwasher is then discharged.



Quality tested

We test 100% of Blomberg dishwashers before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg dishwashers are tested for life cycle durability on various programmes.

Brushless DC™ Motor (BLDC Motor)

The GSN 9476 A introduces the BLDC Motor which brings energy and water consumption efficiency while performing quietly in the background.



**IN HARMONY
WITH YOU**

SAFE

DMFS

DMFS (double motion float system) is an enhanced anti-leak system designed to provide maximum security against water damage with minimum service cost. It is an intelligent mechanism, available with the Blomberg dishwashers, that detect the source of excess water collection. In this system, there are two float agents. In minor amounts of water collection, the first agent activates the drain pump, and the machine continues to run until the cycle is complete eliminating an unnecessary visit by a service engineer. If there is an operational problem, the second float agent is involved, which alerts the aquAvoid™ plus system to turn off the water supply, and shuts off the machine.





GSN 9476 A

60 cm Full Size Dishwasher With LCD control display

A+AA

13 place settings

Brushless DC Motor - efficient and quiet performance

Low water consumption - 10 litres

Programmes

- 7 wash programmes:
Prewash, mini 30', eco 50°, A Xpress58', intensive 70°, delicate 40,
Auto 40-65°C
- 6 wash temperatures

Main Features

- Whisper Quiet performance at 43 dB
- 24 h time delay
- Half load
- Turbo fan drying
- Salt and rinse aid indicator

Interior Design

- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid™ plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions

- HxWxD: 85x60x57cm

Colour

- White





GSN 9122

60 cm Full Size Dishwasher

A+AA
12 place settings
LED indicator lights

Programmes

- 5 wash programmes:
Prewash, mini 30°, eco 50°, A express 58°, intensive 70°

Special Functions

- Half load
- Time delay

Main Features

- 48 dBA noise level
- 3 / 6 / 9 hr time delay
- LED progress indicator lights
- Salt and rinse aid indicators

Interior Design

- FlexiRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid™
- DMFS double motion float system
- Antibacterial seal

Product Dimensions

- HxWxD: 85x60x57 cm

Colour

- White





FREESTANDING REFRIGERATION

Welcome to the world of Blomberg cooling and freezing products, where hygiene and technology meet to provide the best environment for your food. We cannot think of a better place to keep your food safe and fresh.



FRENCH DOOR-FRIDGE FREEZER

FEATURES



Electronic display with touch control

The electronic control display allows accurate temperature settings with the use of touch control buttons. The **quick cool** and **fast freeze** functions enable you to quickly boost the temperature level of the fridge or the freezer.

The Eco functions are designed to minimise energy consumption. When the fridge doors remain closed for 6 consecutive hours, and the electronic settings are left unaltered, the fridge compartment automatically goes to 'Energy saving' mode. In this mode the temperature in the freezer drawers is preserved at -18°C. If you go on holiday, the 'holiday' mode can save you energy by reducing the fridge temperature.

Frost Free

Frost Free creates an ideal and permanently cold environment to store fresh and frozen food while eliminating build-up of ice and bacteria in the freezer. You will find that food packs do not stick together and best of all, you won't need to defrost your freezer any more.



Freezer drawers

Carefully designed to ensure that the look of your fridge freezer is different and stylish, the KFD 9952 PXD features 2 freezer drawers for flexible storage solutions. Offering a large volume, they can store bulky and tall items with ease.

Automatic ice maker

The KFD 9952 PXD can be plumbed into your water supply to give you chilled water on tap and the automatic ice maker will keep you in good supply of ice cubes.



FRENCH DOOR FRIDGE FREEZER

3 YEAR
WARRANTY

NEW

KFD 9952 PXD

84 cm French Door Fridge Freezer

600 lt / 21.2 cu.ft total gross volume

Fully Frost free

Electronic display with touch buttons

Fridge

- 395 lt / 14.0 cu.ft net volume
- Blue zone technology
- 0-3°C Super Fresh zone
- Chilled water dispenser (water filter supplied)
- Height adjustable glass shelves
- Chrome door rack
- 2 transparent crisper drawers

Freezer

- 154 lt / 5.4 cu.ft net volume
- Automatic ice maker in upper drawer (water filter supplied)

Hygiene

- Antibacterial door seal

Technical Information

- Dimensions (HxWxD): 182x84x79.5cm (incl. handle protrusion)

Colour

- Stainless steel - KFD 9952 PXD



A⁺



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

Preservation of natural resources is a priority for Blomberg, where not only production facilities are environment conscious, but also all products. All Blomberg cooling models are **"A+" rated using up to 25% less energy** than "A" rated models, helping you save money and energy.



IN HARMONY WITH YOU

FUNCTIONAL

'Food Protector' technology

Blomberg's innovative 'Food Protector' technology uses an electronic temperature control system ensuring the freezer compartment carries on working even when ambient temperatures plummet. **The system will keep the freezer working in ambient temperatures as low as -15°C and therefore ensures that frozen food is protected.**

As well as giving piece of mind, you will have the opportunity to locate your Blomberg Frost Free fridge-freezer or freezer in the kitchen, or anywhere else in the home (such as the garage).



IN HARMONY WITH YOU

FUNCTIONAL



Frost Free

Frost free technology is an advanced cooling system featured in selected Blomberg fridge freezers. Frost free cooling creates a permanently cold environment, eliminating build-up of ice and bacteria in the freezer. You will find food packs do not stick together and best of all, you won't need to defrost your freezer any more.



4-star freezing

All Blomberg freezers have a 4-star rating for efficient freezing performance. They can freeze and store food at a minimum temperature of -18°C, and for up to 12 months.

DEUTSCH



Electronic controls

The electronic controls featured in the FNT9671P allow accurate temperature settings. The **Fast freeze** function enables you to boost and restore the temperature level of the freezer quickly after placing large amounts of fresh food inside. Furthermore, there is an integrated alarm system that will warn you if the door is accidentally left ajar.



0-3°C super fresh zone

The super fresh zone that is featured in the SOM9651P maintains the temperature of the compartment just above freezing point and keeps humidity at an optimum level. It should ensure that fish and meat retain their vitamin and nutritional values, subtle flavours and a fresh, attractive appearance for twice as long compared to a regular fridge.



IN HARMONY WITH NATURE

PRACTICAL

Glass shelves

The shelves are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto the lower shelves, making cleaning easier. They can be placed on different levels to allow for maximum flexibility.



Transparent and telescopic drawers

The fronts of the crisper and freezer drawers are transparent to allow you to see the contents clearly, saving time and minimising energy loss. Telescopic drawers featured in certain models provide easier access to the refrigerator contents.



Twist and serve

ice cube tray

With Blomberg's twist and serve ice cube tray, your ice will be ready in three simple steps: Fill with water, leave to freeze, then simply twist. The ice cubes will be collected in the tray underneath.





Maximum space

Blomberg tall freezer FNT9671P offers a variety of storage solutions. You can have easy access to small items in your freezer by means of the practical "in door" compartments. There is also a large capacity freezer compartment - ideal for the storage of large items, and the freezer tray located inside the drawer is ideal for freezing soft fruits, such as berries. And if you still need space, the middle shelf between the two top drawers is removable to allow you to store even larger items.



IN HARMONY WITH NATURE

SAFE

Antibacterial door seals

For maximum hygiene, Blomberg fridge, freezer and fridge-freezer door seals are coated with an antibacterial seal that eliminates bacteria.



Quality tested

We test 100% of our refrigerators before they leave our factory. For maximum durability, 2% of all our machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg refrigerators are tested for life cycle durability on various functions.



KGM 9690 P / KGM 9690 PX

70cm Combi Fridge Freezer

410 lt / 14.5 cu.ft total gross volume
Frost Free
Twist and serve ice cube trays

Fridge

- 230 lt / 8.2 cu.ft net volume
- 2 transparent salad crispers
- Glass shelves
- Transparent door racks
- Chrome coated bottle retainer
- Chrome coated wine rack
- Soft opening storage box under door rack

Freezer

- 118 lt / 6.0 cu.ft net volume
- Frost Free
- Freezer works in ambient temperatures down to -15°C
- Twist & serve ice cube tray
- 3 full width transparent drawers, one is half depth
- 1 top drawer with twist and serve trays

Hygiene

- Antibacterial door seal and handles

Technical Information

- Reversible doors
- Dimensions (HxWxD): 191x70x60 cm

Colour

- White - KGM9690P
- Stainless steel - KGM9690PX





KGM 9680 P

60 cm Combi Fridge Freezer

315 lt / 11.1 cu.ft total gross volume
Frost free
Twist and serve ice cube trays

Fridge

- 175 lt / 6.2 cu.ft net volume
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated bottle retainer
- Chrome coated wine rack
- Interior light

Freezer

- 94 lt / 3.3 cu.ft net volume
- Frost free
- Freezer works in ambient temperatures down to -15°C
- Slimline storage tray
- Twist & serve ice cube tray
- 3 full depth transparent drawers, one is half width
- 1 half depth plastic transparent drawer

Hygiene

- Antibacterial door seal and handles

Technical Information

- Reversible doors
- Dimensions (HxWxD): 190.5x59.5x60 cm

Colour

- White - KGM 9680 P





KGM 9550 P / KGM 9550 PX

55 cm Combi Fridge Freezer

300 lt / 10.5 cu.ft total gross volume

Frost free

Chrome coated wine rack

Fridge

- 157 lt / 5.5 cu.ft net volume
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated wine rack
- Interior light

Freezer

- 87 lt / 3.1 cu.ft net volume
- Frost free
- Freezer works in ambient temperatures down to -15°C
- Ice bank tray
- Top compartment with drop-down flap
- 2 full depth plastic transparent drawers
- 1 half depth plastic transparent drawer

Hygiene

- Antibacterial door seal

Technical Information

- Reversible doors
- Dimensions (HxWxD): 182x54.5x60 cm

Colour

- White - KGM 9550 P
- Stainless steel - KGM 9550 PX



TALL LARDER FRIDGE



SOM 9651 P

60 cm Tall Larder Fridge

370 lt / 13.1 cu.ft total gross volume

Air circulation fan to improve cooling performance

Super fresh zone

Fridge

- 335 lt / 11.8 cu.ft net volume
- Auto defrost function
- Telescopic 0-3°C super fresh zone
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated wine rack
- Interior light

Hygiene

- Antibacterial door seal and handle

Technical Information

- Reversible door
- Dimensions (HxWxD): 171x60.5x60 cm

Colour

- White

Matching Freezer

- FNT 9671 P





FNT 9671 P

60 cm Tall Freezer

265 lt / 9.4 cu.ft total gross volume

Frost free

LED display

Freezer

- 227 lt / 8.0 cu.ft net volume
- Frost free
- Fast freeze function
- Twist & serve ice cube tray
- 4 full depth plastic transparent drawers including big drawer compartment
- 1 half depth plastic transparent drawer
- 2 transparent flaps
- 2 door pockets storage
- Works in ambient temperatures down to -15°C

Hygiene

- Antibacterial door seal and handles

Technical Information

- Reversible door
- Dimensions (HxWxD): 171x60.5x60 cm

Colour

- White

Matching Larder Fridge

- SOM 9651 P



A+

frostfree

-15°C
‘food
protector’

UNDERCOUNTER FRIDGES

TSM 1551 P



Undercounter Larder Fridge

135 lt / 4.8 cu.ft total gross volume

Fridge

- 130 lt / 4.6 cu.ft net volume
- Transparent crisper
- Glass shelves
- Chrome coated bottle retainer

Hygiene

- Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

- White

Matching Freezer

- FTM 1531 P and FNE 1531 P

TSM 1541 P



Undercounter Fridge with 4-Star Freezer

120 lt / 4.2 cu.ft total gross volume

Fridge

- 101 lt / 3.5 cu.ft net volume
- Transparent crisper
- Glass shelves
- Chrome coated bottle retainer

Freezer

- 13 lt / 0.5 cu.ft net volume
- 1 ice cube tray

Hygiene

- Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

- White

A⁺

A⁺



FNE 1531 P



A⁺

Undercounter Freezer

90 lt / 3.2 cu.ft total gross volume

Frost Free

Freezer

- 75 lt / 2.6 cu.ft net volume
- Fast freeze function
- Indicator lights
- Ice bank tray
- 2 full depth transparent drawers
- 1 half depth plastic transparent drawer
- Works in ambient temperatures down to -15°C

Hygiene

- Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

- White

Matching Larder

- TSM 1551 P

A⁺



frostfree

-15°C

food
protector



TECHNICAL DETAILS

BUILT-IN 106-110
FREESTANDING 111-118

BUILT-IN OVENS

MODEL CODE	BDO 9564X	BDO 9400WG	BEO 9444 X	BEO 9400WG	BEO 9414X
Type	Multifunction double oven	Fan double oven	Fully programmable multifunction oven	Fan oven with digital LED timer	Fan Oven
CONTROL TYPE					
Programmable animated LED display	●	-	●	●	-
Programmable digital display	-	-	-	-	-
Rotary control	●	-	●	●	●
Push-pop-out knobs	●	●	●	●	●
Electronic temperature control, 5°C sensitive	●	●	●	●	●
COOKING FUNCTIONS					
Number of cooking functions	12	7	8		4
Bottom heater	●	●	●		-
Top heater	-	-	-		-
Conventional	●	●	●		-
Conventional+fan	●	●	●		-
Fan cooking	●	●	●		●
3D	●	-	●		-
Low grill	●	●	-		-
Low grill+fan	-	-	-		-
Grill	●	●	●		●
Grill+fan	●	-	●		●
Slow cooking	●	-	-		-
Warm keeping	●	-	-		-
Defrost	●	●	●		●
Booster	-	-	-		-
Pizza	●	-	-		-
ADDITIONAL COOKING OPTIONS					
Booster, fast to-the-degree heating	●	-	-	-	-
Door closed grilling	●	●	●	●	●
MAIN OVEN					
Energy efficiency class	A -20%	A -20%	A -20%	A -20%	A -20%
Cavity volume, l	65	65	65	65	65
Smooth surface	●	●	●	●	●
Nano Coating Technology	-	-	-	-	-
Easy Clean™ grey enamel	●	●	●	●	●
Catalytic back wall	-	-	-	-	●
Catalytic side wall	●	●	●	●	-
Removable side racks	●	●	●	●	●
TOP OVEN					
Energy efficiency class	A -20%	A -20%	-	-	-
Cavity volume, l	35	35	-	-	-
Grill Type	recessed grill integrated in the oven	recessed grill integrated in the oven	-	-	-
Fully Variable Grill	●	●	-	-	-
Interior light	●	●	-	-	-
Drop down door	●	●	-	-	-
Easy Clean™ grey enamel	●	●	-	-	-
Smooth surface	●	●	-	-	-
LIGHTING					
Interior light	●	●	●	●	●
Light type	Square halogen	-	-	-	Cylindrical lamp
Number of lights	2	2	1	1	1
Oven light with door opening	●	●	●	●	●
OVEN DOOR					
Full width glass inner door	●	●	●	●	●
Removable door	●	●	●	●	●
Drop down door	●	●	●	●	●
SAFETY					
Key lock	●	●	●	●	●
ACCESSORIES					
Cooking tray	●	●	●	●	●
Baking tray	●	●	●	●	-
Wire shelf	●	●	●	●	●
Level of telescopic rack	-	-	1	-	-
PERFORMANCE					
Total power, kW	5.5	5.5	3.1	3.1	2.3
Energy consumption:					-
Conventional, kWh	0.88	0.88	0.88	0.88	
Fan cooking, kWh	0.79	0.79	0.79	0.79	0.79
TECHNICAL INFORMATION					
Noise level, dBA	46	46	46	46	46
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Amperage, A	25	25	25	25	25
CE / VDE approved	●	●	●	●	●
DIMENSIONS*					
Product dimensions (HxWxD), mm	895x594x567	895x594x567	595x594x567	595x594x567	595x594x567
COLOUR OPTIONS					
Fingerprint free stainless steel	●	-	●	-	●
White high gloss finish	-	●	-	●	-

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN ELECTRIC HOBES

MODEL CODE	MKN 54322 X	MKN 24201 W
Type	Ceramic	Ceramic
Width, cm	60	60
CONTROL TYPE		
Touch sensitive front control	●	-
Side control	-	●
Separate touchpads	●	-
Digital display	●	-
Timer	●	-
Oven control	-	-
ZONES		
Type of zones	Electric	Electric
Cooking levels per zone	1-9	1-6
Numbers of zones	4	4
Front left, mm - W	Ø 210 / 120 - 220 / 1750 W	Ø 170 - 1700 W
Rear left, mm - W	Ø 140 - 1200 W	Ø 140 - 1200 W
Front right, mm - W	Ø 160 - 1500 W	Ø 140 - 1200 W
Rear right, mm - W	Ø 140 / 250 - 2000 / 1000 W	Ø 170 - 1700 W
FEATURES		
Precise heat adjustment	●	●
On / off indicator	●	●
Booster, fast to-the-degree heating	-	-
Heat-up and simmering	●	-
SAFETY		
Child lock	●	●
Anti-over flow	●	-
Automatic stop system	●	-
Individual residual heat indicators	●	●
TECHNICAL INFORMATION		
Total power, W	6900	6800
Supply voltage, V/Hz	220-240 / 50	220-240 / 50
Amperage, A	32	32
CE / VDE approved	●	●
DIMENSIONS		
Product dimensions (HxWxD), mm	55x580x510	71x570x510
Niche dimensions (WxD), mm	560x490	560x490
Packed dimensions (HxWxD), mm	145x655x555	145x655x555
Unpacked weight Kg	11	11
Packed weight Kg	12	12
COLOUR OPTIONS		
Stainless steel frames	●	-
White high gloss finish	-	●

BUILT-IN GAS HOBES

MODEL CODE	GEN 53415 E
Type	Gas
Width, cm	60
CONTROL TYPE	
Front mounted controls set into hard glass base	-
Front mounted controls	-
Front controls	●
Side controls	-
BURNERS	
Number and type of burners	3 gas + 1 wok
Front left, W	3.3 (triple ring wok)
Rear left, W	1.7
Front right, W	1
Rear right, W	1.7
Center, W	-
Front center, W	-
Rear center, W	-
FEATURES	
Burner caps	Cast iron
Pan supports	Cast iron
Electronic ignition integrated into the knobs	
SAFETY	
Flame failure gas cut-out device	●
Individual residual heat indicators for the vitroceramic zones	-
TECHNICAL INFORMATION	
Gas power, W	8600
Electric power, W	-
Supply voltage, V/Hz	220-230 / 50
Amperage, A	-
CE / EN30 approved	●
DIMENSIONS	
Product dimensions (HxWxD), mm	98x580x510
Niche dimensions (WxD), mm	560x490
Packed dimensions (HxWxD), mm	190x670x580
Unpacked weight Kg	10.23
Packed weight Kg	11.95
COLOUR OPTIONS	
Stainless steel	●

BUILT-IN WASHING MACHINE

MODEL CODE	WMI 7462 W20
Type	Fully electronic integrated Washing machine
MAIN FEATURES	
Load capacity, kg	7
Drum volume, lt	55
Control type	Knob & digital display
Maximum spin speed, rpm	1600
No spin	●
Time delay	up to 24hr
Remaining time	●
Automatic water adjustment system	●
Durable heater	●
Drum material	Stainless steel
Porthole diameter, cm	30
Door opening angle	135
Door hinge	Left hand side
Cold fill	●
PROGRAMMES	
Number of programmes	16
Hand wash	●
Dark wash	●
Woolens	●
Mini 14'	●
Cottons 20	●
Rinse	●
Spin + Pump	●
Synthetics	●
Cottons eco	●
Cottons	●
Intensive	●
Hygiene	●
Fast Full load	●
Machine care	●
Lingerie	●
Refresh	●
FUNCTIONS	
Prewash	●
Quick wash	●
Rinse plus	●
Anti creasing	●
SAFETY	
aquAvoid	●
Child lock	●
Door lock	●
PERFORMANCE	
Energy efficiency class	A++
Washing performance	A
Spin drying performance	A
Energy consumption (Cotton 60°), kWh	1.001
Water consumption (Cotton 60°), lt	41
Annual energy consumption, (200 cycles) kWh/Year	194
Annual water consumption, (200 cycles) kWh/Year	9020
Standard cycle duration (Cotton 60°), min	160
TECHNICAL INFORMATION	
Supply voltage, V/Hz	230 / 50
Total power, W	2200
Amperage, A	10
Water supply connection 3/4"	●
Water pressure range, N/cm2	1 - 100
Water connection	Cold
Cable length, cm	150
Maximum possible height from floor to water connection, cm	75
CE / VDE approval	●
DIMENSIONS*	
Product dimensions (HxWxD), mm	820x600x540
Packed dimensions (HxWxD), mm	880x650x600
Unpacked weight, kg	73
Packed weight, kg	74
COLOUR OPTIONS	
White cabinet – white panel fascia	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN DISHWASHER

MODEL CODE	GVN 9483 E
Type	60cm full size integrated electronic dishwasher
MAIN FEATURES	
Place settings	13
Control type	LCD display
Time delay	0-9.30hr
Programme follower	●
Drying system	Active ventilation
Salt and rinse aid indicators	●
Cold fill	●
PROGRAMMES	
Number of programmes	8
Prewash	●
Mini 30' 35°	●
Eco 50°	●
A express 58'	●
Intensive 70°	●
Delicates 40°	●
Hygiene 70°	●
Auto 40° - 65°	●
SPECIAL FUNCTIONS	
Half load	●
Time delay	●
INTERIOR DESIGN	
smarRACK, loaded adjustable upper basket	●
Height adjustable shelves for mugs	●
Foldable plate supports in the lower basket	●
Cutlery basket	Sideways sliding
Metal filter	●
SAFETY	
aquAvoid™	●
DMFS double motion float system	●
Antibacterial seal	●
PERFORMANCE	
Energy efficiency class	A++
Cleaning performance	A
Drying performance	A
Water consumption, lt	10
Energy consumption, kWh	0.92
Annual energy consumption, (220 cycles) kWh/year	261
Annual water consumption, (220 cycles) kWh/year	2800
Noise level, dBA	44
TECHNICAL INFORMATION	
Supply voltage, V/Hz	220-240 / 50
Total power, W	2200
Amperage, A	10
Water supply connection 3/4"	●
Water pressure range, N/cm2	3 to 100
Warm water connection, °C	25
Cable length, cm	180
Maximum temperature for water intake, °C	25
CE / VDE approval	●
DIMENSIONS*	
Product dimensions (HxWxD), mm	820x598x550
Packed dimensions (HxWxD), mm	859x644x661
Height without worktop, cm	82
Feet adjustable by, cm	1.5
Unpacked weight, kg	39
Packed weight, kg	42
COLOUR OPTIONS	
Fingerprint free stainless inox	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN REFRIGERATION

MODEL CODE	KNM 1551 i	KNM 1561 i
Type	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	177	177
Control system	Electronic	Electronic
Cooling system	Frost free	Frost free
CAPACITIES		
Total gross volume, lt	280	230
Total net volume, lt	240	217
Fridge net volume, lt	190	155
Freezer net volume, lt	50	62
FRIDGE FEATURES		
0-3°C super fresh zone capacity, lt	-	19
Number of height adjustable safety glass shelves	3	3
Number of chrome coated wine rack	1	1
Chrome coated door rack accessory	●	●
Number of transparent crispers	1	1
FREEZER FEATURES		
Star rating	4	4
Fast freeze function	-	-
Auto defrost	-	-
Number of transparent drawers	2	3
Number of transparent flaps	1	1
HYGIENE		
Antibacterial door seals	●	●
PERFORMANCE		
Energy efficiency class	A+	A+
Climate class	SN-T	SN-T
Energy consumption, kWh/year	277	275
Cooling gas	R600a	R600a
TECHNICAL INFORMATION		
Noise level, dBA	38	40
Total power, W	85	125
Supply voltage, V/Hz	230 / 50	230 / 50
Amperage, A	0.6	0.5
Freezing capacity, kg/24h	2.5	3.5
Temperature rise time, h	13	13
DIMENSIONS		
Product dimensions (HxWxD), mm	1770x540x535	1770x540x535
Niche dimensions (HxWxD), mm	1789x560x550	1789x560x550
BUILD DETAILS		
Reversible door	●	●
smartFIX, integrated hinges	-	-
COLOUR OPTIONS		
Fully integrated	●	●

BUILT-IN REFRIGERATION

MODEL CODE	TSM 1750 u	FSE 1630 u
Type	Built Under Larder Fridge	Built Under Freezer
Height, cm	82	82
Control system	Mechanic	Electronic
Cooling system	Static	Static
CAPACITIES		
Total gross volume, lt	130	96
Total net volume, lt	128	87
Fridge net volume, lt	128	-
Freezer net volume, lt	-	87
FRIDGE FEATURES		
Number of height adjustable safety glass shelves	3	-
Number of chrome coated wine rack	-	-
Chrome coated door rack accessory	●	-
Number of transparent crispers	-	-
FREEZER FEATURES		
Star rating	-	4
Fast freeze function	-	-
Auto defrost	-	-
Number of transparent drawers	-	3
Number of transparent flaps	-	-
Icemaker and icebox	-	-
Handy rack	-	●
HYGIENE		
Antibacterial door seals	●	●
PERFORMANCE		
Energy efficiency class	A+	A+
Climate class	SN-T	SN-T
Energy consumption, kWh/year	118	186
Cooling gas	R600a	R600a
TECHNICAL INFORMATION		
Noise level, dBA	39	42
Total power, W	50	50
Supply voltage, V/Hz	230 / 50	230 / 50
Amperage, A	0,21	0,24
Freezing capacity, kg/24h	-	6
Temperature rise time, h	-	19
DIMENSIONS		
Product dimensions (HxWxD), mm	813-863x595x545	813-863x595x545
Niche dimensions (HxWxD), mm	820-870x600x550	820-870x600x550
BUILD DETAILS		
Reversible door	●	●
smartFIX, integrated hinges	●	●
COLOUR OPTIONS		
Fully integrated	●	●

FREESTANDING COOKERS

MODEL CODE	GGN9351 Z	HKN9310 / HKN9310 Z
Type	60cm Gas cooker	60cm Electric cooker
HOB		
Adjustable Flame settings	●	-
Cast Iron Pan Supports	●	-
Hob on indicator	-	●
Ignition	●	-
Location	Front control with easy grip knobs	Front control with easy grip knobs
Flame Safety Devices	On all burners	-
No. Of Burners	4	4
Front left/ right - Rapidlite	-	●
Front left	2.9 KWR	Ø180 - 1700 W
Front right	1 KW	Ø140 - 1200 W
Rear left/ right - Rapidlite	-	●
Rear left	2 KW	Ø140 - 1200 W
Rear right	2 KW	Ø180 - 1700 W
TIMER		
Function	Fully programmable Digital Timer	Fully programmable Digital Timer
TOP OVEN		
Energy Rating	-	A
Thermostatically Controlled	●	●
Grill	●	●
Grill Type	Recessed grill + Integrated in the Oven	Recessed grill + Integrated in the Oven
Fully Variable Grill	-	-
Grill Pan with Internal Rack & handle	●	●
Volume (litres)	31	35
Door Type	Glass	Glass
Door Opening	Drop down	Drop down
Interior Light	●	●
Interior Cleaning	Easy clean grey enamel	Easy clean grey enamel
Shelves	1	1
Shelf Positions	2	2
MAIN OVEN		
Energy Rating	-	A
Thermostatically Controlled	●	●
Volume (litres)	61	65
Door Type	Fixed full glass door	Fixed full glass door
Door opening	Swing left	Swing left
Interior Light	●	●
Cleaning	Easy Clean enamel + Side panels with Self Clean catalytic liners	Easy Clean enamel + Side panels with Self Clean catalytic liners
Shelves	2	2
Shelf Positions	5	5
cooking tray	●	●
ACCESSORIES		
4 adjustable feet	●	●
Auto Shut off lid	●	-
Removable glass doors	●	●
COOKING FUNCTIONS		
Gas Cooking	●	-
Static Cooking	-	●
Fan Cooking	-	●
Fan Grilling	-	-
Grill Cooking	●	●
PERFORMANCE		
Energy efficiency class	-	AA
Total power, W	12,700 W	9,900 W
Energy consumption:	-	-
Conventional, kWh	-	0,79
Fan heating, kWh	-	0,88
TECHNICAL INFORMATION		
Supply voltage, V/Hz	220 - 240 / 50 Hz	220 - 240 / 50 Hz
Amperage, A	13	minimum 32
Gas power, W	12,700 A	-
Electric power, W	-	9,900 W
CE / VDE approved	CE / EN30 Approved	●
LPG conversion kit available	●	-
DIMENSIONS		
Product dimensions (HxWxD), mm	900x600x600	900x600x600
Packed dimensions (HxWxD), mm	1025x660x700	1025x660x700
Unpacked weight, kg	64.3	62.9
Packed weight, kg	68	66.6
COLOUR OPTIONS		
White	-	HKN9310 - White
Black	GGN9351Z - Black	HKN9310Z - Black

FREESTANDING WASHING MACHINES

MODEL CODE	WNF 8441 E20	WNF 7341	WNF 6221
Type	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine
MAIN FEATURES			
Load capacity, kg	8	7	6
Drum volume, l	55	55	50
Control type	LCD	Knob & digital display	Knob & LED
Maximum spin speed, rpm	1400	1400	1200
No spin	●	●	●
Time delay	Up to 24 hr	Up to 19 hr	3 / 6 / 9 hr
Remaining time	●	●	-
Automatic water adjustment system	●	●	●
Durable heater	●	●	●
Drum material	Stainless steel	Stainless steel	Stainless steel
Porthole diameter, cm	34	30	30
Door opening angle	165	165	165
Door hinge	Left hand side	Left hand side	Left hand side
Cold fill	●	●	●
PROGRAMMES			
Number of programmes	16	11	11
Hand wash	●	●	●
Dark wash	●	●	●
Woolens	●	●	●
Sportswear	-	●	●
Shirts	-	●	●
Mini 14'	●	●	●
Cottons	●	●	●
Rinse	●	●	●
Spin + Drain	●	●	●
Synthetics	●	●	●
Lingerie	●	-	-
Cotton 20	●	-	-
Intensive	●	-	-
Refresh	●	-	-
Machine Care	●	-	-
Fast Full Load	●	-	-
Cottons Eco	●	●	●
FUNCTIONS			
Prewash	●	●	●
Quick wash	●	●	●
Rinse plus	●	●	-
Rinse hold	-	●	●
Anticreasing	●	-	-
SAFETY			
aquAvoid	●	●	●
Child lock	●	●	●
Door lock	●	●	●
Child lock indicator light	●	-	-
No water warning indicator light	●	●	●
PERFORMANCE			
Energy efficiency class	A++	A+	A+
Washing performance	A	A	A
Spin drying performance	B	B	B
Energy consumption (Cotton 60°), kWh	0.74	1.1	0.89
Water consumption (Cotton 60°), l	52	41	40
Annual energy consumption, kWh/Year	171	210	182
Annual water consumption, kWh/Year	11440	9020	8800
Standard cycle duration (Cotton 60°), min	205	160	160
Noise levels (washing and spinning), dBA	54 / 73	57 / 74	58 / 72
Remaining moisture, %	53	53	53
TECHNICAL INFORMATION			
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200
Amperage, A	10	10	10
Water supply connection 3/4"	●	●	●
Water pressure range, N/cm2	1 - 100	1 - 100	1 - 100
Water connection	Cold	Cold	Cold
Cable length, cm	150	150	150
Maximum possible height from floor to water connection, cm	75	75	75
CE / VDE approval	●	●	●
DIMENSIONS*			
Product dimensions (HxWxD), mm	840x600x550	840x600x550	840x600x510
Packed dimensions (HxWxD), mm	880x650x660	880x650x610	880x650x575
Unpacked weight, kg	75	70	64
Packed weight, kg	76	71	65
COLOUR OPTIONS			
White cabinet – white panel fascia	-	-	●
A: White cabinet – silver panel fascia	●	●	-

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING TUMBLE DRYER

MODEL CODE	TKF 8451 AG50
Type	Heat Pump Dryer
MAIN FEATURES	
Load capacity, kg	8
Drum volume, lt	118
Control type	Mini LCD
Time delay	1-24 h
Remaining time	●
Stainless steel drum and tank	●
Interior drum light	●
Bi-directional drum action	●
Automatic sensor drying	●
Auto cool-down	●
Auto anti-creasing cycle	●
Mains drain option	●
3-level drying	●
Porthole diameter (HxW), cm	39,5x32
Door type	Ellipse
Door opening, °	150
Door hinge	Left hand
PROGRAMMES	
Number of programmes	16
Wool refresh	●
Refresh	●
Lingerie	●
Viscose	●
Jeans	●
Sportswear	●
Shirts	●
Shirts 30°	●
Mix	●
Ready to iron (cotton)	●
Ready to wear (cotton)	●
Extra dry (cotton)	●
Ready to iron (synthetic)	●
Ready to wear (synthetic)	●
Timed programme	●
Bedding	●
SAFETY	
Child lock	●
End of cycle buzzer	●
Warning indicators:	
Child lock	●
Clean filter	●
Water-tank full	●
PERFORMANCE	
Energy efficiency class	A++
Energy consumption, kWh	1,92
Standard cycle duration (cotton, 1000 rpm, 60% moisture), min	145
Annual energy consumption (kWh)	232
TECHNICAL INFORMATION	
Supply voltage, V/Hz	230-240 / 50
Total maximum power, W	900
Amperage, A	10
Cable length, m	1,5
Maximum possible hose length, cm	200
Noise level, dBA	66
CE / VDE approval	●
DIMENSIONS*	
Product dimensions (HxWxD), mm	850x600x600
Packed dimensions (HxWxD), mm	880x650x660
Unpacked weight, kg	54,5
Packed weight, kg	57
COLOUR OPTIONS	
White cabinet - white panel with glass door	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING DISHWASHER

MODEL CODE	GSN 9476 A	GSN 9122
Type	60 cm Full Size Electronic Dishwasher	60 cm Full Size Electronic Dishwasher
MAIN FEATURES		
Place settings	13	12
Control type	Knob & LCD	Knob & LED
Time delay	24 hr	3 / 6 / 9 hr
Programme follower	●	●
Drying system	Turbo Fan	Hot air drying
Salt and rinse aid indicators	●	●
Cold fill	●	●
PROGRAMMES		
Number of programmes	7	5
Prewash	●	●
Mini 30'	●	●
Eco 50°	●	●
A express 58'	●	●
Intensive 70°	●	●
Auto 40-65	●	-
Delicate 40	●	-
SPECIAL FUNCTIONS		
Half load	●	●
Time delay	●	●
INTERIOR DESIGN		
smartRACK, loaded adjustable upper basket	●	●
Height adjustable shelves for mugs	●	●
Foldable plate supports in the lower basket	●	●
Cutlery basket	Sideways sliding	Sideways sliding
Metal filter	●	●
SAFETY		
aquAvoid™ plus	●	●
DMFS double motion float system	●	●
Antibacterial seal	●	●
PERFORMANCE		
Energy efficiency class	A+	A+
Cleaning performance	A	A
Drying performance	A	A
Water consumption, l/t	10	15
Energy consumption, kWh	1,02	1,02
Annual energy consumption, kWh/year	295	291
Annual water consumption, kWh/year	2800	3920
Noise level, dBA	43	48
TECHNICAL INFORMATION		
Supply voltage, V/Hz	220-240 / 50	220-240 / 50
Total power, W	2200	2200
Amperage, A	10	10
Water supply connection 3/4"	●	●
Water pressure range, N/cm ²	3 to 100	3 to 100
Warm water connection, °C	60	60
Cable length, cm	180cm	180cm
Maximum temperature for water intake, °C	60	60
CE / VDE approval	●	●
DIMENSIONS*		
Product dimensions (HxWxD), mm	850x600x570	850x600x570
Packed dimensions (HxWxD), mm	889x644x661	889x644x661
Height without worktop, cm	82	82
Feet adjustable by, cm	1.5	1.5
Unpacked weight, kg	46	43
Packed weight, kg	49	46
COLOUR OPTIONS		
White door - white panel fascia	●	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION - FRENCH DOOR FRIDGE FREEZER

MODEL CODE	KFD 9952 PXD
Type	French Door Fridge Freezer
Control system	Electronic control & touch buttons
Cooling system	Frost Free
CAPACITIES	
Total gross volume, lt / cu.ft	600 / 21.2
Total net volume, lt / cu.ft	549 / 19.4
Fridge net volume, lt / cu.ft	395 / 14
Freezer net volume, lt / cu.ft	154 / 5.4
FRIDGE FEATURES	
Frost free	●
Quick cool function	●
0-3°C Super Fresh Zone	●
Blue zone	●
Number of height adjustable glass shelves	2
Number of door racks	6
Number of transparent crispers	2
Chilled water dispenser (plumbing required)	●
LED lighting	●
FREEZER FEATURES	
Star rating	4
Fast freeze function	●
Frost free	●
Number of drawers	2
Automatic ice maker (plumbing required)	●
HYGIENE	
Antibacterial seal	●
PERFORMANCE	
Energy efficiency class	A+
Climate class	SN-T
Energy consumption, kWh/year	458
Cooling gas	R600a
TECHNICAL INFORMATION	
Supply voltage, V/Hz	240
Noise level, dBA	44
Fan ventilation	●
Freezing capacity, kg/24 h	10
Temperature rise time, h	22
DIMENSIONS*	
Product dimensions (HxWxD), cm - excluding handles	182x84x74.5
Packed dimensions (HxWxD), cm	191x90.7x82
BUILD DETAILS	
Reversible doors	N/A
Door hinge	Right and left hand side
Adjustable front feet	●
Handle type	External
COLOUR OPTIONS	
Stainless steel	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION

MODEL CODE	KGM 9690 P / KGM 9690 PX	KGM 9680 P	KGM 9550 P / KGM 9550 PX
Type	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	191	190.5	182
Control system	Electronic control w/o display	Electronic control	Electronic control
Cooling system	Frost Free	Frost free	Frost free
CAPACITIES			
Total gross volume, lt / cu.ft	410 / 14.5	315 / 11.1	300 / 10.5
Total net volume, lt / cu.ft	348 / 12.3	269 / 9.5	244 / 8.6
Fridge net volume, lt / cu.ft	230 / 8.2	175 / 6.2	157 / 5.5
Freezer net volume, lt / cu.ft	118 / 6.0	94 / 3.3	87 / 3.1
FRIDGE FEATURES			
Frost free	Auto Defrost	Auto defrost	Auto defrost
Number of height adjustable glass shelves	3	3	3
Number of chrome coated wine racks	1	1	1
Number of door racks	3	3	3
Chrome coated bottle retainer	1	1	-
Number of transparent crispers	2	1	1
Interior light	●	●	●
FREEZER FEATURES			
Star rating	4	4	4
Fast freeze function	-	-	-
Frost free	●	●	●
Number of drawers	4	4	3
Number of flaps	-	-	1
Twist & serve ice cube tray	●	●	-
Ice bank tray	-	●	●
HYGIENE			
Antibacterial seal	●	●	●
Antibacterial handle	●	●	-
PERFORMANCE			
Energy efficiency class	A+	A+	A+
Climate class	SN-T	SN-T	SN-T
Energy consumption, kWh/year	351	298	299
Cooling gas	R600a	R600a	R600a
TECHNICAL INFORMATION			
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50
Noise level, dBA	43	42	43
Freezing capacity, kg/24 h	6	6	4
Temperature rise time, h	18	18	13
DIMENSIONS*			
Product dimensions (HxWxD), mm	1910x700x600	1905x595x600	1820x545x600 mm
Packed dimensions (HxWxD), mm	1980x770x680	1952x665x680	1890x575x680 mm
BUILD DETAILS			
Reversible doors	●	●	●
Door hinge	Right hand side	Right hand side	Right hand side
Adjustable front feet	●	●	●
Handle type	External	External	External
COLOUR OPTIONS			
White	KGM 9690 P	KGM 9860 P	KGM 9550 P
Stainless steel	KGM 9690 PX	-	KGM 9550 PX

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION

MODEL CODE	SOM 9651 P	FNT 9671 P
Type	Tall Larder Fridge	Tall Freezer
Height, cm	171	171
Control system	Mechanic	Electronic control
Cooling system	Auto defrost	Frost free
CAPACITIES		
Total gross volume, lt / cu.ft	370 / 13.1	265 / 9.4
Total net volume, lt / cu.ft	335 / 11.8	-
Fridge net volume, lt / cu.ft	335 / 11.8	227 / 8.0
Freezer net volume, lt / cu.ft	-	227 / 8.0
FRIDGE FEATURES		
Frost free	Auto Defrost	-
Quick cool function	-	-
0-3°C super fresh zone	●	-
Number of height adjustable glass shelves	4	-
Number of chrome coated wine racks	1	-
Number of door racks	4	-
Chrome coated rack accessory	●	-
Number of transparent crispers	1	-
Interior light	●	-
FREEZER FEATURES		
Star rating	-	4
Fast freeze function	-	●
Frost free	-	●
Number of drawers	-	5
Number of flaps	-	2
Twist & serve ice cube tray	-	●
Ice bank tray	-	●
HYGIENE		
Antibacterial seal	●	●
Antibacterial handle	●	●
PERFORMANCE		
Energy efficiency class	A+	A+
Climate class	SN-T	SN-T
Energy consumption, kWh/year	163	304
Cooling gas	R600a	R600a
TECHNICAL INFORMATION		
Supply voltage, V/Hz	230 / 50	230 / 50
Noise level, dBA	39	45
Fan ventilation	●	●
Freezing capacity, kg/24 h	-	20
Temperature rise time, h	-	13
DIMENSIONS*		
Product dimensions (HxWxD), mm	1710x605x600	1710x605x600
Packed dimensions (HxWxD), mm	1810x665x680	1810x665x680
BUILD DETAILS		
Reversible doors	●	●
Handle type	External	External
COLOUR OPTIONS		
White	●	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION


MODEL CODE	TSM 1551 P	TSM 1541 P	FNE 1531 P
Type	Undercounter Larder Fridge	Undercounter Fridge with 4 Star Freezer	Undercounter Frost Free Freezer
Height, cm	85	85	85
Control system	Mechanic	Mechanic	Electronic control
Cooling system	Static	Static	Frost Free
CAPACITIES			
Total gross volume, cu.ft / lt	135 / 4.8	120 / 4.2	90 / 3.2
Total net volume, cu.ft / lt	130 / 4.6	114 / 4.0	75 / 2.6
Fridge net volume, cu.ft / lt	130 / 4.6	101 / 3.5	-
Freezer net volume, cu.ft / lt	-	13 / 0.5	75 / 2.6
FRIDGE FEATURES			
Auto defrost	●	●	-
Number of height adjustable glass shelves	3	2	-
Number of door racks	3	3	-
Number of transparent crispers	1	1	-
Interior light	●	●	-
FREEZER FEATURES			
Star rating	-	4	4
Manual defrost	-	●	Frost Free
Number of drawers	-	-	2
Number of flaps	-	-	1
Ice cube tray	-	●	●
Ice bank tray	-	-	●
HYGIENE			
Antibacterial seal	●	●	●
PERFORMANCE			
Energy efficiency class	A+	A+	A+
Climate class	SN-T	SN	SN-T
Energy consumption, kWh/year	116	169	193
Cooling gas	R600a	R600a	R600a
TECHNICAL INFORMATION			
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50
Noise level, dBA	42	40	43
Freezing capacity, kg/24 h	-	2	10
Temperature rise time, h	-	10	10.5
DIMENSIONS*			
Product dimensions (HxWxD), mm	850x545x600	850x545x600	850x545x600
Packed dimensions (HxWxD), mm	885x575x665	885x575x665	885x575x665
BUILD DETAILS			
Reversible door	●	●	●
Door hinge	Right hand side	Right hand side	Right hand side
Adjustable front feet	●	●	●
Handle type	External	External	External
COLOUR OPTIONS			
White	●	●	●

* Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN INSTALLATION DIAGRAMS


INSTALLATION DIAGRAMS

All measurements in (mm)




BUILT-IN SINGLE OVEN

BEO 9444 X BEO 9400 WG BEO 9414 X




BUILT-IN DOUBLE OVEN

BDO 9564 X BDO 9400 WG



BUILT-IN ELECTRIC HOB


MKN 54322 X MKN 24201 W




BUILT-IN GAS HOB

GEN 53415 E


* Dependent on model. Check technical details on page 107




BUILT-IN WASHING MACHINE
WMI 7462 W20



BUILT-IN DISHWASHER
GVN 9483 E




BUILT-IN REFRIGERATION
KNM 1551 i



BUILT-IN REFRIGERATION
KNM 1561 i

INSTALLATION DIAGRAMS

All measurements in (mm)



A	813-863 mm
B	820-870 mm
C	100-150 mm

B: Height of the product can be adjusted by the help of adjustable feet (front and back) to fit the furniture niche height.

BUILT-IN REFRIGERATION

TSM 1750 u FSE 1630 u

Blomberg continuously seek improvements in specification, design and production of products and thus alterations take place periodically. Whilst every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular appliance.



Bloomberg
1 Greenhill Crescent
Watford
Hertfordshire
WD18 8QU
Tel: 0845 850 5008
Fax: 0845 600 4925
www.bloomberguk.com