

# Product data sheet

Specifications



## Rack PDU, Basic, Half Height, 200-208V, 30A, (14) C13, (2) C19

AP6002A

### Overview

Lead time Usually in Stock

### Main

Color Black

Product or Component Type PDU

PDU Type Basic

Cord length 10 ft (3.05 m)

Provided Equipment Installation guide  
Safety guide

### Complementary

Input Voltage 208 V

Height 32.8 in (83.3 cm)

Width 2.2 in (5.6 cm)

Output Voltage 200 V  
208 V

Depth 1.9 in (4.7 cm)

Net Weight 6.13 lb(US) (2.78 kg)

mounting location Side

Mounting preference Lower

Input Plug Type NEMA L6-30P

Mounting Mode Not rack-mountable

Rack units 0U

Mounting position Vertical

Line Rated Current 24 A

Acceptable Input Voltage 200...240 V

Max line current 30 A

Input current limits 30 A

Load Capacity 5000 VA

Input Frequency 50/60 Hz

Outlet type and quantity 14 IEC 60320 C13  
2 IEC 60320 C19

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Environment

<b>Product Certifications</b>	cUL Listed UL Listed
<b>Ambient Air Temperature for Operation</b>	32.0000000000...122.0000000000 °F (0...50 °C)
<b>Relative Humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	5.0000000000...149.0000000000 °F (-15...65 °C)
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0...50000 ft (0.0000000000...15240.0000000000 m)

## Ordering and shipping details

<b>GTIN</b>	731304327639
<b>Country of origin</b>	IN

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	38.03 in (96.6 cm)
<b>Package 1 Width</b>	5.4 in (13.7 cm)
<b>Package 1 Length</b>	6.1 in (15.6 cm)
<b>Package 1 Weight</b>	7.14 lb(US) (3.24 kg)
<b>SCC14</b>	10731304327636

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

 Take-Back Program Available

## Well-being performance

 Lead Free

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)