

Product data sheet

Specifications



Rack PDU, Basic Vertical, 208V, 60A, (21) C13, (6) C19

AP6007A

Overview

Lead time Usually in Stock

Main

Product or Component Type	PDU
PDU Type	Basic
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Safety guide

Complementary

Input Voltage	208 V
Height	64.02 in (162.6 cm)
Width	2.2 in (5.6 cm)
Output Voltage	208 V
Depth	1.7 in (4.3 cm)
Net Weight	20.24 lb(US) (9.18 kg)
mounting location	Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 60 A 2P + PE
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Line Rated Current	45 A
Acceptable Input Voltage	200...240 V
Max line current	60 A
Input current limits	60 A
Load Capacity	10000 VA
Input Frequency	50/60 Hz
Outlet type and quantity	21 IEC 60320 C13 6 IEC 60320 C19

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	cUL Listed UL Listed
Ambient Air Temperature for Operation	32.0000000000...122.0000000000 °F (0...50 °C)
Relative Humidity	5...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5.0000000000...149.0000000000 °F (-15...65 °C)
Storage Relative Humidity	5...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304327776
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	73.8 in (187.5 cm)
Package 1 Width	5.3 in (13.5 cm)
Package 1 Length	8.9 in (22.6 cm)
Package 1 Weight	24.3 lb(US) (11 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)