

Overview

Print, scan, and copy from virtually anywhere with this powerful, portable all-in-one.

Print, scan, and copy from nearly anywhere with this portable all-inone. Easily connect to your printer with Bluetooth® Smart technology and Wi-Fi Direct®.[1,2] This quiet workhorse has a long battery life and delivers the most pages.[3]

Portability meets productivity

Quickly print, copy, and scan multipage documents hands-free with the 10-page automatic document feeder.

Lead the way with fast, easy mobile printing

Reduce charging interruptions with a longlasting battery.

High-powered quality and reliability

Power through the workday. Charge from home, in your car or office, and more.[6]

Features



Unleash your printing^[9]

- [1] Mobile device needs to support Bluetooth v4.0+ and be enabled. A mobile app such as HP AiO Remote must be installed and opened for printing. Mobile device must be within 5 feet of the printer. For details, see http://www.hp.com/go/bleprinting. Bluetooth is a trademark owned by its proprietor and used by HP under license.
- [2] Mobile device needs to be connected directly to the Wi-Fi Direct® signal of a Wi-Fi Direct supported AiO or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.
- [3] Best-in-class performance claim compares all inkjet color mobile printers as of October 2015 based on market share as reported by Q2 2015 IDC, based on manufacturer's published specifications.
- [6] Supports USB charging in OFF mode when connected to a 1A-minimum-charge-capable USB charging port.
- [9] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi (when printing from a computer)
Print quality color (best)	Up to 4800×1200 optimized dpi color (when printing from a computer and 1200 input dpi)
Print speed black (ISO, A4)	On AC: up to 10 ppm; On Battery: up to 9 ppm
Print speed black (ISO, letter)	On AC: up to 10 ppm; On Battery: up to 9 ppm
Print Speed Color (ISO)	On AC: up to 7 ppm; On Battery: up to 6 ppm
Print speed color (ISO)	On AC: up to 7 ppm; On Battery: up to 6 ppm
Print speed	Print speed up to 9 ppm (black) and 6 ppm (color)
Bottom margin (A4)	3 mm
Left margin (A4)	3 mm
Right margin (A4)	3 mm
Top margin (A4)	3 mm
Functions	Print, copy, scan
Duplex printing	Manual (driver support provided)
Duty cycle (monthly, A4)	Up to 500 pages
Duty cycle (monthly, letter)	Up to 500 pages ^[7]
Printer smart software features	Automatic Paper Width Sensing
Scanner advanced features	10-page Automatic Document Feeder (ADF)
Energy savings feature technology	HP Auto-Off Technology
Replacement cartridges	HP 62 Black Original Ink Cartridge; HP 62 Tri-color Original Ink Cartridge; HP 62XL High Yield Black Original Ink Cartridge; HP 62XL High Yield Tri-color Original Ink Cartridge
Connectivity, standard	1 USB 2.0 device; 1 USB 2.0 host; 1 wireless; 1 wifi direct; 1 BLE
Network capabilities	Yes, via built-in wireless
Wireless capability	Yes. Wireless, wifi direct & BLE
Mobile printing capability	Chrome OS
Network protocols, supported	Wi-Fi network support
Software included	HP Dropbox, HP Google Drive, Microsoft DotNet
Compatible Operating Systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Vista; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified, EPEAT® Silver
Copy speed black (best, A4)	On AC: up to 2 ppm; On Battery: up to 2 ppm
Copy speed black (best, letter)	On AC: up to 2 ppm; On Battery: up to 2 ppm

Copy speed color (best, A4)	On AC: up to 1 ppm; On Battery: up to 1 ppm
Copy speed color (best, letter)	On AC: up to 1 ppm; On Battery: up to 1 ppm
Scan speed (normal, A4)	Up to 9 ppm black/white or greyscale; up to 3.6 ppm color
Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan input modes	Front-panel scan, copy; HP Officejet 250 Mobile AiO SW Driver: HP AIO apps in mobile device.
Scan technology	CIS
Scanner type	Sheet-feed
Display	2.65" CGD DISPLAY, IR Touch
Minimum dimensions (W \times D \times H)	380.2 x 198.3 x 91.3 mm
Minimum dimensions (W \times D \times H)	14.96 x 7.8 x 3.6 in
Weight	2.96 kg (3.06 kg with Battery) ^[2]
Weight	6.51 lb (6.73 lb with Battery)
Power consumption	0.14 watts (Manual-Off), 3.4 watts (Standby), 0.81 watts (Sleep) ^[3]
Power supply type	Built-in universal power supply
What's in the box	HP OfficeJet 250 Mobile All-in-One Printer; HP 62 Setup Black Ink Cartridge (~200 pages); HP 62 Setup Tricolor Ink Cartridge (~120 pages); Regulatory flyer; Setup Poster; Power Cord (US, EMEA, APJ); Rechargeable Battery. [For ink volume and page yield information, visit hp.com/go/learnaboutsupplies]
Manufacturer Warranty	One-year limited hardware warranty; 24-hour, 7 days a week support

Additional specifications

Accessories	M9L89A HP OfficeJet 200 series Battery
Acoustic power emissions (active copy)	5.9 B(A) (Normal); 5.9 B(A) (Fast Draft)
Acoustic power emissions (active, printing)	5.7 B(A) (Best); 6.0 B(A) (Normal); 6.2 B(A) (Fast Draft)
Acoustic pressure emissions	50.7 dB(A) (Best); 54.5 dB(A) (Normal); 57.2 dB(A) (Fast Draft)
Automatic document feeder capacity	Up to 10
Automatic paper sensor	Yes
Bit depth	24-bit
Borderless printing	Yes (up to 5 x 7 in, 127 x 177 mm)
Business filter	cMPS
Cable included	Yes, 1 USB (AP); No, please purchase USB cable separately (EMEA, US)
Cartons per layer	15
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Color(s) of printing supplies	Black, Tri-color: Cyan, Magenta, Yellow
Compatible Network Operating Systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Vista; macOS 10.11 El Capitan; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Component type	Printer
Connection type	Wireless
Control panel	IR Touch with 3 magic buttons for "Home", "Back" and "?"
Copier settings	Legal to letter; A4 to letter; Letter to A4
Copies, maximum	Up to 50 copies
Copy Speed Black (maximum, A4)	On AC: up to 18 ppm; On Battery: up to 17 ppm
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	Up to 600 dpi
Copy resolution (black text)	Up to 600 dpi
Copy resolution (color text and graphics)	Up to 600 dpi
Copy speed black (ISO)	On AC: up to 8 ppm; On Battery: up to 7 ppm
Copy speed black (draft, letter)	On AC: up to 18 ppm; On Battery: up to 17 ppm
Copy speed color (ISO)	On AC: up to 4 ppm; On Battery: up to 3 ppm
Copy speed color (draft, letter)	On AC: up to 15.5 ppm; On Battery: up to 14.5 ppm

Count of layers in pallet	9
Country of origin	Product of Thailand
Dimensions with trays up (W \times D \times H)	380.2 x 198.3 x 91.3 mm
Electromagnetic compatibility	EU (EMC Directive), USA (FCC Rules), Australia/New Zealand (RCM), Canada (ICES), China (CCC), Japan (VCCI registered), Korea (KC certified), Taiwan (BSMI certified)
Engine life	20000
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	No
File Format Supported	PDF; JPEG; and Editable Text (OCR) formats supported
First copy out black (letter)	On AC: as fast as 20 sec; On Battery: as fast as 22 sec
First copy out color (letter)	On AC: as fast as 20 sec; On Battery: as fast as 22 sec
First page out black (A4, ready)	On AC: as fast as 13 sec; On Battery: as fast as 14 sec
First page out black (letter, ready)	On AC: as fast as 13 sec; On Battery: as fast as 14 sec
First page out color (A4, ready)	On AC: as fast as 20 sec; On Battery: as fast as 22 sec
First page out color (letter, ready)	On AC: as fast as 20 sec; On Battery: as fast as 22 sec
Geographic availability	WW
HP Real Life technologies™	HP Real Life Technologies: Default =OFF
HP ePrint capability	Yes
HP ePrint capability Image scaling or enlargement range	Yes 25 to 400% in 1% increments at 300 dpi resolution
Image scaling or enlargement	
Image scaling or enlargement range	25 to 400% in 1% increments at 300 dpi resolution
Image scaling or enlargement range Ink types	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black)
Image scaling or enlargement range Ink types Input capacity	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50
Image scaling or enlargement range Ink types Input capacity Levels of grayscale	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes)	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H)	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened)
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H)	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened) 14.97 x 15.8 x 10.6 in (Scan + Print Tray opened)
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum input capacity (10x15cm photos) Maximum input capacity (4x6	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened) 14.97 x 15.8 x 10.6 in (Scan + Print Tray opened) Up to 15
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum input capacity (10x15cm photos) Maximum input capacity (4x6 photo)	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened) 14.97 x 15.8 x 10.6 in (Scan + Print Tray opened) Up to 15 Up to 20
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum input capacity (10x15cm photos) Maximum input capacity (4x6 photo) Maximum input capacity (cards)	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened) 14.97 x 15.8 x 10.6 in (Scan + Print Tray opened) Up to 15 Up to 20 Up to 20
Image scaling or enlargement range Ink types Input capacity Levels of grayscale Mac compatible Maximum Input Capacity (envelopes) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum input capacity (10x15cm photos) Maximum input capacity (4x6 photo) Maximum input capacity (cards) Maximum input capacity (labels) Maximum input capacity (photo	25 to 400% in 1% increments at 300 dpi resolution Dye-based (color); pigment-based (black) Up to 50 256 Yes Up to 5 380.2 x 401.5 x 269.8 mm (Scan + Print Tray opened) 14.97 x 15.8 x 10.6 in (Scan + Print Tray opened) Up to 15 Up to 20 Up to 5

Maximum input capacity (transparencies)	Up to 5
Maximum print area	209.9 x 349.6 mm
Media sizes supported	A4; A5 ; A6; B5 (ISO); B5 (JIS);envelopes (A2; C5; C6; DL); photo (10 x 15 cm; L; 2L); Japanese Postcard; Ofuku Hagaki
Media sizes supported	Letter, legal, statement, executive, envelopes (No. 10, Monarch, 6 3/4 in), cards (3 x 5 in, 4 x 6 in, 5 x 8 in), photo (8 x 10 in, 5 x 7 in, 4 x 6 in, 3.5 x 5 in)
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	76 x 102 to 216 x 356 mm
Media sizes, custom	3 x 8.5 to 4 x 14 in
Media types	Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers; Plain Paper, Light/Recycled
Media weight, recommended	20 lb
Media weight, recommended	75 g/m²
Media weight, supported	60 to 300 g/m ²
Media weight, supported	16 to 32 lb (plain paper); 20 to 55 lb (envelope); up to 110 lb (cards)
Memory	256 MB DDR3
Memory Slots	None
Memory Slots Memory card compatibility	None None
Memory card compatibility	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see
Memory card compatibility Minimum System Requirements Minimum System Requirements	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9
Memory card compatibility Minimum System Requirements Minimum System Requirements for Macintosh	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB
Memory card compatibility Minimum System Requirements Minimum System Requirements for Macintosh Model number	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB
Memory card compatibility Minimum System Requirements Minimum System Requirements for Macintosh Model number Multitasking supported	None Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB Mobile 250
Memory card compatibility Minimum System Requirements Minimum System Requirements for Macintosh Model number Multitasking supported Non-Operating Humidity Range	None Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB Mobile 250 Yes 5 to 90% RH
Memory card compatibility Minimum System Requirements for Macintosh Model number Multitasking supported Non-Operating Humidity Range Number of print cartridges	None Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB Mobile 250 Yes 5 to 90% RH 2: 1 black, 1 color (cyan, magenta, yellow)
Memory card compatibility Minimum System Requirements for Macintosh Model number Multitasking supported Non-Operating Humidity Range Number of print cartridges Number of users	None Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet required; USB Mobile 250 Yes 5 to 90% RH 2: 1 black, 1 color (cyan, magenta, yellow) 1-3 Users

Orderable supplies	HP 62 Black Original Ink Cartridge; HP 62 Tri-color Original Ink Cartridge; HP 62XL High Yield Black Original Ink Cartridge; HP 62XL High Yield Tri- color Original Ink Cartridge
Output file format	JPEG; PDF; TIFF
Package dimensions (W x D x H)	517 x 132 x 242 mm
Package dimensions (W x D x H)	20.35 x 5.2 x 9.53 in
Package weight	4.8 kg
Package weight	10.58 lb
Page yield (set-up/inbox cartridges)	~200 pages black, ~120 pages tri-color
Pallet dimensions	48 x 40 x 90.7 in
Pallet dimensions (W \times D \times H)	1220 x 1015 x 2305 mm
Pallet weight	1464 lb
Pallet weight	665 kg
Paper handling input, standard	Up to 50
Paper trays, maximum	1
Paper trays, standard	1
Photo (product photo, jpg, 190x170)	Printers and Multifunction/250-Mobile-All-in-One_190x170.jpg
Photo (product photo, jpg, 70x100)	Printers and Multifunction/250-Mobile-All-in-One_70x100.jpg
PictBridge supported	No
Power	Input voltage: 100 to 240 VAC, 50 to 60 Hz; 200 to 240 VAC, 50 to 60 Hz. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Ink
Print colors	Yes
Print colors maximum	2
Print colors maximum Print head nozzles	
	2
Print head nozzles	2 704 (black), 684 (Tri color)
Print head nozzles Print heads	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color)
Print head nozzles Print heads Print languages	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color) HP PCL 3 GUI
Print head nozzles Print heads Print languages Print speed black (ISO)	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color) HP PCL 3 GUI On AC: up to 10 ppm; On Battery: up to 9 ppm
Print head nozzles Print heads Print languages Print speed black (ISO) Print speed black (best, A4)	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color) HP PCL 3 GUI On AC: up to 10 ppm; On Battery: up to 9 ppm On AC: up to 4 ppm; On Battery: up to 3 ppm
Print head nozzles Print heads Print languages Print speed black (ISO) Print speed black (best, A4) Print speed black (best, letter)	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color) HP PCL 3 GUI On AC: up to 10 ppm; On Battery: up to 9 ppm On AC: up to 4 ppm; On Battery: up to 3 ppm On AC: up to 4 ppm; On Battery: up to 3 ppm
Print head nozzles Print heads Print languages Print speed black (ISO) Print speed black (best, A4) Print speed black (best, letter) Print speed black (draft, A4)	2 704 (black), 684 (Tri color) 2 (1 Black, 1 color) HP PCL 3 GUI On AC: up to 10 ppm; On Battery: up to 9 ppm On AC: up to 4 ppm; On Battery: up to 3 ppm On AC: up to 4 ppm; On Battery: up to 3 ppm On AC: up to 20 ppm; On Battery: up to 18 ppm

Print speed color (draft, letter)	On AC: up to 19 ppm; On Battery: up to 17 ppm
Print technology	HP Thermal Inkjet
Printer black pages (MPV black)	420
Printer color pages (MPV color)	280
Printer drivers included	Yes
Processor speed	700 MHz
Product logos	Mopria; Energy Star; AirPrint; Wi-Fi certified; Google Cloud Print Ready; Android, Windows 10, iOS, Windows 10 Mobile
Product long name specifications	HP OfficeJet 250 Mobile All-in-One Printer, Color Printer for Small Office, Print, copy, scan, Front USB flash drive port; Print from mobile device
Product short name specifications	HP OfficeJet Mobile 250 Wireless All-in-One Color Printer, Copier, Scanner
Quantity per pallet	135
RMN number	SNPRC-1604-01
Recommended Macintosh system requirements	Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks,OS v10.15 Catalina, 1 GB HD; Internet required; USB
Recommended monthly page volume	100 to 300
Recommended operating humidity range	20 to 80% RH
Recommended operating temperature range	59 to 86°F which is 15 to 30 Deg
Recommended operating temperature range	15 to 30°C
Safety	EN 60950/IEC 60950 Compliance (International); safety cCSAus (USA/Canada); GS approved; Russia EAC; China CCC; Taiwan BSMI; Australia/New Zealand RCM
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	8.5 x 14 in
Scan size (ADF), maximum	216 x 356 mm
Segment (filter)	Small office
Send to email capability	Yes
Standard input capacity (cards)	Up to 20
Standard input capacity (envelopes)	Up to 5
Standard input capacity (legal)	Up to 50
Standard input capacity (transparencies)	Up to 5
Standard media sizes (duplex)	76.3 x 127 to 215.9 x 355.6 mm

Standard media sizes (duplex, imperial)	3 x 5 to 8.5 x 14 in
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 140°F
Storage temperature range	-40 to 60ºC
Sub-brand name	OfficeJet
System requirements, recommended	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html)
Target user and print volume	For teams up to 3 users; Prints up to 300 pages/month
Tariff numbers	8443310000
Top key features	10-sheet ADF
Transparency adapter	No
Transparent materials adapter (supported)	No
Twain version	Version 1.9
UNSPSC code	43212104
UPC number	(670) 195697428968; (AB0) 889894442581; (AB1) 889894442598; (ABJ) 889894442574; (AK3) 889894442628; (AKY) 198828180124; (B1H) 889894442543; (BBU) 889894442611; (BEG) 889899185339; (BGM) 889894442604; (BH0) 889899185346; (BHC) 889894442550
Vertical alignment accuracy	+/- 0.0008 in
Vertical alignment accuracy	+/- 0.02 mm
Video action printing supported	No
Wireless	1 WiFi 802.11b/g/n

[2] Weight varies as per configuration

^[3] Power consumption varies with print job, the use of wireless connectivity and the charging of battery. Values given are nominal.

^[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

Ink/Toner/Paper/Printer Supplies

Ink Supplies ★: Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 62XL High Yield Black Original Ink Cartridge	C2P05AE ★
HP 62XL High Yield Tri-color Original Ink Cartridge	C2P07AE ★
HP 62 2-pack Black Original Ink Cartridges	TOA52AN
HP 62 2-pack Black/Tri-color Original Ink Cartridges	N9H64FN
HP 62 2-pack Black/Tri-color Original Ink Cartridges	N9J71AE
HP 62 Black Original Ink Cartridge	C2P04AA
HP 62 Black Original Ink Cartridge	C2P04AE
HP 62 Black Original Ink Cartridge	C2P04AN
HP 62 Black/Tri-color Original Ink Cartridge Content Value Pack	F6U00FN
HP 62 Economy Black Original Ink Cartridge	1VV43AN
HP 62 Economy Tri-color Original Ink Cartridge	1VV42AN
HP 62 Tri-color Original Ink Cartridge	C2P06AA
HP 62 Tri-color Original Ink Cartridge	C2P06AE
HP 62 Tri-color Original Ink Cartridge	C2P06AN
HP 62XL 2-pack High Yield Black Original Ink Cartridges	J3P42BN
HP 62XL 2-pack High Yield Tri-color Original Ink Cartridges	MOJ01BN
HP 62XL Black Ink Cartridge and Photo Paper-50 sht/4x6 in and 25 sht/5x7 in	1VW05BN
HP 62XL High Yield Black Original Ink Cartridge	C2P05AA
HP 62XL High Yield Black Original Ink Cartridge	C2P05AL
HP 62XL High Yield Black Original Ink Cartridge	C2P05AN
HP 62XL High Yield Black/62 Tri-color 2-pack Original Ink Cartridges	N9H67FN
HP 62XL High Yield Black/62 Tri-color Original Ink Cartridge Content Value Pack	F6U01FN
HP 62XL High Yield Black/Tri-color Original Ink Cartridge Content Value Pack	F6U02BN
HP 62XL High Yield Tri-color Original Ink Cartridge	C2P07AA
HP 62XL High Yield Tri-color Original Ink Cartridge	C2P07AL
HP 62XL High Yield Tri-color Original Ink Cartridge	C2P07AN
HP 62XL Tri-color Ink Cartridge and Photo Paper-50 sht/4x6 in and 25 sht/5x7 in	1VW06BN

HP Photo Papers

HP Photo Papers for inkjet

HP Advanced Photo Paper, Glossy, 65 lb, 4 x 6 in. (101 x 152 mm), 50 sheets	F4T22A
HP Everyday Photo Paper, Glossy, 200 g/m2, 10 x 15 cm (101 x 152 mm), 100 sheets	CR757A
HP Everyday Photo Paper, Glossy, 52 lb, 4×6 in. (101 \times 152 mm), 100 sheets	CR759A
HP Everyday Photo Paper, Glossy, 52 lb, 4×6 in. (101 \times 152 mm), 50 sheets	CR758A
HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
HP Matte Photo Paper, 48 lb, 4×6 in. (101 \times 152 mm), 25 sheets	6QH46A

HP Business Papers

HP Business Papers for inkjet

HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in (216 x 279 mm), 150 sheets	9ZE20A
HP Professional Business Paper, Matte, 180 g/m2, A4 (210 x 297 mm), 150 sheets	7MV79A
HP Business Papers for laser and inkjet	
HP Professional Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	Q1987A
HP Professional Business Paper, Glossy, 180 g/m2, A4 (210 x 297 mm), 150 sheets	3VK91A
HP Professional Tri-Fold Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279	4WN12A

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

mm) 150 sheets

HP Free Paper Gift Pack-10 sht/5 x 7 in with envelopes	D0H62A
HP Inkjet Special Occasion Paper	
HP Giving Card Kit-10 sht/5 x 7 in with envelopes	SF786A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5×11 in. (216 $\times 279$ mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5×14 in. (216 $\times 356$ mm), 500 sheets	HPM1420P

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in

7MV84A

Services

HP Care Pack Services

★: Recommended

Imaging and Printing Consumer Care Pack Services

HP 3 year Care Pack w/Next Day Exchange for Officejet Printers	UG072E
HP 3 year Care Pack w/Standard Exchange for Officejet Printers	UG196E
HP 4 year Care Pack w/Next Day Exchange for Officejet Printers	UH574E

Accessories

Cases and Covers

★: Recommended

Printer Carrying Cases

HP Mobile Printer and Notebook Case

Q6282A

Batteries/Chargers/Adapters

Batteries

HP OfficeJet 200 series Battery

M9L89A

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 19, 2024 8:26 AM UTC+0000