Product data sheet

Specifications



Rack PDU, Basic, 0U/1U, 208V, 30A, (4) C19



AP6031A

Overview

Lead time

Usually in Stock

Main

Color	Black
Product or Component Type	PDU
PDU Type	Basic
Cord length	12 ft (3.7 m)
Provided Equipment	Installation guide Safety guide

Complementary

Input Voltage	200 V	
input tenage		
	208 V	
Height	1.7 in (4.4 cm)	
Width	17.2 in (43.8 cm)	
Output Voltage	200 V	
	208 V	
Depth	5.0 in (12.6 cm)	
Net Weight	8.4 lb(US) (3.8 kg)	
mounting location	Front	
	Rear	
Mounting preference	No preference	
Input Plug Type	NEMA L6-30P	
Mounting Mode	Not rack-mountable	
Rack units	1U	
USB compatible	No	
Mounting position	Horizontal	
Line Rated Current	24 A	
Max line current	30 A	
Input current limits	30 A	
Load Capacity	5000 VA	
Input Frequency	50/60 Hz	
Outlet type and quantity	4 IEC 60320 C19	

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Environment

Product Certifications

cUL Listed UL Listed

Ordering and shipping details

731304327813 IN
IN
PCE
1
11.06 in (28.1 cm)
7.09 in (18 cm)
18.6 in (47.3 cm)
10.1 lb(US) (4.6 kg)

Contractual warranty

Warranty

SCC14

2 years repair or replace

10731304327810

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information