

N 50


T36FB41X0G INDUCTION HOB

BEVELLED FRONT EDGE

592 MM



COOKING PASSION SINCE 1877



Standalone induction cooktop with TouchControl.

- ✓ Induction - With induction cooking, the heat is generated directly in the cookware for precise cooking that stops when power is off.
- ✓ TouchControl is a highly convenient way to control the hob. One touch is enough. A timer is also included.
- ✓ Ready to use induction cooktop with plug

## Features

### Technical Data

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 4  
Required niche size for installation (HxWxD) (mm) : 51 x 560-560 x 490-500  
Appliance Width (mm) : 592  
Dimensions of the product (mm) : 51 x 592 x 522  
Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 603  
Net weight (kg) : 11.0  
Gross weight (kg) : 12.0  
Residual heat indicator : Separate  
Location of control panel : Hob front  
Basic surface material : Ceramic  
Color of surface : Black  
Approval certificates : AENOR, CE  
Length electrical supply cord (cm) : 110  
EAN code : 4242004195474  
Electrical connection rating (W) : 3000  
Voltage (V) : 220-240  
Frequency (Hz) : 60; 50



4 242004 195474

N 50

T36FB41X0G INDUCTION HOB

BEVELLED FRONT EDGE

592 MM

## Features

### Control

- Touch control

### Flexibility

- Ring zone
- 4 zone induction hob
- 

### Special features

- Boost setting for all zones
- Variable 17-stage power settings for each zone
- Digital display of cooking levels
- 2 stage residual heat indicators
- Timer with automatic shut off for all zones  
LED timer for each zone with switch off function and acoustic signal
- ReStart function
- Automatic pan recognition  
4.6kW power output (20A); current management options for 16A, 13A or 10A connection
- Safety cut out facility
- Control panel lock

### Technical information

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3 KW) Induction; 1 x Ø 180 mm, 1.8 KW (max. Power levels 3 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3 KW) Induction
- Measurement: (H/B/T) 51 x 592 x 522 mm
- Installation dimensions: (ID/W/D) 51 mm x 560 mm x 490 mm
- 60 cm width
- Length wire connection: 110 cm
- Main switch
- Min. worktop thickness: 30 mm
- Output 3000 W
- connected to terminal block


N 50

T36FB41X0G INDUCTION HOB


BEVELLED FRONT EDGE

592 MM


Dimensioned drawings



All measurements in mm



All measurements in mm



Measurements in mm