# Product data sheet

Specifications



# Rack PDU,Basic,Zero U,12.5kW, 208V,(30)C13,(6)C19;3' Cord

AP7568

#### Overview

Lead time

Usually in Stock

## Main

Color	Black
Product or Component Type	PDU
PDU Type	Basic
Cord length	3 ft (0.9 m)
Number of cables	1
Provided Equipment	Cord retention bracket(s) Documentation CD Installation guide Rack Mounting brackets Toolless Mounting Kit

## Complementary

Input Voltage	208 V 3 phase
Height	70.000000000 in (177.8 cm)
Width	2.2 in (5.6 cm)
Output Voltage	208 V
Depth	3.5 in (8.9 cm)
Net Weight	15.32 lb(US) (6.95 kg)
mounting location	Side
Mounting preference	No preference
Mounting Mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Max line current	35 A
Input current limits	35 A
Load Capacity	12500 VA
Input Frequency	50/60 Hz
Number of input connectors	1 CS8365
Outlet type and quantity	30 IEC 60320 C13 6 IEC 60320 C19

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

# Environment

Product Certifications	cUL Listed UL Listed	
Standards	CSA C22.2 No. 60950-1-03 UL 60950-1	
Ambient Air Temperature for Operation	23.000000000113.000000000 °F (-545 °C)	
Relative Humidity	595 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	-13.000000000149.000000000 °F (-2565 °C)	
Storage Relative Humidity	595 %	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

# Ordering and shipping details

GTIN	731304226833
Country of origin	IN

# **Packing Units**

Unit Type of Package 1 PCE   Number of Units in Package 1 1   Package 1 Height 83.0 in (210.8 cm)	
Package 1 Height     83.0 in (210.8 cm)	
Package 1 Width     5.000000000 in (12.7 cm)	
Package 1 Length6.0 in (15.2 cm)	
Package 1 Weight     22.42 lb(US) (10.17 kg)	

# **Contractual warranty**

Warranty

2 years repair or replace

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Energy Efficient Take-back Transparency RoHS/REACh

#### **Resource performance**

Energy Efficient Product

Take-Back Program Available

#### Well-being performance

Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information