

imageCLASS

M F 5 2 5 x | M F 4 2 9 x | M F 4 2 6 d w

Canon

Delighting You Always



SMARTER WORK EFFICIENCY FOR HIGHER-PERFORMANCE RESULTS.



HIGH CAPACITY
COMPACT SIZE



HIGH SPEED
HIGHLY DURABLE



HIGH QUALITY
HIGHLY VERSATILE



EASY HANDLING
LOW UPKEEP

Business Can Be Simple



POSITIONED TO DELIVER ALL-ROUND GAINS.

Experience the cutting-edge features of Canon imageCLASS MF426dw, MF429x and MF525x laser multi-function printers. With an impressive line-up of smart functions, these models deliver high-quality prints matched with incredible speed and seamless connectivity. Designed to make multi-tasking effortless, you can rely on these printers to deliver results consistently.


M F 4 2 b d w

PROFESSIONAL EFFICIENCY



ONE-TOUCH EASE

Navigation is now much easier with the vari-angle 5-inch colour touchscreen LCD. The intuitive user interface makes tasks such as copying and scanning effortless, with each function just a tap away.



NETWORK CONNECTIVITY

The Gigabit Ethernet connection ensures fast data transfers. In addition, these versatile printers can be connected to the network via Wi-Fi or directly by cable.



CONSISTENT FAST SPEED

Time is critical for productivity. With MF426dw/ MF429x capable of print speeds up to 38ppm, and even faster at 43ppm for the MF525x, rest assured that your print jobs will be delivered on time.



TAKE CONTROL WITH DEPARTMENT ID

Department ID is a simple and cost-effective measure to monitor and limit print usage. You can even restrict accessible functions such as Scan or Copy.



HIGHER PRINT YIELDS

Enjoy greater print yields of up to 9,200 pages (MF426dw/MF429x) and 20,000 pages (MF525x) with the optional high-yield toners. This means less frequent toner replacements, and more time to focus on your core business.




ESSENTIAL FOR YOUR MOBILE WORKFORCE

With Canon's mobile printing capability, you can print directly from your mobile device, using multiple apps such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria® and Canon Print Service.



PRINT IN SMALL SIZES

The ability to print on small media such as A5 or even A6 size adds even more versatility. You can also print in landscape mode for quicker speed. This is perfect for printing invoices and flyers, or simply reducing the size of your prints.



FRIENDLY MAINTENANCE

ALL-IN-ONE LOW UPKEEP

Canon combines reliable printing with minimal maintenance. For greater convenience, printer toners house the photosensitive drum, cleaning unit and toner reservoir in one cartridge. Better still, an automatic seal removal mechanism makes cartridge replacement effortless.



CUSTOMISED APPLICATION LIBRARY

STAY ORGANISED FOR GREATER EFFICIENCY

The Application Library Function helps to simplify business workflow by empowering you to create custom shortcut icons for frequently used scan, copy or form template functions. By organising icons for regular-use functions on your printer's home screen, you can customize efficiency and productivity to keep pace with your business needs.



ECO-SAVINGS

REDUCE POWER USAGE

The Sleep Mode feature minimises electricity consumption to less than 1W, delivering greater savings and a smaller carbon footprint.

SPECIFICATIONS

		MF426dw	MF429x	MF525x
PRINT				
Printing Method			Monochrome Laser Beam Printing	
Print Speed	A4	38 ppm		43 ppm
	Letter	40 ppm		45 ppm
Print Resolution		600 x 600 dpi		
Print Quality with Image Refinement Technology		2,400 (eq.) x 600 dpi; 1,200 (eq.) x 1,200 dpi (eq.)		
Warm up Time (From Power On)			14 sec or less	
First Printout Time (FPOT)	A4	Approx. 5.5 sec		Approx. 6.2 sec
	Letter	Approx. 5.4 sec		Approx. 6.2 sec
Recovery Time (From Sleep Mode)		4.0 sec or less		
Print Language		UFR II, PCL 6, PostScript®3™		
Auto Duplex Print		Standard		
Available Paper Size for Auto Duplex Print		A4, Legal, Letter, Foolscap, Indian Legal		
USB Direct Print		Supported File Format: JPEG, TIFF, PDF		
Print Margins		5 mm – top, bottom, left and right (Envelope: 10 mm)		
Print Features		Poster, Booklet, Watermark, Page Composer, Toner Saver		
COPY				
Copy Speed	A4	38 ppm		43 ppm
	Letter	40 ppm		45 ppm
Copy Resolution		600 x 600 dpi		
First Copy Time (FCOT)	A4	Approx. 6.6 sec		Approx. 6.4 sec
	Letter	Approx. 6.4 sec		Approx. 6.3 sec
Maximum Number of Copies		Up to 999 copies		
Reduce / Enlargement		25 – 400% In 1% increments		
Copy Features		Frame Erase, Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy		
SCAN				
Scan Resolution	Optical	Platen glass: up to 600 x 600 dpi; Feeder: up to 300 x 300 dpi		
	Driver Enhanced	Up to 9,600 x 9,600 dpi		
Scan Type		Colour Contact Image Sensor		
Maximum Scan Size	Platen Glass	Up to 215.9 x 297 mm		Up to 215.9 x 355.6 mm
	Feeder	Up to 215.9 x 355.6 mm		
Scan Speed ¹⁾		1-Sided: 38 ipm; 2-Sided: 70 ipm		
Colour Depth		24-bit		
Pull Scan		Yes, USB and Network		
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network		
Scan To USB (via USB Host 2.0)		Yes		
Scan To Cloud		MF Scan Utility		
Scan Driver Compatibility		TWAIN, WIA		
SEND				
SEND Method		SMB, Email, FTP, IFAX Simple		
Colour Mode		Full Colour, Grayscale, Monochrome		
Scan Resolution		300 x 600 dpi		
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)		

SPECIFICATIONS

	MF426dw	MF429x	MF525x
FAX			
Modem Speed	Up to 33.6 Kbps		
Fax Resolution	Up to 406 x 391 dpi		
Compression Method	MH, MR, MMR,JBIG		
Memory Capacity ¹	Up to 512 pages		
Favourite Dials (In Address Book)	19 dials		
Speed Dials (Coded Dials)	Up to 281 dials		
Group Dials / Destination	Max. 199 dials / Max. 199 destinations		
Sequential Broadcast	Max. 310 destinations		
Receive Mode	Fax Only, Manual, Answering, Fax / Tel Auto Switch		
Memory Backup	Permanent fax memory backup. (Backup with flash memory)		
Fax Features	Fax Forwarding, Dual Access, Remote Reception, PC Fax (transmission only), RPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports		
Transmission Time	Approx. 2.6 sec		
PAPER HANDLING			
Duplex Auto Document Feeder (DADF)	50 sheets (80 g/m ²)		
Available Paper Size for DADF	A4, B5, A5, A6, Letter, Legal, Statement (Min. 105 x 128 mm to Max. 215.9 x 355.6 mm)		
Paper Input (Based on 80 g/m ²)	Standard Cassette Multi-Purpose Tray Optional Paper Feeder	250 sheets 100 sheets 550 sheets 900 sheets 150 sheets	550 sheets 550 sheets x 3 2,300 sheets 250 sheets
Maximum Paper Capacity			
Paper Output			
Paper Size	Cassette Multi-Purpose Tray	A4, B5, A5, A6, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal A4, B5, A5, A6, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card Envelope: COM10, Monarch, C5, DL Custom (Min. 76.2 x 127.0 mm to Max. 215.9 x 355.6 mm)	Custom (Min. 105.0 x 148.0 mm to Max. 215.9 x 355.6 mm)
Paper Type		Plain, Heavy, Recycled, Colour, Label, Postcard, Envelope	
Paper Weight	ADF Cassette Multi-Purpose Tray	50 to 105 g/m ² 52 to 120 g/m ² 52 to 163 g/m ²	52 to 199 g/m ²
CONNECTIVITY & SOFTWARE			
Standard Interfaces	Wired Wireless	USB 2.0 High Speed, 10Base-T / 100Base-TX / 1000Base-T Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)	
Near Field Communication (NFC)		–	Yes (Passive)
Network Protocol	Print Scan TCP / IP Application Services Management	LPD, RAW, WSD-Print (IPv4, IPv6) Email, SMB, WSD-Scan (IPv4, IPv6) Bonjour (mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)	
Network Security	Wired Wireless	IP / Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSEC WEP 64 / 128 bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES)	
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)	
Other Features		Department ID, Secure Print, Application Library	
Mobile Solution		Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple® AirPrint™, Mopria® Print Service	
Address Book		LDAP	
Compatible Operating Systems ³		Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.7.5 & up ⁴ , Linux ⁵	
Software Included		Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status	
GENERAL			
Device Memory		1 GB	
LCD Display		WVGA Colour LCD 5.0" Touch Screen Display	
Dimensions (W x D x H)		453 x 464 x 392 mm	494 x 464 x 452 mm
Weight		16.2 kg	19.0 kg
Power Consumption	Maximum Average (During Operation) Average (During Standby) Average (During Sleep)	1,300W or less Approx. 540 W Approx. 10 W Approx. 0.9 W (USB / wired LAN / wireless LAN)	1,380 W or less Approx. 680 W Approx. 17 W
Noise Level ⁶	During Operation During Standby	Sound Pressure Level: 59 dB; Sound Power Level: 6.8 B Sound Pressure Level: Inaudible ⁷ ; Sound Power Level: Inaudible	Sound Pressure Level: 58 dB; Sound Power Level: 6.8 B Sound Pressure Level: 29 dB; Sound Power Level: 4.2 B
Operation Environment	Temperature Humidity	10 – 30°C 20% – 80% RH (No Condensation)	
Power Requirement		AC 220 - 240 V (±10%), 50 / 60 Hz (±2 Hz)	
Toner Cartridge ⁸	Standard High	Cartridge 052: 3,100 pages (bundled: 3,100 pages) Cartridge 052H: 9,200 pages 80,000 pages	Cartridge 041: 10,000 pages (bundled: 7,000 pages) Cartridge 041H: 20,000 pages 150,000 pages
Monthly Duty Cycle ⁹			
OPTIONAL ACCESSORIES			
Paper Feeder		Cassette Feeding Module-AH1 (550 sheets)	Paper Feeder PF-C1 (550 sheets)
Attachment Kit for NT-Ware MiCard Reader	–	–	MiCard Attachment Kit-B1
Barcode Printing	–	–	Barcode Printing Kit-E1

¹ Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi. ² Based on ITU-T #1 Chart (standard mode) ³ ScanGear is not available for Windows Server 2003 / 2008 / 2012 ⁴ The latest drivers for Mac OS and Linux can be downloaded from the www.canon-asia.com website when available. Only the print function is supported for Linux. ⁵ Tested in accordance to ISO 7779 and declared per ISO 9296. ⁶ Toner cartridge yield is in accordance with ISO / IEC 19752. ⁷ Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

Canon

Delighting You Always

**South & Southeast Asia
Regional Headquarters**

Canon Singapore Pte. Ltd.
1 Fusionopolis Place,
#15-10, Galaxis,
Singapore 138522
Tel: 65-6799 8888
Fax: 65-6799 8882
www.canon-asia.com

CANON OFFICES

HONG KONG
Canon Hongkong Co., Ltd.
Tel: 852-3191 2388
Fax: 852-2369 3800
www.canon.hk

INDIA
Canon India Pvt. Ltd.
Tel: 91-124 416 0000
Fax: 91-124 416 0011
www.canon.co.in

MALAYSIA
Canon Marketing (Malaysia) Sdn. Bhd.
Tel: 60 3 7844 6000
Fax: 60 3 7845 0505
www.canon.com.my

PHILIPPINES
Canon Marketing (Philippines) Inc.
Tel: 632-884 9090
Fax: 632-556 1456
www.canon.com.ph

SINGAPORE

Canon Singapore Pte. Ltd.
Tel: 65-6799 8888
Fax: 65-6799 8882
www.canon.com.sg

THAILAND
Canon Marketing (Thailand) Co. Ltd.
Tel: 66-2 344 9999
Fax: 66-2 344 9960
www.canon.co.th

VIETNAM
Canon Marketing Vietnam Co. Ltd.
Tel: 84-8 3820 0466
Fax: 84-8 3820 0477
www.canon.com.vn

CANON BUSINESS PARTNERS

AFGHANISTAN
Megapolis Afghanistan Ltd.
Tel: 93 700 228 832 / 700 979 511
Fax: 93 20 220 1259
Email: info@megapolis.com.af

BANGLADESH
J.A.N Associates Ltd.
Tel: 880-2-966-0601
Fax: 880-2-861-0410
www.jan-bd.com

BRUNEI

Interhouse Company
Tel: 673-2-653001
Fax: 673-2-653003
www.ihc.com.bn

CAMBODIA
i-Quick Marketing Co., Ltd.
Tel: 855-23-996638
Fax: 855-23-996639
www.i-quick.com

Royal Cambodia Co. Ltd.
Tel: 855-23-428955
Fax: 855-23-722961
www.royalcambodia.com.kh

INDONESIA
PT. Samantra
Tel: 62-21 2949 5500
Fax: 62-21 345 6699
www.samantra.co.id

MALDIVES
SIMDI Company (Pvt) Ltd.
Tel: 960 - 3334421
Fax: 960 - 3334424
www.simdi.com

MONGOLIA

ITZone
Tel: 976-11-323705
Fax: 976-11-312699
www.itzone.mn/en

MYANMAR
Myanmar Golden Rock International Co., Ltd.
Tel: 95-1 654810 to 19 (10 Lines)
Fax: 95-1 654820
Email: sales@mgr.com.mm

NEPAL
International Electronics Concern (P) Ltd.
Tel: 977-1 4421991
Fax: 977-1 4421909
www.iec.com.np

PAKISTAN
Shirazi Trading Company (Pvt.) Limited
Tel: 92-21-3241 (7659), (7737) or (7747)
Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418)
www.shirazitrading.com.pk

SRI LANKA
Metropolitan Office (Pvt) Ltd.
Tel: 94-11 470 0200
Fax: 94-11 470 0267
www.metropolitan.lk

Dealer's Stamp

0211W689 © 2018 Canon Singapore Pte. Ltd. All rights reserved.
This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, ImageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.