HP LaserJet Managed Flow MFP E62665h (3GY16A)



Overview

This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.[1]

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.[1]

The world's most secure printing[1]

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

Pages, Performance, and Protection.

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

High-speed performance meets energy efficiency

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

Give workgroups the speed they need

Help workgroups capture every page easily and detect potential errors or missed pages —every time.

Features

Consumable Access Control	Data logger & Print Engine Failure Sensor
Fixed-size Cassette Guides	LLC Life Optimization
HP Sure Start	Run-time Intrusion detection

---

[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Specifications

Print Resolution Technologies	FastRes 1200; 1200 x 1200 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 61 ppm
Print speed black (ISO, letter)	Up to 65 ppm
Print speed	Print speed up to 65 ppm (black)
Bottom margin (A4)	4.3 mm
Left margin (A4)	4.3 mm
Right margin (A4)	4.3 mm
Top margin (A4)	4.3 mm
Functions	Print, Copy, Scan and Optional Fax
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 450,000 pages
Duty cycle (monthly, letter)	Up to 450,000 pages[7]
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Replacement cartridges	HP Black Managed LaserJet Toner (50,000 yield) W9004MC. This printer uses newer generation HP cartridges identifiable by a “P” at the end of the cartridge lot number. More at www.hp.com/go/learnaboutsupplies[5]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).

Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com
Compatible Operating Systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd
Sustainable impact specifications	Mercury free
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified; EPEAT® Silver; CECP[1]
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Copy speed (black, normal quality, A4)	Up to 61 cpm
Copy speed black (normal, letter)	Up to 65 cpm
Copy speed black duplex (A4)	Up to 50 cpm
Copy speed black duplex (Letter)	Up to 53 cpm
Digital sending standard features	Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR
Digital sending optional features	Authentication; Data transfer; Digital fax (send to LAN, Internet); Local Address Book; Metadata capture and validation; OCR; Scan workflow management; Send-to-folder; Send-to-printer; Send-to-workflow; via HP Embedded Capture; Optional via HP Digital Sending Software (HP DSS)
Faxing	No
Scan speed (normal, A4)	Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color)

Scan speed (normal, letter)	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications, HP Scan or user application via TWAIN
Scan technology	Charge Coupled Device (CCD); Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display area (imperial)	6.37 x 4.78 in
Display area (metric)	16.2 x 12.1 cm
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Minimum dimensions (W x D x H)	512 x 558 x 640 mm
Minimum dimensions (W x D x H)	20.15 x 22 x 25.2 in
Weight	33.73 kg[3] *(With print cartridges)*
Weight	74.35 lb *(With print cartridges)*
Power consumption	740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)[4]
Power supply type	Built-in 115V or 220V Power Supply
What's in the box	HP LaserJet Managed Flow E62665h MFP; HP Original LaserJet Toner Cartridge (~11,000 pages); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides[2]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)

Additional specifications

ADF Capacity	150
Accessories	2NR12A HP Removable Hard Drive Enclosure; E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM; E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM; B5L29A HP High-Performance Secure Hard Disk; 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory; J8030A HP Jetdirect 3000w NFC/Wireless Accessory; J8031A HP Jetdirect 2900nw Print Server; 2EH31A HP MFP Analog Fax Accessory 700; J8J95A HP 300 ADF Roller Replacement Kit; B5L28A HP Internal USB Ports; 2MU47A HP Accessibility Assistant; 2TD64A HP Accessibility Kit; B5L31A HP Foreign Interface Harness; 4QL32A HP Legic Secure USB Reader; X3D03A HP Universal USB Proximity Card Reader
Acoustic power emissions (active scan)	7.3 B(A)
Acoustic power emissions (active, printing)	7.2 B(A)
Acoustic power emissions (ready)	3.5 B(A)
Acoustic pressure emissions bystander (active scan)	57 dB(A)
Acoustic pressure emissions bystander (active, printing)	57 dB(A)
Acoustic pressure emissions bystander (ready)	15 dB(A)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Automatic document feeder capacity	Standard, 150 sheets
Automatic paper sensor	No
Best technical electricity consumption (TEC)	2.414 kWh/week
Bit depth	24-bit
Business filter	cMPS
Cable included	No, please purchase (USB) cable separately
Capacity	500 GB
Cartons per layer	2 (APJ/AMS); 1 (EMEA)
Certifications and compliances	CSA (Canada), RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), KCC (South Korea), NOM (Mexico), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, FCC approval, Energy Star, UL listed
Color or black	Black and white
Color scanning	Yes

Compatible Network Operating Systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://hp.com/go/upd
Component type	Printer
Consumables CO2e (kg)	11
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard
Copier scaling (ADF)	25 to 200%
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Count of layers in pallet	3 (APJ/AMS); 2 (EMEA)
Country of origin	Made in China (APJ options); Made in the Netherlands (EMEA options); Made in Mexico (AMS options)
Datasheet photo 1	Publication photos/3GY16A.jpg
Datasheet photo 4	Publication photos/E62665_Walkaround.jpg
Datasheet publication number	4AA7-4688
Downloadable software	From http://123.hp.com; HP Easy Start (Guided Software Install for Windows and Mac); From http://hp.com for Windows OS; Fullsolution software and drivers; Basicsolution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support; From http://hp.com for Mac OS; HP Easy Start (Guided Software Install); HP Mac PS Print Driver; HP Easy Admin; For Mobile OS; iOS For more information see http://hp.com/go/businessmobileprinting; Android For more information see http://hp.com/go/businessmobileprinting; From http://hp.com for printer administrators; Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; HP ePrint Software (Mobile Driver for Windows); SAP Print Drivers for more information see http://support.hp.com/usen/document/c05051702; HP Web JetAdmin; HP JetAdvantage Security Manager; HP Roam; HPLIP Linux Printer Driver for more information see http://hplipopensource.com/hplipweb/index.html; Unix Model Script Printer Driver for more information see http://hp.com/go/unixmodelscripts; ReadIris

Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to http://www.hp.com/support/ljE62665MFP; Outside the US, go to http://www.hp.com/support 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD
Duplex ADF scanning	Yes
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
End of Life CO2e (kg)	0.3
Energy Usage CO2e (kg)	78
Engine life	1350000
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	Yes, 75
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax phone TAM interface supported	No
Fax telephone mode supported	No
File Format Supported	CSV (OCR); HTML; PDF; PDF/A; RTF (OCR); Searchable PDF (OCR); Searchable PDF/A (OCR); TEXT (OCR); TIFF; Unicode TEXT (OCR); XPS
Finished output handling	Input: Sheetfed
First copy out black (A4)	As fast as 4.9 sec
First copy out black (A4, sleep)	As fast as 10.4 sec
First copy out black (letter)	As fast as 4.8 sec
First copy out black (letter, sleep)	As fast as 10.3 sec
First page out black (A4, ready)	As fast as 5.3 sec
First page out black (A4, sleep)	As fast as 7.9 sec
First page out black (letter, ready)	As fast as 5.1 sec
First page out black (letter, sleep)	As fast as 7.8 sec

Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Internal Storage	Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 160 envelopes
Maximum Memory	4.5 GB MAX memory, when Accessory DIMM is installed
Maximum dimensions (W x D x H)	1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
Maximum dimensions (W x D x H)	40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
Maximum input capacity (sheets)	Up to 3750 sheets
Maximum metric depth	808
Maximum metric height	865
Maximum metric width	1030
Maximum output capacity (sheets)	Up to 1000 sheets
Maximum print area	212 x 352 mm
Media size (ADF)	Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in
Media size, tray 1	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm
Media size, tray 2	A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm
Media size, tray 3	Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL, 90 x 148 to 178 x 254 mm
Media sizes supported	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL; Automatic Duplexer: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16K

Media sizes supported	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet tray: letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 2000-sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10, Monarch; Automatic Duplexer: letter, legal, executive, 8.5x13
Media sizes, custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mm
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 11.7 in; Optional 550-sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10 in
Media type and capacity, ADF	Sheets: 150
Media type and capacity, tray 1	Sheets: 100; Transparencies: 50; Envelopes: 10
Media type and capacity, tray 2	Sheets: 550; labels: 50
Media type and capacity, tray 3	Sheets: 550; labels: 50
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope
Media weight (tray 1)	60 to 200 g/m²
Media weight (tray 2)	60 to 120 g/m²
Media weight, supported	Feeder 1: 60 to 200 g/m²; feeder 2: 60 to 120 g/m²; Automatic Duplexer: 60 to 120 g/m²
Media weight, supported	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Automatic Duplexer: 16 to 32 lb
Media weights, supported ADF	45 to 199 g/m²
Media weights, supported ADF	12 to 53 lb
Memory	1.5 GB (printer); 1 GB (scanner)
Memory Slots	1 slot, 144-pin, DDR3 DIMM
Memory footnote	Maximum physical memory present is reported. Actual usable amount by firmware might be less.
Memory upgrade	Expandable to 4.5 GB through one 144-pin DDR3 DIMM slot
Metric depth	558
Metric height	640
Metric width	512
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
Model number	E62665h
Native scan file format	PDF; JPG; TIFF; MTIFF
Number of print cartridges	1 (black)

Number of users	10-30 Users
Operating humidity range	10 to 80% RH
Operating temperature range	15 to 30°C
Operating temperature range	59 to 86°F
Orderable supplies	J8J87A HP LaserJet 110V Maintenance Kit; J8J88A HP LaserJet 220V Maintenance Kit; P1B92A HP LaserJet 220V Fuser Kit; P1B93A HP LaserJet Image Transfer Belt Kit; P1B94A HP LaserJet Toner Collection Unit
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	700 x 639 x 785 mm
Package dimensions (W x D x H)	27.6 x 25.2 x 30.9 in
Package weight	38 kg
Package weight	83.8 lb
Pallet dimensions	52.2 x 29.8 x 97.7 in (APJ/AMS); 29.8 x 26.8 x 66.7 in (EMEA)
Pallet dimensions (W x D x H)	1325 x 756 x 2482 mm (AMS/APJ); 756 x 680 x 1695 mm (EMEA)
Pallet weight	534.6 lb (APJ/AMS); 187.4 lb (EMEA)
Pallet weight	242.5 kg (APJ/AMS); 85 kg (EMEA)
Paper handling input, optional	Optional 550-sheet paper feeder, 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity input with 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder
Paper handling input, standard	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder
Paper handling output, standard	500-sheet output feeder, two-sided printing
Paper trays, maximum	6
Paper trays, standard	2
Plug and play	HP Smart Install
Power	Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Print quality black (normal)	FastRes1200
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 100 ppm
Print speed black (Portrait, A5)	Up to 6 ppm
Print speed duplex (A4)	Up to 50 ipm
Print speed duplex (letter)	Up to 53 ipm

Print speed footnote number (A5)	[14]
Print technology	Laser
Printer Management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	6000
Processor speed	1.2 GHz
Product long name specifications	HP LaserJet Managed Flow MFP E62665h, Black and white Printer for Business, Print, Copy, Scan and Optional Fax, Front USB flash drive port; Two-sided printing
Product short name specifications	HP LaserJet Flow E62665h Multifunction Black and white Printer, Ethernet Only; Copier, Scanner
Production CO2e (kg)	63
Quantity per pallet	6 (APJ/AMS); 2 (EMEA)
RMN number	BOISB-1502-02
Recommended media weight (duplex)	60 to 120 g/m²
Recommended media weight (duplex)	16 to 32 lb
Recommended monthly page volume	5000 to 40,000
Recommended monthly scan volume	27,000 to 45,000
Recommended monthly scan volume note	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	63.5 to 77°F
Recommended operating temperature range	17.5 to 25°C
Resolution	Up to 600 dpi
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi

Scan size (ADF), maximum	8.5 x 34.0 in
Scan size (ADF), maximum	216 x 864 mm
Scan size (ADF), minimum	2.7 x 5.8 in
Scan size (ADF), minimum	68 x 148 mm
Scan size, maximum	216 x 356 mm
Scan size, maximum	8.5 x 14 in
Scan speed duplex (normal, A4)	Up to 167 ipm (b&w), up to 167 ipm (color)
Scan speed duplex (normal, letter)	Up to 180 ipm (b&w), up to 180 ipm (color)
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in ArcSight and Splunk SIEMs
Standard media sizes (duplex)	A4; A5; 16K; Oficio; RA4; B5 (JIS)
Standard media sizes (duplex, imperial)	Letter; Legal; Executive; 8.5 x 13 in
Standard output capacity (envelopes)	Up to 75 envelopes
Standard output capacity (transparencies)	Up to 200 sheets
Storage device and direct print support	USB Printing; Front-facing USB/Flash drive
Storage temperature range	-4 to 104°F
Storage temperature range	-20 to 40°C
Target user and print volume	For teams over 25 users; Prints up to 40,000 pages/month
Tariff numbers	8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433120(AP-Base-HTS)
Technology logo 1	Publication logos/AMS_EnergyStar.jpg
Technology logo 2	Publication logos/AMS_ windows_10.jpg
Technology logo 3	Publication logos/AMS_mac_hires.jpg
Technology logo 4	Publication logos/AMS_AirPrint.jpg
Technology logo 5	Publication logos/AMS_Mopria.jpg
Technology logo 6	Publication logos/AMS_Epeat silver.jpg

Top key features	Front-facing USB printing; Scan to email/PDF; Scan to PDF; Two-sided printing; Two-sided scanning; 150-sheet ADF
Total CO2e (kg)	180 *(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)*
Transportation CO2e (kg)	25
Tray capacity	800
Twain version	Version 2.1
Typical electricity consumption (TEC) number	0.796 kWh/Week (Energy Star 3.0)[10]
UNSPSC code	43212110
UPC number	193015237667
Warm-up time	170 sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd; HP JetAdvantage Security Manager: http://www.hp.com/go/securitymanager; HP JetAdvantage On Demand Cloud Solutions: http://www.hp.com/go/JetAdvantageondemand

---

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

[2] Standard cartridges included; yields 11,000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[3] With print cartridges

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

[5] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[10] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	**U9NM8E ★**
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	**U9NN1E ★**
HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN9PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN7PE
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN2E
HP 4 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NM9E
HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN3E
HP 5 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN0E

Imaging and Printing Commercial Care Pack Services

HP Installation Service with network configuration for Workgroup Printer(1 unit)	**U9JT2E ★**
HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed	U9NP1PE
HP 3 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN4E
HP 4 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN5E
HP 5 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN6E
HP Print Carbon Neutral Certification Service	U34Y1E

HP CarbonNeutral

HP CarbonNeutral

HP Print Carbon Neutral Certification Service for A4 Products only	U67T2E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Laser Printer Supply Kits

HP 300 ADF Roller Replacement Kit	**J8J95A ★**
HP LaserJet 110V Maintenance Kit	**J8J87A ★**

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A

Accessories

Memory

★ : Recommended

DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	**E5K48A ★**
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	**E5K49A ★**
HP 2GB 144-Pin DDR3 TAA Version DIMM	**2NR09A ★**

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	**2TD64A ★**
HP Printing Voice Assistant	478C2A

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	**B5L31A ★**

Port Cables and Cable Adapters

HP Internal USB Ports	**B5L28A ★**

Security and Protection

Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	**Y7C05A ★**
HP USB Universal Card Reader	**X3D03A ★**

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk	**B5L29A ★**

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	**3JN69A ★**

Internal Print Servers

HP Jetdirect LAN Accessory	**8FP31A ★**

Paper Handling

Input Trays

HP LaserJet 1x550 Paper Feeder and Cabinet	**J8J91A ★**
HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand	**J8J92A ★**
HP LaserJet 3x550-sheet Paper Feeder with Cabinet	**J8J93A ★**
HP LaserJet 550-sheet Feeder Tray	**J8J89A ★**

Envelope Feeders

HP LaserJet Envelope Feeder	**J8J90A ★**

Fax Upgrades

HP MFP Analog Fax Accessory 700	**2EH31A ★**

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	**35H11A ★**
HP SIM for HID iClass for HIP2 Reader	**Y7C07A ★**

HP Document and Workflow Solutions

HP Document and Workflow Solutions Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

HP Document and Workflow Solutions Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
HP Workpath Apps	HPJA_AP

HP Document and Workflow Solutions Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

HP Document and Workflow Solutions Mobile Printing

ePRINTit	HP3PEPRINTIT

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.