



# HP LaserJet Enterprise Flow MFP M528c (1PV66A)



## Overview

**Handle business solutions securely, plus help conserve energy with HP EcoSmart toner**

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart toner black. Keep up with the demands of growing business with a printer you can rely on.[8]

### **The world's most secure printing[1]**

Each printer in your fleet checks its operating code and repairs itself from attacks.

### **Low costs, low energy use**

Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.

### **Your whole fleet. At your control.**

Centralize control of your printing environment with HP Web Jetadmin[4]—and help build business efficiency.

### **Give workgroups the speed they need**

Help workgroups capture every page easily and detect potential errors or missed pages—every time.

## Features

Low energy consumption

World's most secure printing<sup>[1]</sup>

Robust mobility

Enhanced user interface

Enterprise manageability

Enhanced workflows

---

*[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit [hp.com/go/PrintersThatProtect](http://www.hp.com/go/PrintersThatProtect). For more information: <http://www.hp.com/go/printersecurityclaims>*

*[4] HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>*

*[8] HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.*

## Specifications

|  |   |
|--|---|
| <b>Print Resolution Technologies</b>     | 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200   |
| <b>Print quality black (best)</b>        | Up to 1200 x 1200 dpi   |
| <b>Print speed black (ISO, A4)</b>       | Up to 43 ppm (default) ; Up to 50 ppm (HP High Speed)   |
| <b>Print speed black (ISO, letter)</b>   | Up to 45 ppm (default) ; Up to 52 ppm (HP High Speed)   |
| <b>Print speed</b>                       | Print speed up to 52 ppm (black) (HP High Speed)  |
| <b>Functions</b>                         | Print, copy, scan, fax  |
| <b>Duplex printing</b>                   | Automatic (standard)  |
| <b>Duty cycle (monthly, A4)</b>          | Up to 150,000 pages   |
| <b>Duty cycle (monthly, letter)</b>      | Up to 150,000 pages   |
| <b>Printer smart software features</b>   | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB   |
| <b>Copier smart software features</b>    | Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build   |
| <b>Scanner advanced features</b>         | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone |
| <b>Fax smart software features</b>       | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule  |
| <b>Energy savings feature technology</b> | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy  |
| <b>Replacement cartridges</b>            | HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) CF289A; HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages) CF289Y <sup>[16]</sup>  |
| <b>Supplies feature</b>                  | HP JetIntelligence Cartridge  |
| <b>Connectivity, standard</b>            | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax;   |
| <b>Connectivity, optional</b>            | HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A   |
| <b>Modem</b>                             | 33.6 kbps   |
| <b>Network capabilities</b>              | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.  |

|   |  |
|---|--|
| <b>Wireless capability</b>                    | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A  |
| <b>Mobile printing capability</b>             | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing   |
| <b>Network protocols, supported</b>           | Via built-in networking solution: TCP/IP; IPv4; IPv6; Print: TCP-IP port 9100 Direct Mode; LPD (raw queue support only); Web Services Printing; IPP 2.0; Apple AirPrint™; HP ePrint; FTP Print; Google Cloud Print; Discovery: SLP; Bonjour; Web Services Discovery; IP Config: IPv4 (BootP; DHCP; AutoIP; Manual; TFTP Config; ARP-Ping); IPv6 (Stateless Link-Local and via Router; Stateful via DHCPv6); Management: SNMPv2/v3; HTTP/HTTPS; Telnet; TFTP Config; Syslog; Security: SNMPv3; SSL Cert Management; IPSec/Firewall; ACL; 802.1x |
| <b>Software included</b>                      | No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com">http://123.hp.com</a>   |
| <b>Compatible Operating Systems</b>           | Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave   |
| <b>Sustainable impact specifications</b>      | Mercury free   |
| <b>Energy star certified</b>                  | Yes  |
| <b>Ecolabels</b>                              | CECP; EPEAT® Gold registered; ENERGY STAR® certified <sup>[11]</sup>   |
| <b>Copy speed (black, normal quality, A4)</b> | Up to 43 cpm (default) ; Up to 50 cpm (HP High Speed)  |
| <b>Copy speed black (normal, letter)</b>      | Up to 45 cpm (default) ; Up to 52 cpm (HP High Speed)  |
| <b>Copy speed black duplex (A4)</b>           | Up to 34 cpm   |
| <b>Copy speed black duplex (Letter)</b>       | Up to 36 cpm   |
| <b>Digital sending standard features</b>      | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR   |
| <b>Digital sending optional features</b>      | Authentication; Digital fax (send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to-printer; Send-to-workflow   |
| <b>Fax Resolution Black (best)</b>            | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)  |
| <b>Faxing</b>                                 | Yes  |
| <b>Scan speed (normal, A4)</b>                | Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color)   |
| <b>Scan speed (normal, letter)</b>            | Up to 48 ppm/68 ipm (b&w), up to 48 ppm/60 ipm (color)   |
| <b>Scan file format</b>                       | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)   |

|                                       |   |
|---------------------------------------|---|
| <b>Scan input modes</b>               | Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXF) applications  |
| <b>Scan technology</b>                | Contact Image Sensor (CIS)  |
| <b>Scanner type</b>                   | Flatbed, ADF  |
| <b>Display area (imperial)</b>        | 6.37 x 4.78 in  |
| <b>Display area (metric)</b>          | 162 x 121.5 mm  |
| <b>Display</b>                        | 8.0 in (20.3 cm), touchscreen (1024x768), LCD (color graphics), smooth gesture, enabled touchscreen   |
| <b>Minimum dimensions (W x D x H)</b> | 482 x 496 x 497 mm  |
| <b>Minimum dimensions (W x D x H)</b> | 18.98 x 19.52 x 19.55 in  |
| <b>Weight</b>                         | 22.13 kg <sup>[2]</sup><br><i>(With print cartridges)</i>   |
| <b>Weight</b>                         | 49.16 lb<br><i>(With print cartridges)</i>  |
| <b>Power consumption</b>              | 629 watts (Printing), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off) <sup>[3]</sup>  |
| <b>Power supply type</b>              | Built-in 115V or 220V Power Supply  |
| <b>What's in the box</b>              | HP LaserJet Enterprise Flow M528c MFP; HP Original LaserJet Introductory Toner Cartridge (~7,500 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax cable; Japan jtr errata (ABJ) <sup>[1]</sup> |
| <b>Manufacturer Warranty</b>          | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)                          |

## Additional specifications

|   |  |
|---|--|
| <b>ADF Capacity</b>   | 100  |
| <b>Accessories</b>  | HP LaserJet 550 Sheet Paper Tray F2A72A, HP LaserJet Printer Cabinet F2A73A, HP Secure Hard Disk Drive with FIPS Validation (TAA Compliant) 1PV95A, TAA FIPS/CC HDD Accessory 5EL03A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A, HP JetDirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP 1 GB DDR3 x32 144-Pin 800 MHz SODIMM E5K48A, HP 2 GB DDR3x32 144-Pin 800 MHz SODIMM Accessory E5K49A, HP Removable Hard Drive Enclosure 2NR12A, Accessibility Assistant 2MU47A HP Accessibility Kit 2TD64A, HP Foreign Interface Harness B5L31A, HP LaserJet Keyboard Overlay Kit Sweden A7W14A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP Logic Card Reader 4QL32A |
| <b>Acoustic power emissions (active scan)</b>                   | 6.7 B(A)   |
| <b>Acoustic power emissions (active, printing)</b>              | 6.8 B(A)   |
| <b>Acoustic power emissions (ready)</b>                         | 4.0 B(A)   |
| <b>Acoustic pressure emissions bystander (active scan)</b>      | 52 dB(A)   |
| <b>Acoustic pressure emissions bystander (active, printing)</b> | 54 dB(A)   |
| <b>Acoustic pressure emissions bystander (ready)</b>            | 25 dB(A)   |
| <b>Auto fax reduction supported</b>                             | Yes  |
| <b>Automatic document feeder capacity</b>                       | Standard, 100 sheets   |
| <b>Automatic paper sensor</b>                                   | No   |
| <b>Best technical electricity consumption (TEC)</b>             | 1.414 KWh/week <sup>[8]</sup>  |
| <b>Best technical electricity consumption (TEC) footnote</b>    | [8] Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O - Energy Efficient Ethernet - was used.   |
| <b>Bit depth</b>  | 24-bit   |
| <b>Bottom margin (A4)</b>                                       | 4.3 mm   |
| <b>Business filter</b>  | cMPS   |
| <b>Cable included</b>   | No, please purchase USB cable separately   |
| <b>Capacity</b>   | 320 GB   |
| <b>Cartons per layer</b>  | 2  |

**Certifications and compliances**

CSA (Canada), ACA (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), MIC (South Korea), NOM (Mexico), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, FCC approval, Energy Star, TCO '99, Windows certified (Microsoft Windows 2000 and Microsoft Windows XP), UL listed

**Color or black**

Black and white

**Color scanning**

Yes

**Compatible Network Operating Systems**

Windows 11; Windows Server; Linux; Citrix; UNIX; Novell

**Component type**

Printer

**Control panel**

8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)

**Copier scaling (ADF)**

25 to 200%

**Copier settings**

Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; content orientation; collation; booklet; job build; edge-to-edge job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)

**Copies, maximum**

Up to 9999 copies

**Copy reduce / enlarge settings**

25 to 400%

**Copy resolution (black text)**

Up to 600 x 600 dpi

**Copy resolution (color text and graphics)**

Up to 600 x 600 dpi

**Count of layers in pallet**

3

**Country of origin**

Made in China (AB2, AB0, ABJ, ACJ, BBU, BGM); Made in Netherlands (B19, ABY, ACQ, B09, B13, ABT, BAZ); Made in Mexico (BGJ, AC8, AKV, AC4, 201, AAZ); Made in Brazil (696)

**Distinctive ring detection supported**

No

**Downloadable software**

From <http://123.hp.com>, HP Easy Start (Guided Software Install for Windows and Mac), From <http://hp.com> for Windows OS, Fullsolution software and drivers, Basicsolution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <http://hp.com> for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>, From <http://hp.com> for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see <http://support.hp.com/usen/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplipweb/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, Readiris

**Driver updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <http://www.hp.com/support/ljM528mfp>; Outside the US, go to <http://www.hp.com/support> 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD

|   |  |
|---|--|
| <b>Duplex ADF scanning</b>                  | Yes, single pass duplex scanning   |
| <b>Dynamic security</b>                     | Dynamic security enabled printer   |
| <b>Electromagnetic compatibility</b>        | CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries. |
| <b>Engine life</b>                          | 300000   |
| <b>Enhanced scanning resolution</b>         | Up to 600 dpi  |
| <b>Envelope Feeder</b>                      | No   |
| <b>FCC Class A emissions</b>                | FCC Class A emissions - for use in commercial environments, not residential environments   |
| <b>Fax Auto Redial</b>                      | Yes  |
| <b>Fax Broadcast Locations</b>              | 210  |
| <b>Fax PC Interface Supported</b>           | Yes  |
| <b>Fax Polling</b>                          | Yes (poll to receive only)   |
| <b>Fax Remote Retrieval</b>                 | No   |
| <b>Fax Speed Dials, Maximum Number</b>      | Up to 1000 numbers (each with 210 destinations)  |
| <b>Fax Transmission Speed</b>               | 33.6 kbps  |
| <b>Fax delayed sending</b>                  | No   |
| <b>Fax forwarding</b>                       | Yes  |
| <b>Fax memory</b>                           | Up to 500 pages  |
| <b>Fax memory</b>                           | Up to 500 pages  |
| <b>Fax resolution black</b>                 | Up to 203 x 196 dpi  |
| <b>Fax telephone mode supported</b>         | No   |
| <b>Fax transmission speed (letter)</b>      | 3 sec per page   |
| <b>File Format Supported</b>                | CSV; HTML; JPG; MTIFF; PDF; PDF/A; RTF; Text; TIFF; Unicode Text; XPS  |
| <b>Finished output handling</b>             | Sheetfed   |
| <b>First copy out black (A4)</b>            | As fast as 6.5 sec   |
| <b>First copy out black (A4, sleep)</b>     | As fast as 13 sec  |
| <b>First copy out black (letter)</b>        | As fast as 6.5 sec   |
| <b>First copy out black (letter, sleep)</b> | As fast as 13 sec  |
| <b>First page out black (A4, ready)</b>     | As fast as 6 sec   |

|   |   |
|---|---|
| <b>First page out black (A4, sleep)</b>     | As fast as 13 sec   |
| <b>First page out black (letter, ready)</b> | As fast as 6 sec  |
| <b>First page out black (letter, sleep)</b> | As fast as 13 sec   |
| <b>Fonts and typefaces</b>                  | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">Http://www.hp.com/go/laserjetfonts</a> |
| <b>Input capacity</b>                       | Up to 650 sheets  |
| <b>Internal Storage</b>                     | Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)  |
| <b>Junk fax barrier</b>                     | Yes   |
| <b>Left margin (A4)</b>                     | 4.3 mm  |
| <b>Levels of grayscale</b>                  | 256   |
| <b>Mac compatible</b>                       | Yes   |
| <b>Maximum Input Capacity (envelopes)</b>   | Up to 10 envelopes  |
| <b>Maximum Memory</b>                       | 3.75 GB MAX memory, when Accessory DIMM is installed  |
| <b>Maximum dimensions (W x D x H)</b>       | 19.96 x 24.83 x 19.55 in  |
| <b>Maximum dimensions (W x D x H)</b>       | 507 x 631 x 497 mm  |
| <b>Maximum input capacity (sheets)</b>      | Up to 2300 sheets   |
| <b>Maximum metric depth</b>                 | 631   |
| <b>Maximum metric height</b>                | 497   |
| <b>Maximum metric width</b>                 | 507   |
| <b>Maximum output capacity (sheets)</b>     | Up to 250 sheets  |
| <b>Maximum print area</b>                   | 212 x 352 mm  |
| <b>Media size (ADF)</b>                     | Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in  |
| <b>Media size, tray 1</b>                   | A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340); 16K; postcards (JIS single and double); envelopes (B5, C5, C6, DL); 76.2 x 127 to 215.9 x 355.6 mm   |
| <b>Media size, tray 2</b>                   | A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 215.9 x 355.6 mm   |
| <b>Media size, tray 3</b>                   | A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 215.9 x 355.6 mm   |
| <b>Media sizes supported</b>                | Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional 550-sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional Automatic Duplexer: A4, RA4, Oficio (216 x 340)                                      |

|  |  |
|--|--|
| <b>Media sizes supported</b>                     | Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in |
| <b>Media sizes supported, key</b>                | 4 x 6 in; Letter; Legal; Envelopes   |
| <b>Media sizes supported, key</b>                | 10 x 15 cm; A4; Envelopes  |
| <b>Media sizes, custom</b>                       | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in  |
| <b>Media sizes, custom</b>                       | Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x 355.6 mm  |
| <b>Media type and capacity, ADF</b>              | Sheets: 100, 75 g/m <sup>2</sup>   |
| <b>Media type and capacity, tray 1</b>           | Sheets: 100; Transparencies: 50; Envelopes: 10   |
| <b>Media type and capacity, tray 2</b>           | Sheets: 550  |
| <b>Media type and capacity, tray 3</b>           | Sheets: 550  |
| <b>Media types</b>                               | Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined  |
| <b>Media weight (tray 1)</b>                     | 60 to 200 g/m <sup>2</sup>   |
| <b>Media weight (tray 2)</b>                     | 60 to 120 g/m <sup>2</sup>   |
| <b>Media weight (tray 3)</b>                     | 60 to 120 g/m <sup>2</sup>   |
| <b>Media weight, supported</b>                   | Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb  |
| <b>Media weight, supported</b>                   | Tray 1: 60 to 200 g/m <sup>2</sup> ; tray 2+: 60 to 120 g/m <sup>2</sup>   |
| <b>Media weights, supported ADF</b>              | 45 to 200 g/m <sup>2</sup>   |
| <b>Media weights, supported ADF</b>              | 12 to 53 lb  |
| <b>Memory</b>                                    | 1.25 GB (printer); 512 MB (Scanner)  |
| <b>Memory Slots</b>                              | 1 slot, 144-pin, SODIMM  |
| <b>Memory footnote</b>                           | [17] Maximum physical memory present is reported. Actual usable amount by firmware might be less.  |
| <b>Memory upgrade</b>                            | Expandable to 3.75 GB through one 144-Pin SODIMM HP accessory  |
| <b>Metric depth</b>                              | 496  |
| <b>Metric height</b>                             | 497  |
| <b>Metric width</b>                              | 482  |
| <b>Minimum System Requirements</b>               | 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com   |
| <b>Minimum System Requirements for Macintosh</b> | 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com   |
| <b>Model number</b>                              | M528c  |
| <b>Number of print cartridges</b>                | 1 (black)  |
| <b>Number of users</b>                           | 5-15 Users   |
| <b>Operating humidity range</b>                  | 10 to 80% RH   |

|  |   |
|--|---|
| <b>Operating temperature range</b>         | 10 to 32.5°C  |
| <b>Operating temperature range</b>         | 50 to 90.5°F  |
| <b>Orderable supplies</b>                  | HP Staple Cartridge Refill Q7432A, HP 200 ADF Roller Replacement Kit W5U23A   |
| <b>Output capacity</b>                     | Up to 250 sheets  |
| <b>Package dimensions (W x D x H)</b>      | 28.9 x 23.3 x 24.1 in   |
| <b>Package dimensions (W x D x H)</b>      | 735 x 592 x 613 mm  |
| <b>Package weight</b>                      | 29.3 kg   |
| <b>Package weight</b>                      | 65.0 lb   |
| <b>Pallet dimensions</b>                   | 47.2 x 31.5 x 77.7 in   |
| <b>Pallet dimensions (W x D x H)</b>       | 1200 x 800 x 1973 mm  |
| <b>Pallet weight</b>                       | 440 lb  |
| <b>Pallet weight</b>                       | 200 kg  |
| <b>Paper handling input, optional</b>      | Optional 550-sheet tray (add up to 3 trays)   |
| <b>Paper handling input, standard</b>      | 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing  |
| <b>Paper handling output, standard</b>     | 250-sheet output bin, convenience stapler   |
| <b>Paper trays, maximum</b>                | 5   |
| <b>Paper trays, standard</b>               | 2   |
| <b>Plug and play</b>                       | HP Smart Install  |
| <b>Power</b>                               | Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 4 A. Not dual voltage, power supply varies by part number with # Option code identifier.   |
| <b>Print Technology</b>                    | Laser   |
| <b>Print colors</b>                        | No  |
| <b>Print languages</b>                     | HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™   |
| <b>Print quality black (normal)</b>        | Up to 600 x 600 dpi   |
| <b>Print resolution black (fine lines)</b> | Up to 1200 x 1200 dpi   |
| <b>Print speed black (Landscape, A5)</b>   | Up to 65 ppm  |
| <b>Print speed duplex (A4)</b>             | Up to 34 ipm  |
| <b>Print speed duplex (letter)</b>         | Up to 36 ipm  |
| <b>Print speed footnote number (A5)</b>    | [13]  |
| <b>Print technology</b>                    | Laser   |
| <b>Printer Management</b>                  | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) |

|   |   |
|---|---|
| <b>Printer black pages (MPV black)</b>              | 2400  |
| <b>Processor speed</b>                              | 1.2 GHz   |
| <b>Product long name specifications</b>             | HP LaserJet Enterprise Flow MFP M528c, Black and white Printer for Business, Print, copy, scan, fax, Automatic document feeder; Front USB flash drive port; Flow; Two-sided printing  |
| <b>Product short name specifications</b>            | HP LaserJet Enterprise Flow M528c Multifunction Black and white Printer, Ethernet Only; Copier, Scanner   |
| <b>Quantity per pallet</b>                          | 6   |
| <b>RMN number</b>                                   | BOISB-1807-03   |
| <b>Recommended media weight (duplex)</b>            | 16 to 32 lb   |
| <b>Recommended media weight (duplex)</b>            | 60 to 120 g/m <sup>2</sup>  |
| <b>Recommended monthly page volume</b>              | 2000 to 7500 <sup>[6]</sup>   |
| <b>Recommended monthly scan volume</b>              | 8000 to 14,000  |
| <b>Recommended operating humidity range</b>         | 30 to 70% RH  |
| <b>Recommended operating temperature range</b>      | 59 to 80.6°F  |
| <b>Recommended operating temperature range</b>      | 15 to 27°C  |
| <b>Resolution</b>                                   | 600 dpi optical   |
| <b>Resolution (black and white, standard mode)</b>  | 203 x 98 dpi  |
| <b>Resolution (black and white, superfine mode)</b> | Up to 203 x 392 or 300 x 300 dpi  |
| <b>Resolution (black photo grayscale)</b>           | 300 x 300 dpi (400 x 400 dpi for received faxes only)   |
| <b>Right margin (A4)</b>                            | 4.3 mm  |
| <b>Safety</b>                                       | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); IEC 62471:2006/EN 62471:2008 (LED lighting); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries. |
| <b>Scan resolution, hardware</b>                    | Up to 600 x 600 dpi   |
| <b>Scan resolution, optical</b>                     | Up to 600 dpi   |
| <b>Scan size (ADF), maximum</b>                     | 216 x 864 mm  |
| <b>Scan size (ADF), maximum</b>                     | 8.5 x 34.0 in   |

|  |  |
|--|--|
| <b>Scan size (ADF), minimum</b>                  | 101.6 x 148 mm   |
| <b>Scan size (ADF), minimum</b>                  | 4 x 5.8 in   |
| <b>Scan size, maximum</b>                        | 216 x 356 mm   |
| <b>Scan size, maximum</b>                        | 8.5 x 14 in  |
| <b>Scan speed duplex (normal, A4)</b>            | Up to 64 ipm (b&w), up to 58 ipm (color)   |
| <b>Scan speed duplex (normal, letter)</b>        | Up to 68 ipm (b&w), up to 60 ipm (color)   |
| <b>Security management</b>                       | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Connection Inspector - helps ensure network connections to device are safe, Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and accessible in ArcSight, Splunk, and McAfee(ESM) SIEMs |
| <b>Standard media sizes (duplex)</b>             | A4; RA4; Oficio  |
| <b>Standard media sizes (duplex, imperial)</b>   | Letter; Legal; Folio   |
| <b>Standard output capacity (envelopes)</b>      | Up to 10 envelopes   |
| <b>Standard output capacity (transparencies)</b> | Up to 75 sheets  |
| <b>Storage</b>                                   | 500 GB hard disk drive   |
| <b>Storage device and direct print support</b>   | USB Printing; Front-facing USB/Flash drive   |
| <b>Storage temperature range</b>                 | -20 to 40°C  |
| <b>Storage temperature range</b>                 | -4 to 104°F  |
| <b>Target user and print volume</b>              | For teams up to 15 users; Prints up to 7,500 pages/month   |
| <b>Tariff numbers</b>                            | (AMS) 8443321010; (EMEA) 8443321010; (APJ) 84433231  |
| <b>Telecom compliance (fax capability)</b>       | Telecom wired: ES 203 021-1 v2.1.1 / ES 203 021-2 v2.1.2 / ES 203 021-3 v2.1.2; FCC Rules & Regulations 47 CFR Part 68; Industry Canada CS-03; Other Telecom approvals as required by individual countries.  |
| <b>Telephone handset supported</b>               | No   |
| <b>Top key features</b>                          | Front-facing USB printing; Scan to email; Two-sided printing; Two-sided scanning   |
| <b>Top margin (A4)</b>                           | 4.3 mm   |

|   |   |
|---|---|
| <b>Tray capacity</b>                                | 650   |
| <b>Typical electricity consumption (TEC) number</b> | 0.446 kWh/Week (Energy Star 3.0) <sup>[8]</sup>   |
| <b>UNSPSC code</b>                                  | 43212110  |
| <b>UPC number</b>                                   | (201) 192545079846; (696) 192545079822; (AAZ) 192545079853; (AB0) 192545079693; (AB2) 192545079709; (ABJ) 192545079716; (ABT) 192545079754; (ABY) 192545079761; (AC4) 193808309809; (AC8) 192545079839; (ACJ) 192545079723; (ACQ) 192545079778; (AKV) 192545696197; (B13) 192545079792; (B19) 192545079808; (BAZ) 192545079815; (BBU) 192545079730; (BGJ) 192545079860; (BGM) 192545079747  |
| <b>Warm-up time</b>                                 | 202 sec   |
| <b>Web address for additional information</b>       | Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP Imaging & Printing Security Center: <a href="http://www.hp.com/go/ipsc">http://www.hp.com/go/ipsc</a> ; On Demand Cloud Solutions: <a href="http://www.hpjetadvantage.com/ondemand">http://www.hpjetadvantage.com/ondemand</a> Product Support: <a href="http://www.hp.com/support/ljM527MFP">http://www.hp.com/support/ljM527MFP</a> |

[1] In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>.

[2] With print cartridges

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[6] HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>.

[8] Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O - Energy Efficient Ethernet - was used.

[11] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

[16] Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm.

## Ink/Toner/Paper/Printer Supplies

### HP Maintenance Kits

★ : Recommended

#### HP ScanJet Maintenance Kits

|                                   |          |
|-----------------------------------|----------|
| HP 200 ADF Roller Replacement Kit | W5U23A ★ |
| HP 200 ADF Roller Replacement Kit | W5U23A ★ |

### HP Laser Toner Cartridges and Kits

#### HP Black and White Laser Toner Printer Cartridges

|   |        |
|---|--------|
| HP 89A Black Original LaserJet Toner Cartridge                  | CF289A |
| HP 89X High Yield Black Original LaserJet Toner Cartridge       | CF289X |
| HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge | CF289Y |

### HP Business Papers

#### HP Business Papers for laser

|  |        |
|--|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets        | CG965A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN08A |
| HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets        | 7MV83A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN10A |
| HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets         | 7MV80A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets  | 4WN05A |

### HP Home & Office Papers

#### HP Home & Office Papers for laser and inkjet

|   |          |
|---|----------|
| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets  | HPM1720P |
| HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets | HPM1120R |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420P |

### HP Paper for Multiple Uses

#### HP Recycled Paper

|   |        |
|---|--------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN07A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN11A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV81A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV82A |

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

|   |        |
|---|--------|
| HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets | 6MF93A |
|---|--------|

## Accessories

### Paper Handling

★ : Recommended

#### Staple Cartridges

|                          |          |
|--------------------------|----------|
| HP Staple Cartridge Pack | Q7432A ★ |
|--------------------------|----------|

#### Input Trays

|                                  |          |
|----------------------------------|----------|
| HP LaserJet 550-sheet Paper Tray | F2A72A ★ |
|----------------------------------|----------|

#### Fax Upgrades

|                                 |        |
|---------------------------------|--------|
| HP MFP Analog Fax Accessory 700 | 2EH31A |
|---------------------------------|--------|

|                                 |        |
|---------------------------------|--------|
| HP MFP Analog Fax Accessory 701 | 5UT59A |
|---------------------------------|--------|

### Memory

#### DDR3 Memory

|  |          |
|--|----------|
| HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM | E5K48A ★ |
|--|----------|

|   |          |
|---|----------|
| HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM | E5K49A ★ |
|---|----------|

|                                      |          |
|--------------------------------------|----------|
| HP 2GB 144-Pin DDR3 TAA Version DIMM | 2NR09A ★ |
|--------------------------------------|----------|

### Accessory Bundles

#### Printer Accessibility Accessories

|                            |          |
|----------------------------|----------|
| HP Accessibility Assistant | 2MU47A ★ |
|----------------------------|----------|

|                      |          |
|----------------------|----------|
| HP Accessibility Kit | 2TD64A ★ |
|----------------------|----------|

|                             |        |
|-----------------------------|--------|
| HP Printing Voice Assistant | 478C2A |
|-----------------------------|--------|

#### Data Security Accessories

|                                   |          |
|-----------------------------------|----------|
| HP Removable Hard Drive Enclosure | 2NR12A ★ |
|-----------------------------------|----------|

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

|                              |          |
|------------------------------|----------|
| HP Foreign Interface Harness | B5L31A ★ |
|------------------------------|----------|

#### Port Cables and Cable Adapters

|                       |          |
|-----------------------|----------|
| HP Internal USB Ports | B5L28A ★ |
|-----------------------|----------|

## Security and Protection

### Smart Cards and SmartCard Readers

|   |          |
|---|----------|
| HP HIP2 Keystroke Reader                        | Y7C05A ★ |
| HP Legic Secure USB Reader                      | 4QL32A ★ |
| HP USB Universal Card Reader                    | X3D03A ★ |
| HP SmartCard NIPRNet Solution for US Government | CC543B   |

## Network Print Servers

### External Print Servers

|   |          |
|---|----------|
| HP Jetdirect 3000w NFC/Wireless Accessory     | J8030A ★ |
| HP Jetdirect 3100w BLE/NFC/Wireless Accessory | 3JN69A ★ |
| HP Jetdirect 2900nw Print Server              | J8031A   |

### Internal Print Servers

|                            |          |
|----------------------------|----------|
| HP Jetdirect LAN Accessory | 8FP31A ★ |
|----------------------------|----------|

## Cabinets and Stands

### Printer Cabinets and Stands

|                             |          |
|-----------------------------|----------|
| HP LaserJet Printer Cabinet | F2A73A ★ |
|-----------------------------|----------|

## PC Drives and Storage

### EIO Hard Drives

|                                       |          |
|---------------------------------------|----------|
| HP TAA Version Secure Hard Disk Drive | 5EL03A ★ |
| HP High-Performance Secure Hard Disk  | B5L29A   |

## Keyboards/Mice and Input Devices

### Keyboards

|                                      |        |
|--------------------------------------|--------|
| HP LaserJet Swedish Overlay Keyboard | A7W14A |
|--------------------------------------|--------|

# Solutions

## Imaging and Printing Solutions

★ : Recommended

### Printing SW Solution Licenses

|   |          |
|---|----------|
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A ★ |
| HP SIM for HID iClass for HIP2 Reader                   | Y7C07A ★ |

## HP Document and Workflow Solutions

### HP Document and Workflow Solutions Printing Security

|   |                    |
|---|--------------------|
| HP Access Control Secure Printing and Job Accounting Solution | HPACSOLUTION       |
| HP Proximity Card Reader                                      | HPPROXIMTYRDR      |
| HP Secure Print and Insights                                  | HPJETADSECUREPRINT |
| HP Security Manager   | HPJETADSECMGR      |
| Kofax SafeCom Security and Job Accounting Solution            | HPNSAFECOMSOL      |
| LRS MFPsecure   | LRS_MFPSECURE      |
| MyQ Solutions   | MYQSOL             |
| Pharos Blueprint  | HP3PHAROSBPRNT     |

### HP Document and Workflow Solutions Printer Workflow

|                      |                |
|----------------------|----------------|
| HP Capture and Route | HPCAPTANDROUTE |
| HP Workpath Apps     | HPJA_AP        |

### HP Document and Workflow Solutions Mobile Printing

|                      |        |
|----------------------|--------|
| HP Roam for Business | HPROAM |
|----------------------|--------|

### HP Document and Workflow Solutions Print Management

|                           |               |
|---------------------------|---------------|
| HP Universal Print Driver | HPUNIVPRNTDRV |
| HP Web Jetadmin           | HPWEBJETADMIN |
| Kofax ControlSuite        | HP_CSUITE     |
| YSoft SafeQ               | YSOFT         |

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

|   |         |
|---|---------|
| HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for LaserJet M528        | UB7C6PE |
| HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet M528 | UB7C4PE |
| HP 3 year 4 hour 9x5 w/DMR Service for LaserJet M528                      | UB7B5E  |
| HP 3 year Next Business Day w/DMR Service for LaserJet M528               | UB7B2E  |
| HP 4 year 4 hour 9x5 w/DMR Service for LaserJet M528                      | UB7B6E  |
| HP 4 year Next Business Day w/DMR Service for LaserJet M528               | UB7B3E  |
| HP 5 year 4 hour 9x5 w/DMR Service for LaserJet M528                      | UB7B7E  |
| HP 5 year Next Business Day w/DMR Service for LaserJet M528               | UB7B4E  |

#### Imaging and Printing Commercial Care Pack Services

|  |         |
|--|---------|
| HP 1 year Post Warranty Parts Exchange Service for LaserJet M528                 | UB7D0PE |
| HP 3 year Parts Exchange Service for LaserJet M528                               | UB7C1E  |
| HP 4 year Parts Exchange Service for LaserJet M528                               | UB7C2E  |
| HP 5 year Parts Exchange Service for LaserJet M528                               | UB7C3E  |
| HP Installation Service with network configuration for Workgroup Printer(1 unit) | U9JT2E  |
| HP Print User Wellness Drapes Only Service for LaserJet MFP M52x                 | U31JRE  |
| HP Print User Wellness Parts Only Service for LaserJet MFP M52x Series           | U29B6E  |
| HP Print User Wellness Service for LaserJet MFP M52x Series                      | U22Q2E  |

---

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 23, 2024 12:44 PM UTC+0000