



# HP Color LaserJet Enterprise MFP M776dn (T3U55A)



## Overview

**Brilliant color prints, JetIntelligence technology and the world's most secure printing [1]**

Expect brilliant color prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing [1] and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

### **Work stands out with exceptional color performance**

Special print mode for a wider color range and extra vividness for documents and marketing materials.

### **Simplify and speed up workflows**

### **The world's most secure printing[1]**

Each printer in your fleet checks its operating code and repairs itself from attacks.

### **Minimal interruptions. Maximum productivity.**

Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.

## Features

Premium color using Enhanced print mode

Original HP toner and drums with JetIntelligence—  
and HP ColorSphere 3

Wide range of paper-handling accessories

Fast, easy supplies replacement

Minimal maintenance with long-life supplies

Automatic two-sided printing

---

*[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrated
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print quality color (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 46 ppm
<b>Print speed black (ISO, letter)</b>	Up to 45 ppm
<b>Print Speed Color (ISO)</b>	Up to 46 ppm
<b>Print speed color (ISO)</b>	Up to 45 ppm
<b>Print speed</b>	Print speed up to 45 ppm (black) and 45 ppm (color)
<b>Functions</b>	Print, copy, scan and optional fax
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	up to 200,000 pages
<b>Duty cycle (monthly, letter)</b>	up to 200,000 pages <sup>[13]</sup>
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor
<b>Copier smart software features</b>	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
<b>Scanner advanced features</b>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
<b>Replacement cartridges</b>	W2010A HP 659A Black LaserJet Toner Cartridge (~16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (~13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (~13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (~13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (~34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (~29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (~29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (~29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (~65,000 pages, universal for all 4 colors) <sup>[7]</sup>
<b>Supplies feature</b>	HP JetIntelligence Cartridge
<b>Connectivity, standard</b>	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)
<b>Connectivity, optional</b>	HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A

<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional)
<b>Wireless capability</b>	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™
<b>Network protocols, supported</b>	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPSec/Firewall, ACL, 802.1x
<b>Software included</b>	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com">http://123.hp.com</a>
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 8; Windows 7; Windows Vista; Windows Client OS; Android; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
<b>Sustainable impact specifications</b>	Mercury free
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
<b>Blue Angel compliant</b>	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
<b>Copy speed (black, normal quality, A4)</b>	Up to 46 cpm
<b>Copy speed (color, normal quality, A4)</b>	Up to 46 cpm
<b>Copy speed black (normal, letter)</b>	Up to 45 cpm
<b>Copy speed color (normal, letter)</b>	Up to 45 cpm
<b>Copy speed black duplex (A4)</b>	Up to 46 ipm
<b>Copy speed black duplex (Letter)</b>	Up to 45 ipm
<b>Digital sending standard features</b>	Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
<b>Digital sending optional features</b>	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management
<b>Scan speed (normal, A4)</b>	Up to 90 ppm (b&w), up to 90 ppm (color)
<b>Scan speed (normal, letter)</b>	Up to 90 ppm (b&w), up to 90 ppm (color)

<b>Scan file format</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
<b>Scan input modes</b>	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN
<b>Scan technology</b>	Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF
<b>Scanner type</b>	Flatbed, ADF
<b>Display area (imperial)</b>	6.37 X 4.78 in
<b>Display area (metric)</b>	162 X 121.5 mm
<b>Display</b>	9.0-inch functional touchscreen with 8.0 in (20.3 cm), (1024x768) LCD (color graphics), smooth gesture, enabled touchscreen
<b>Minimum dimensions (W x D x H)</b>	58.5 x 66.3 x 71.0 cm <i>(With no accessories and multi-purpose tray closed)</i>
<b>Minimum dimensions (W x D x H)</b>	23.03 x 26.10 x 27.95 in <i>(With no accessories and multi-purpose tray closed)</i>
<b>Weight</b>	70.9 kg <sup>[5]</sup> <i>(With print cartridges)</i>
<b>Weight</b>	156.3 lb <i>(With print cartridges)</i>
<b>Power consumption</b>	900 watts (printing), 100 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP Auto-Off/Auto On), 0.07 watts (Auto-Off), 0.07 watts (Off) <sup>[6]</sup>
<b>Power supply type</b>	Internal (Built-in) power supply
<b>What's in the box</b>	HP Color LaserJet Enterprise MFP M776dn printer; HP Black Original LaserJet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~13,000 pages each), and 4 HP Original LaserJet Imaging Drums (~65,000 pages each color); Getting started Guide; 1 Power cord <sup>[3]</sup>
<b>Manufacturer Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)

## Additional specifications

<b>Accessories</b>	HP LaserJet 550 Sheet Paper Tray T3V27A, HP LaserJet Stand T3V28A, HP LaserJet 2x550 Sheet Paper Tray and Stand T3V29A, HP LaserJet 2700 Sheet HCI Paper Tray and Stand T3V30A, HP TAA Version Secure Hard Disk Drive 5EL03A, HP Internal USB Ports B5L28A, HP Foreign Interface Harness B5L31A, HP 1 GB DDR3x32 144-Pin 800 MHz SODIMM Accessory E5K48A, HP 2 GB DDR3x32 144-Pin 800 MHz SODIMM Accessory E5K49A, HP Smartcard NIPRNet Solution CC543B, HP Smartcard SIPRNet Solution F8B30A, HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP Legic Reader 4QL32A, DDR3x32 144-Pin 800 MHz DIMM TAA 2NR09A, HP Accessibility Kit 2TD64A, HP MFP Analog Fax 700 Accessory (WW, no BBU) 2EH31A, HP MFP Analog Fax 701 Fax Accessory (AP, BBU) 5UT59A, HP Accessibility Assistant 2MU47A
<b>Acoustic power emissions (active scan)</b>	6.6 B(A)
<b>Acoustic power emissions (active, printing)</b>	6.7 B(A) (printing at 46 ppm)
<b>Acoustic power emissions (ready)</b>	4.9 B(A)
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing, A4 paper at an average of 46 ppm
<b>Acoustic pressure emissions bystander (active scan)</b>	50 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	52 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	32 dB(A)
<b>Automatic document feeder capacity</b>	Standard, 200 sheets
<b>Automatic paper sensor</b>	Yes
<b>Bit depth</b>	24-bit; Internal: 48-bit
<b>Bottom margin (A4)</b>	5 mm
<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase USB cable separately
<b>Cartons per layer</b>	1
<b>Certifications and compliances</b>	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes

<b>Compatible Network Operating Systems</b>	Windows 11; Windows Server; Linux; Citrix; UNIX
<b>Component type</b>	Printer
<b>Control panel</b>	9.0-inch functional touchscreen with 8.0-in (20.3 cm) color graphic display, rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB
<b>Copier scaling (ADF)</b>	25 to 200%
<b>Copier settings</b>	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)
<b>Copies, maximum</b>	Up to 9999 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed black (normal, A3)</b>	Up to 26 cpm
<b>Copy speed black (normal, Tabloid)</b>	Up to 26 cpm
<b>Copy speed black duplex (A3)</b>	Up to 26 ipm
<b>Copy speed black duplex (Tabloid)</b>	Up to 26 ipm
<b>Copy speed color (normal, A3)</b>	Up to 26 cpm
<b>Copy speed color (normal, Tabloid)</b>	Up to 26 cpm
<b>Copy speed color duplex (A3)</b>	Up to 26 ipm
<b>Copy speed color duplex (A4)</b>	Up to 46 ipm
<b>Copy speed color duplex (Letter)</b>	Up to 45 ipm
<b>Copy speed color duplex (Tabloid)</b>	Up to 26 ipm
<b>Count of layers in pallet</b>	1
<b>Country of origin</b>	Made in Mexico (Americas), Made in Japan (Europe)

**Downloadable software**

From <http://123.hp.com>: HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS: Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From <http://hp.com> for Mac OS; HP Easy Start (Guided Software Install); HP Mac OS Print Driver; HP Easy Admin; For Mobile OS: iOS For more information see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator; HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; HP ePrint Software (Mobile Driver for Windows); SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>; HP Web JetAdmin; HP JetAdvantage Security Manager; HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>; Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>; ReadIris

**Driver updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <http://www.hp.com/support/colorljm776MFP> ; Outside the US, go to <http://www.hp.com/support> 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD

**Duplex ADF scanning**

Yes

**Duty cycle note**

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

**Dynamic security**

Dynamic security enabled printer

**Electromagnetic compatibility**

CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.

**Engine life**

600000

**Enhanced scanning resolution**

Up to 600 dpi

**Envelope Feeder**

No

**FCC Class A emissions**

FCC Class A emissions - for use in commercial environments, not residential environments

**File Format Supported**

JPG; MTIFF; PDF; PDF/A; TIFF; XPS

**Finished output handling**

Sheetfed

**First copy out black (A4)**

As fast as 5.6 sec

**First copy out black (A4, sleep)**

As fast as 16 sec

**First copy out black (letter)**

As fast as 5.6 sec

**First copy out black (letter, sleep)**

As fast as 16 sec

**First copy out color (A4)**

As fast as 7.7 sec



<b>First copy out color (A4, sleep)</b>	As fast as 18 sec
<b>First copy out color (letter)</b>	As fast as 7.7 sec
<b>First copy out color (letter, sleep)</b>	As fast as 18 sec
<b>First page out black (A4, ready)</b>	As fast as 6.5 sec
<b>First page out black (A4, sleep)</b>	As fast as 11.6 sec
<b>First page out black (letter, ready)</b>	As fast as 6.5 sec
<b>First page out black (letter, sleep)</b>	As fast as 11.6 sec
<b>First page out color (A4, ready)</b>	As fast as 6.8 sec
<b>First page out color (A4, sleep)</b>	As fast as 11.8 sec
<b>First page out color (letter, ready)</b>	As fast as 6.8 sec
<b>First page out color (letter, sleep)</b>	As fast as 11.8 sec
<b>First page out footnote</b>	Measured using ISO/IEC 17629. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration software application driver and document complexity.
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, Barcode font variants (Code 39, I2 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>
<b>Input capacity</b>	Up to 650 sheets (MP Tray: up to 100 sheets; Tray 2: up to 550 sheets)
<b>Internal Storage</b>	Standard, 500 GB High-Performance SED Hard Disk (AES 256 hardware encryption or greater)
<b>Left margin (A4)</b>	5 mm
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	5 GB <sup>[9]</sup>
<b>Maximum dimensions (W x D x H)</b>	36.26 x 26.10 x 27.95 in
<b>Maximum dimensions (W x D x H)</b>	921 x 663 x 710 mm
<b>Maximum input capacity (sheets)</b>	Up to 3900 sheets
<b>Maximum output capacity (sheets)</b>	Up to 500 Sheets
<b>Maximum print area</b>	302 x 454.2 mm
<b>Media size (ADF)</b>	Letter; legal; executive; US check; A3; A4; A5; A6; long paper up to 864 mm (34 in)
<b>Media size, tray 1</b>	A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL

<b>Media size, tray 2</b>	A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216 x 340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)
<b>Media size, tray 3</b>	Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCl paper tray and stand: A4
<b>Media sizes supported</b>	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; Optional 1x550 and 2x550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in, 12 x 18; Optional 2700-sheet HCl paper tray and stand: Letter
<b>Media sizes supported</b>	100-sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; 550-sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; A3; Envelopes
<b>Media sizes, custom</b>	100-sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550-sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1x550 and 2x550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2700-sheet HCl paper tray and stand: 279.4 x 210 mm to 297 x 215.9
<b>Media sizes, custom</b>	100 -sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; Optional 1x550 and 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HCl paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in
<b>Media type and capacity, ADF</b>	200 sheets
<b>Media type and capacity, tray 1</b>	Sheets: 100 (80 g/m <sup>2</sup> ); Transparencies: 50; Envelopes: 10; Labels: 50
<b>Media type and capacity, tray 2</b>	Sheets: 550 (80 g/m <sup>2</sup> ); Transparencies: 200; Labels: 200
<b>Media type and capacity, tray 3</b>	Optional 1x550 and 2x550 tray and stand - Sheets: 550 (80 g/m <sup>2</sup> ); Transparencies: 200; Labels: 200; Optional 2700-sheet HCl paper tray and stand - Sheets: 1100+1600 (80 g/m <sup>2</sup> )
<b>Media types</b>	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies
<b>Media weight (tray 1)</b>	60 to 300 g/m <sup>2</sup> plain papers, up to 220 g/m <sup>2</sup> glossy/coated
<b>Media weight (tray 2)</b>	60 to 256 g/m <sup>2</sup> plain papers, up to 220 g/m <sup>2</sup> glossy/coated
<b>Media weight (tray 3)</b>	60 to 256 g/m <sup>2</sup> plain papers, up to 220 g/m <sup>2</sup> glossy/coated
<b>Media weight, supported</b>	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCl paper tray and stand: 16 to 68 lb

<b>Media weight, supported</b>	100-sheet multipurpose Tray 1: 60 to 300 g/m <sup>2</sup> , 550-sheet input Tray 2: 60 to 256 g/m <sup>2</sup> , Optional 1x550 and 2x550 tray and stand: 60 to 256 g/m <sup>2</sup> , Optional 2700-sheet HCl paper tray and stand: 60 to 256 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	12 to 53 lb
<b>Media weights, supported ADF</b>	45 to 200 g/m <sup>2</sup>
<b>Memory</b>	3.0 GB
<b>Memory Slots</b>	1 slot, 144-pin, DDR3 x32 SODIMM
<b>Memory card compatibility</b>	Not available
<b>Memory footnote</b>	The purchase of an accessory DIMM will enable the use of HP Workpath apps, but does not provide additional ramdisk or other benefits. A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed.
<b>Memory upgrade</b>	The purchase of an accessory DIMM will enable the use of HP Workpath apps, but does not provide additional ramdisk or other benefits. A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed.
<b>Minimum System Requirements</b>	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
<b>Minimum System Requirements for Macintosh</b>	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
<b>Mobile printing capability footnote</b>	some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. <sup>[17]</sup>
<b>Model number</b>	M776dn
<b>Native scan file format</b>	Hi-compression PDF; JPG; MTIFF; PDF; PDF/A; TIFF; XPS
<b>Number of print cartridges</b>	4 toner cartridges (1 each for black, cyan, magenta, yellow); 4 drum units (1 each for black, cyan, magenta, yellow)
<b>Number of users</b>	5-20 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	10 to 32.5°C
<b>Operating temperature range</b>	50 to 90.5°F
<b>Orderable supplies</b>	HP LaserJet Toner Collection Unit 3WT90A, HP LaserJet 110V Fuser Kit 4YL16A, HP LaserJet 220V Fuser Kit 4YL17A, HP LaserJet Image Transfer Belt Kit 3WT89A
<b>Output capacity</b>	Up to 500 sheets
<b>Package dimensions (W x D x H)</b>	33.7 x 29.92 x 38.25 in
<b>Package dimensions (W x D x H)</b>	856 x 760 x 972 mm
<b>Package weight</b>	92.12 kg
<b>Package weight</b>	203.09 lb
<b>Page yield footnote</b>	Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .

<b>Pallet dimensions</b>	33.7 x 29.92 x 38.25 in
<b>Pallet dimensions (W x D x H)</b>	856 x 760 x 972 mm
<b>Pallet weight</b>	92.12 kg
<b>Pallet weight</b>	203.09 lb
<b>Paper handling input, optional</b>	1x550-sheet paper tray, 2x550 tray and stand, HCI paper tray and stand
<b>Paper handling input, standard</b>	100-sheet multi-purpose tray, 1x 550 sheet paper tray
<b>Paper handling output, standard</b>	500 sheet output tray
<b>Paper trays, maximum</b>	5
<b>Paper trays, standard</b>	2
<b>Plug and play</b>	HP Smart Install
<b>Power</b>	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>Print Technology</b>	Laser
<b>Print colors</b>	Yes
<b>Print languages</b>	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud Print
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print resolution black (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print resolution color (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print resolution color (normal)</b>	Up to 600 x 600 dpi
<b>Print speed black (Landscape, A5)</b>	Up to 35 ppm
<b>Print speed black (normal, A3)</b>	Up to 26 ppm
<b>Print speed black (normal, tabloid)</b>	Up to 26 ppm
<b>Print speed color (Landscape, A5)</b>	Up to 35 ppm
<b>Print speed color (normal, A3)</b>	Up to 26 ppm
<b>Print speed color (normal, tabloid)</b>	Up to 26 ppm
<b>Print speed duplex (A3)</b>	Up to 26 ipm
<b>Print speed duplex (A3)</b>	Up to 26 ipm
<b>Print speed duplex (A4)</b>	Up to 46 ipm
<b>Print speed duplex (A4)</b>	Up to 46 ipm
<b>Print speed duplex (letter)</b>	Up to 45 ipm
<b>Print speed duplex (letter)</b>	Up to 45 ipm
<b>Print speed duplex (tabloid)</b>	Up to 26 ipm
<b>Print speed duplex (tabloid)</b>	Up to 26 ipm

<b>Print speed footnote (A3/Tabloid)</b>	Measured using ISO/IEC 24734 excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration software application driver and document complexity.
<b>Print speed footnote (A5)</b>	Measured using ISO 24734 Feature Test A5 Landscape Feed. Speed may vary based on content PC media orientation and media type.
<b>Print speed footnote number (A5)</b>	[11]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver: Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator
<b>Printer black pages (MPV black)</b>	2100
<b>Printer color pages (MPV color)</b>	1400
<b>Processor speed</b>	1.2 GHz
<b>Product long name specifications</b>	HP Color LaserJet Enterprise MFP M776dn, Color Printer for Business, Print, copy, scan and optional fax, Automatic document feeder; Front USB flash drive port; Flow; Two-sided printing; Two-sided scanning
<b>Product short name specifications</b>	HP LaserJet Enterprise M776dn Multifunction Color Printer, Ethernet Only; Copier, Scanner
<b>Quantity per pallet</b>	1
<b>RMN number</b>	BOISB-1813-03
<b>Recommended media weight (duplex)</b>	60 to 216 g/m <sup>2</sup>
<b>Recommended media weight (duplex)</b>	16 to 58 lb
<b>Recommended monthly page volume</b>	up to 40,000 pages <sup>[13]</sup>
<b>Recommended monthly page volume note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Recommended monthly scan volume</b>	5000 to 10,000
<b>Recommended monthly scan volume note</b>	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	15 to 27°C
<b>Recommended operating temperature range</b>	59 to 80.6°F

<b>Replacement cartridges footnote</b>	Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Resolution</b>	Up to 600 dpi
<b>Right margin (A4)</b>	5 mm
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
<b>Scan resolution, hardware</b>	Up to 600 x 600 dpi
<b>Scan resolution, optical</b>	Up to 600 dpi
<b>Scan size (ADF), maximum</b>	11.7 x 34 in
<b>Scan size (ADF), maximum</b>	297 x 864 mm
<b>Scan size (ADF), minimum</b>	2.75 x 5 in
<b>Scan size (ADF), minimum</b>	68 x 127 mm
<b>Scan size, maximum</b>	11.7 x 17 in
<b>Scan size, maximum</b>	297 x 432 mm
<b>Scan speed (normal, A3)</b>	Up to 50 ppm (b&w), up to 50 ppm (color)
<b>Scan speed (normal, tabloid)</b>	Up to 50 ppm (b&w), up to 50 ppm (color)
<b>Scan speed duplex (normal, A3)</b>	Up to 110 ipm (b&w), up to 100 ipm (color)
<b>Scan speed duplex (normal, A4)</b>	Up to 180 ipm (b&w), up to 180 ipm (color)
<b>Scan speed duplex (normal, Tabloid)</b>	Up to 110 ipm (b&w), up to 100 ipm (color)
<b>Scan speed duplex (normal, letter)</b>	Up to 180 ipm (b&w), up to 180 ipm (color)
<b>Scan speed footnote</b>	Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution network conditions computer performance and application software.
<b>Security management</b>	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
<b>Software scan file format</b>	HP scan supports: JPG, RAW(BMP), PDF, Searchable PDF, PDF/A, TIFF, PNG, RTF, TXT
<b>Standard media sizes (duplex)</b>	A3; A4; A5; 8K; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio; RA4; RA3; SRA3; SRA4; A4R; B5 (JIS); B4 (JIS)
<b>Standard media sizes (duplex, imperial)</b>	Letter; Executive; Tabloid; Ledger; Oficio

<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Standard output capacity (transparencies)</b>	Up to 50 sheets
<b>Storage device and direct print support</b>	USB Printing; Right-side facing USB/Flash drive
<b>Storage temperature range</b>	-4 to 104°F
<b>Storage temperature range</b>	-20 to 40°C
<b>Target user and print volume</b>	For teams up to 20 users; Prints up to 40,000 pages/month
<b>Tariff numbers</b>	8443310000 (EU Base HTS); 8443310000 (AM Base HTS); 84433120 (AP Base HTS)
<b>Top key features</b>	Two-sided printing; Two-sided scanning; Scan to email
<b>Top margin (A4)</b>	5 mm
<b>Twain version</b>	Version 2.1
<b>Typical electricity consumption (TEC) footnote</b>	BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.
<b>Typical electricity consumption (TEC) number</b>	2.470 kWh/Week (Blue Angel); 0.734 kWh/Week (Energy Star 3.0) <sup>[14]</sup>
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(201) 193905406746; (AB0) 193015437845; (AB2) 193015437852; (ABJ) 193015437869; (ABT) 193015437906; (ABY) 193015437913; (AC4) 193015437968; (AC8) 193015437975; (ACJ) 193015437876; (ACQ) 193015437920; (AKV) 193905826797; (B13) 193015437937; (B19) 193015437944; (BAZ) 193015437951; (BBU) 193015437883; (BGJ) 193015437999; (BGM) 193015437890
<b>Warm-up time</b>	As fast as 210 sec
<b>Web address for additional information</b>	Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP JetAdvantage Security Manager: <a href="http://www.hp.com/go/securitymanager">http://www.hp.com/go/securitymanager</a> ; HP JetAdvantage On Demand Cloud Solutions: <a href="http://www.hp.com/go/JetAdvantageondemand">http://www.hp.com/go/JetAdvantageondemand</a>
<b>What is in the box footnote</b>	Standard cartridges included; yields 16,000 black and 13,000 color composite (C/M/Y) pages. Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .

[3] Standard cartridges included; yields 16,000 black and 13,000 color composite (C/M/Y) pages. Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[5] With print cartridges

*[6] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.*

*[7] Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.*

*[9] The purchase of an accessory DIMM will enable the use of HP Workpath apps, but does not provide additional ramdisk or other benefits. A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed.*

*[13] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.*

*[14] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.*

---



## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Laser Printer Supply Kits

HP 300 ADF Roller Replacement Kit	J8J95A ★
HP LaserJet 110V Fuser Kit	4YL16A ★
HP LaserJet 3WT89A Transfer Kit	3WT89A ★
HP LaserJet 3WT90A Toner Collection Unit	3WT90A ★
HP LaserJet 220V Fuser Kit	4YL17A

#### HP Color Laser Toner Printer Cartridges

HP 659X High Yield Black Original LaserJet Toner Cartridge	W2010X ★
HP 659X High Yield Cyan Original LaserJet Toner Cartridge	W2011X ★
HP 659X High Yield Magenta Original LaserJet Toner Cartridge	W2013X ★
HP 659X High Yield Yellow Original LaserJet Toner Cartridge	W2012X ★
HP 660A Original LaserJet Imaging Drum	W2004A ★
HP 659A Black Original LaserJet Toner Cartridge	W2010A
HP 659A Cyan Original LaserJet Toner Cartridge	W2011A
HP 659A Magenta Original LaserJet Toner Cartridge	W2013A
HP 659A Yellow Original LaserJet Toner Cartridge	W2012A

### HP Business Papers

#### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m <sup>2</sup> A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

### HP Home & Office Papers

## HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

## HP Paper for Multiple Uses

### HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV81A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV82A

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A
---	--------

## Accessories

### Memory

★ : Recommended

#### DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A ★
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A ★

### Accessory Bundles

#### Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★
HP Accessibility Assistant	2MU47A

### Paper Handling

#### Input Trays

HP Color LaserJet 2x550-sheet Feeder and Stand	T3V29A ★
HP LaserJet 2700-sheet High Capacity Paper Tray and Stand	T3V30A ★
HP LaserJet 550-sheet Paper Tray	T3V27A ★

#### Fax Upgrades

HP MFP Analog Fax Accessory 700	2EH31A ★
HP MFP Analog Fax Accessory 701	5UT59A

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

HP Foreign Interface Harness	B5L31A ★
------------------------------	----------

#### Port Cables and Cable Adapters

HP Internal USB Ports	B5L28A ★
-----------------------	----------

### Security and Protection

#### Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A ★
HP Legic Secure USB Reader	4QL32A ★

HP SmartCard NIPRNet Solution for US Government

CC543B ★

HP SmartCard SIPRNet Solution for US Government

F8B30A ★

HP USB Universal Card Reader

X3D03A ★

## Network Print Servers

### External Print Servers

HP Jetdirect 2900nw Print Server

J8031A ★

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

### Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

## Cabinets and Stands

### Printer Cabinets and Stands

HP LaserJet Printer Stand

T3V28A ★

## PC Drives and Storage

### EIO Hard Drives

HP TAA Version Secure Hard Disk Drive

5EL03A ★

# Solutions

## Imaging and Printing Solutions

★ : Recommended

### Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---	----------

## HP Document and Workflow Solutions

### HP Document and Workflow Solutions Printing Security

HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
---	--------------

HP Proximity Card Reader	HPPROXIMTYRDR
--------------------------	---------------

HP Security Manager	HPJETADSECMGR
---------------------	---------------

MyQ Solutions	MYQSOL
---------------	--------

### HP Document and Workflow Solutions Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
----------------------	----------------

HP Workpath Apps	HPJA_AP
------------------	---------

### HP Document and Workflow Solutions Mobile Printing

HP Roam for Business	HPROAM
----------------------	--------

### HP Document and Workflow Solutions Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
---------------------------	---------------

HP Web Jetadmin	HPWEBJETADMIN
-----------------	---------------

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet MFP M776	UC2Y3PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet MFP M776	UC2Y1PE
HP 3 year 4 hour 9x5 with Defective Media Retention Service for Color LaserJet MFP M776	UC2X2E
HP 3 year Next Business Day with Defective Media Retention Service for Color LaserJet MFP M776	UC2W9E
HP 4 year 4 hour 9x5 with Defective Media Retention Service for Color LaserJet MFP M776	UC2X3E
HP 4 year Next Business Day with Defective Media Retention Service for Color LaserJet MFP M776	UC2X0E
HP 5 year 4 hour 9x5 with Defective Media Retention Service for Color LaserJet MFP M776	UC2X4E
HP 5 year Next Business Day with Defective Media Retention Service for Color LaserJet MFP M776	UC2X1E

#### Imaging and Printing Commercial Care Pack Services

HP 1 yr Post Wty Parts Exchange Service for Color LaserJet MFP M776	UC2Y7PE
HP 3 year Parts Exchange Service for Color LaserJet MFP M776	UC2X8E
HP 4 year Parts Exchange Service for Color LaserJet MFP M776	UC2X9E
HP 5 year Parts Exchange Service for Color LaserJet MFP M776	UC2Y0E

---

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 23, 2024 12:28 PM UTC+0000