

# HP LaserJet Enterprise M406dn (3PZ15A)

## Overview



HP's entry-level Enterprise-class printer with speeds up to 42 ppm[8] and strongest security.[1]

HP's entry-level Enterprise-class printer with speeds up to 42 ppm[8] and strongest security.[1]

### Easy to use, simple to manage

HP FutureSmart firmware can be updated with the latest features[2] to optimize your investment for years to come.

### Enhanced productivity to empower work teams

Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.

### The world's most secure printing[1]

The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.

### Sustainability is smart business

Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.[7]

---

[1] HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims)

[2] Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

[7] Dependent upon country setup specifications.

[8] HP Secure Print is optional and requires a license.

## Specifications

|   |  |
|---|--|
| <b>Print Resolution Technologies</b>      | 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200  |
| <b>Print Resolution Black (best)</b>      | Up to 1,200 x 1,200 dpi  |
| <b>Print Speed Black (normal, A4)</b>     | Up to 38 ppm (default); Up to 40 ppm (HP high speed mode)  |
| <b>Print Speed Black (normal, letter)</b> | Up to 40 ppm (default); Up to 42 ppm (HP high speed mode)  |
| <b>Print Speed</b>                        | Up to 40 ppm (black)   |
| <b>Print Margin Bottom (A4)</b>           | 2 mm   |
| <b>Print Margin Left (A4)</b>             | 2 mm   |
| <b>Print Margin Right (A4)</b>            | 2 mm   |
| <b>Print Margin Top (A4)</b>              | 2 mm   |
| <b>AIO Functions</b>                      | Print  |
| <b>Duplex Print Options</b>               | Automatic (default)  |
| <b>Duty Cycle (monthly, A4)</b>           | Up to 100,000 pages  |
| <b>Duty Cycle (monthly, letter)</b>       | Up to 100,000 pages  |
| <b>Printer Smart Software Features</b>    | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB  |
| <b>Energy Savings Feature Technology</b>  | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy   |
| <b>Replacement Cartridges</b>             | AMS: For distribution and use in North America and Latin America only: HP 58A Black Original LaserJet Toner Cartridge (~3,000 pages) CF258A HP 58X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF258X EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 59A Black Original LaserJet Toner Cartridge (~3,000 pages) CF259A HP 59X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF259X APJ: For distribution and use only in Asia Pacific - excluding China (PRC) and India: HP 76A Black Original LaserJet Toner Cartridge (~3,000 pages) CF276A HP 76X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF276X <sup>[5]</sup> |
| <b>Supplies Feature</b>                   | HP JetIntelligence Cartridge   |
| <b>Connectivity, Std</b>                  | 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network  |
| <b>Connectivity, Opt</b>                  | HP Jetdirect LAN Accessory 8FP31A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A  |
| <b>Network Capabilities</b>               | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional).   |
| <b>Wireless Capability</b>                | Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A  |
| <b>Mobile Printing Capability</b>         | HP ePrint; Apple AirPrint™; Mopria™ Certified; PrinterOn Print   |

|  |  |
|--|--|
| <b>Supported Network Protocols</b>       | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x |
| <b>Software Included</b>                 | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> or <a href="http://123.hp.com">http://123.hp.com</a>   |
| <b>Compatible Operating Systems</b>      | Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina   |
| <b>Technical Features</b>                | ADF; AirPrint; Automatic two-sided printing; Compact size; ENERGY STAR®; HP Auto-On/Auto-Off; HP ePrint; JetIntelligence Toners; Walk-up USB (doc, ppt, pdf, jpg)  |
| <b>Sustainable Impact Specifications</b> | Mercury-free   |
| <b>Energy Star Certified</b>             | Yes  |
| <b>Ecolabels (fixed)</b>                 | CECP; Blue Angel; EPEAT® Silver India; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US; ENERGY STAR® certified   |
| <b>Blue Angel Compliance</b>             | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies   |
| <b>Display Area (imperial)</b>           | 2.13 x 1.6 in  |
| <b>Display Area (metric)</b>             | 54 x 40.5 mm   |
| <b>Display Description</b>               | 2.658" diagonal Color TFT-LCD back-lit (960 (H) x 240 (V))   |
| <b>Product Dimensions (metric)</b>       | 381 x 357 x 220 mm   |
| <b>Product Dimensions (imperial)</b>     | 15 x 14 x 8.7 in   |
| <b>Weight (metric)</b>                   | ~8.5 kg<br><i>(With Print Cartridges )</i>   |
| <b>Weight (imperial)</b>                 | ~18.7 lbs<br><i>(With Print Cartridges)</i>  |
| <b>Power Consumption Description</b>     | 531 watts (active printing), 8.1 watts (ready), 1.2 watts (sleep), 0.07 watts (auto-off/manual-on), 0.07 watts (manual off)<br><i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>   |
| <b>Power Supply Type</b>                 | Internal (built-in) Power Supply   |
| <b>What Is In The Box</b>                | HP LaserJet Enterprise M406dn printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord <sup>[2]</sup>   |
| <b>Manufacturer Warranty</b>             | One-year, On-site Repair 24-hour / 7 day a week phone support  |

## Additional specifications

|   |   |
|---|---|
| <b>Accessories</b>  | HP LaserJet 550-sheet Feeder Tray D9P29A, HP JetDirect 3100w BLE/NFC/Wireless Accy 3JN69A, HP Jetdirect LAN Accessory 8FP31A, HP Legic Reader 4QL32A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP SmartCard NIPRNet Solution for US Government CC543B, HP HIP2 Card Reader Accessory Kit 8ZN00A  |
| <b>Acoustic Power Emissions (active, printing)</b>              | 6.5 B(A) @ 38 ipm   |
| <b>Acoustic Power Emissions (ready)</b>                         | Inaudible   |
| <b>Acoustic Power Note</b>                                      | Configuration tested: base model, simplex printing A4 paper at an average of 38 ipm   |
| <b>Acoustic Pressure Emissions Bystander (active, printing)</b> | 54 dB(A) @ 38 ipm   |
| <b>Acoustic Pressure Emissions Bystander (ready)</b>            | Inaudible   |
| <b>Automatic Paper Sensor</b>                                   | No  |
| <b>Blue Angel Footnote</b>                                      | [4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.   |
| <b>Business Filter</b>  | cMPS  |
| <b>Cartons Per Layer</b>  | 9   |
| <b>Certifications and Compliances</b>                           | UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. |
| <b>Color or Black (filter)</b>                                  | Black and white   |
| <b>Compatible Network Operating Systems</b>                     | Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina; Linux; Citrix; UNIX   |
| <b>Component Type</b>   | Printer   |
| <b>Control Panel</b>  | 2.7" Color Non-Touch Control Panel with 24 Keypad   |
| <b>Count of Layers In Pallet</b>                                | 5 (US); 4 (EMEA/AP)   |

**Downloadable Software**

From <http://123.hp.com>-, HP Easy Start (Guided Software Install for Windows and Mac) From <http://hp.com> for Windows OS- Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <http://hp.com> for Mac OS- HP Mac OS Print Driver, HP Easy Admin, For Mobile OS- iOS For more information see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>, From <http://hp.com> for printer administrators- Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, UPD PCL6 / PS Printer Drivers- For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search Click on User Guides and enter your product name and search for User Guide Search for your (Product Name) - User Guide Search for the Supported Operating Systems section UPD PCL6 / PS Printer Drivers Supported Operating systems, For more information on the supported operating systems see [www.hp.com/go/upd](http://www.hp.com/go/upd)

**Driver Updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <http://www.hp.com/support/> (country/region may need to be selected) Select "Support" Select "Software and Drivers" Select "Printer" Enter a product name/number (The operating system is automatically detected) Select a driver or other software, select "Download"

**Dynamic security**

Dynamic security enabled printer

**Ecolabels Footnote**

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Electromagnetic Emission Standard**

CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.

**Engine life**

100000

**Envelope Feeder**

No

**FCC Class A Emissions**

FCC Class A emissions - for use in commercial environments, not residential environments

**First Page Out Black (A4, ready)**

As fast as 6.5 sec

**First Page Out Black (A4, sleep)**

As fast as 8.8 sec

**First Page Out Black (letter, ready)**

As fast as 6.3 sec

**First Page Out Black (letter, sleep)**

As fast as 8.6 sec

**First Page Out, Footnote**

[9] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

**Fonts and Typefaces**

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at [Http://www.hp.com/go/laserjetfonts](http://www.hp.com/go/laserjetfonts)

|  |  |
|--|--|
| <b>Hard Disk</b>   | Not Applicable to this product   |
| <b>In Box Cable</b>                                      | No, please purchase USB cable separately   |
| <b>Input Capacity, Envelopes (primary)</b>               | Up to 10 envelopes   |
| <b>Input Capacity, Max</b>                               | Up to 900 sheets (with Optional 550-sheet tray)  |
| <b>Input Capacity, Std</b>                               | Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)  |
| <b>Key Media Sizes Supported (imperial)</b>              | 4 x 6 in; Letter; Legal; Envelopes   |
| <b>Key Media Sizes Supported (metric)</b>                | 10 x 15 cm; A4; Envelopes  |
| <b>Mac Compatible</b>                                    | Yes  |
| <b>Max Dimensions (imperial)</b>                         | 15 x 30.8 x 9.5 (printer fully opened)   |
| <b>Max Dimensions (metric)</b>                           | 381 x 781 x 241 mm (printer fully opened)  |
| <b>Maximum Memory</b>                                    | 1 GB   |
| <b>Media Handling, Document Finishing</b>                | Sheet feed   |
| <b>Media Size, Tray 1 (metric)</b>                       | A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL ISO); 76 x 127 to 216 x 356 mm               |
| <b>Media Size, Tray 2 (metric)</b>                       | A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm  |
| <b>Media Size, Tray 3 (metric)</b>                       | A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm  |
| <b>Media Sizes Custom (imperial)</b>                     | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: 4.1 x 5.8 to 8.5 x 14 in                        |
| <b>Media Sizes Custom (metric)</b>                       | Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm                    |
| <b>Media Type and Capacity Tray 1</b>                    | Sheets: 100; Envelopes: 10   |
| <b>Media Type and Capacity Tray 2</b>                    | Sheets: 250  |
| <b>Media Type and Capacity Tray 3</b>                    | Sheets: 550 (optional)   |
| <b>Media Types</b>                                       | Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels |
| <b>Media Weights Supported, By Paper Path (Imperial)</b> | Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb  |
| <b>Media Weights Supported, By Paper Path (metric)</b>   | Tray 1: 60 to 200 g/m <sup>2</sup> ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup>                               |
| <b>Media Weights Supported, Tray 1 (metric)</b>          | 60 to 200 g/m <sup>2</sup>   |
| <b>Media Weights Supported, Tray 2 (metric)</b>          | 60 to 120 g/m <sup>2</sup>   |

|   |  |
|---|--|
| <b>Media Weights Supported, Tray 3 (metric)</b>             | 60 to 120 g/m <sup>2</sup>   |
| <b>Memory Slots</b>   | No DIMM slot   |
| <b>Memory Upgrade</b>                                       | Not Applicable to this product   |
| <b>Model Number</b>   | M406dn   |
| <b>Number of Simultaneous Users (local + network)</b>       | 3-10 Users   |
| <b>Operating Humidity Range</b>                             | 30 to 70% RH   |
| <b>Operating Humidity Range (recommended)</b>               | 10 to 90% RH   |
| <b>Operating Temperature Range (celsius)</b>                | 15 to 32.5°C   |
| <b>Operating Temperature Range (fahrenheit)</b>             | 50 to 90.5°F   |
| <b>Operating Temperature Range (recommended celsius)</b>    | 15 to 27°C   |
| <b>Operating Temperature Range (recommended fahrenheit)</b> | 59 to 80.6°F   |
| <b>Output Capacity, Max</b>                                 | Up to 150 sheets   |
| <b>Output Capacity, Std</b>                                 | Up to 150 sheets   |
| <b>Output Capacity, Std, Envelopes</b>                      | Up to 10 envelopes   |
| <b>Package Dimensions (imperial)</b>                        | 17.4 x 10.9 x 18.3 in  |
| <b>Package Dimensions (metric)</b>                          | 443 x 278 x 464 mm   |
| <b>Package Weight (imperial)</b>                            | 25.1 lb  |
| <b>Package Weight (metric)</b>                              | 11.37 kg   |
| <b>Page Yield (set-up/inbox cartridges)</b>                 | In box cartridge yields ~3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Pages may vary based on customer printing conditions and usage. |
| <b>Page Yield Footnote</b>                                  | [6] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>   |
| <b>Pallet Dimensions (imperial)</b>                         | 47.2 x 39.4 x 97.3 in  |
| <b>Pallet Dimensions (metric)</b>                           | 1200 x 1000 x 2471 mm  |
| <b>Pallet Weight (imperial)</b>                             | 1172.9 lb  |
| <b>Pallet Weight (metric)</b>                               | 532.02 kg  |
| <b>Paper Handling Optional/input</b>                        | Optional third 550-sheet tray  |
| <b>Paper Handling Standard/input</b>                        | 100-sheet tray 1, 250-sheet input tray 2   |
| <b>Paper Handling Standard/output</b>                       | 150-sheet output bin   |
| <b>Paper Trays, Maximum</b>                                 | 3  |

|  |  |
|--|--|
| <b>Paper Trays, Standard</b>                           | 2  |
| <b>Power Supply Required</b>                           | 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)  |
| <b>Print Cartridges/Bottle, Number</b>                 | 1 (black)  |
| <b>Print Colors</b>                                    | No   |
| <b>Print Languages, Standard</b>                       | HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™  |
| <b>Print Resolution Black (Fine Lines)</b>             | Up to 1,200 x 1,200 dpi  |
| <b>Print Resolution Black (normal)</b>                 | Up to 600 x 600 dpi  |
| <b>Print Speed Black (Landscape, A5)</b>               | Up to 63 ppm   |
| <b>Print Speed Black Duplex (A4)</b>                   | Up to 31 ipm   |
| <b>Print Speed Black Duplex (Letter)</b>               | Up to 33 ipm   |
| <b>Print Speed Footnote (A5)</b>                       | [8] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.   |
| <b>Print Speed Footnote Number (A5)</b>                | [8]  |
| <b>Print Technology</b>                                | Laser  |
| <b>Printable Area Maximum (metric)</b>                 | 212 x 352 mm   |
| <b>Printer Black Pages (MPV Black)</b>                 | 1000   |
| <b>Printer Management</b>                              | HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)   |
| <b>Processor Speed</b>                                 | 800 MHz  |
| <b>Product Long Name Specifications</b>                | HP LaserJet Enterprise M406dn, Black and white Printer for Business, Print, Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing   |
| <b>Product Short Name Specifications</b>               | HP LaserJet Enterprise M406dn Black and white Printer, Ethernet Only; Duplex   |
| <b>Product-specific Additional Information Pointer</b> | Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP Imaging & Printing Security Center: <a href="http://www.hp.com/go/ipsc">http://www.hp.com/go/ipsc</a> ; On Demand Cloud Solutions: <a href="http://www.hpjetadvantage.com/ondemand">http://www.hpjetadvantage.com/ondemand</a> |
| <b>Quantity Per Pallet</b>                             | 45 (US); 36 (EMEA/AP)  |
| <b>RMN Number</b>                                      | BOISB-1900-00  |
| <b>Recommended Media Weight (duplex, imperial)</b>     | 16 to 32 lb  |

|  |   |
|--|---|
| <b>Recommended Media Weight (duplex, metric)</b> | 60 to 120 g/m <sup>2</sup>  |
| <b>Recommended Monthly Page Volume</b>           | 900 to 4,800 pages  |
| <b>Recommended Monthly Page Volume Note</b>      | HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.  |
| <b>Replacement Cartridges Footnote</b>           | [5] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a>  |
| <b>Safety Approvals and Requirements</b>         | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62368-1:2014; EN 62368-1:2014; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.   |
| <b>Security Management</b>                       | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| <b>Segment (filter)</b>                          | Business  |
| <b>Standard Media Sizes (duplex, Imperial)</b>   | Letter; Legal; Oficio (8.5 x 13 in)   |
| <b>Standard Media Sizes (duplex, metric)</b>     | A4; Oficio (216 x 340 mm); RA4  |
| <b>Standard Media Sizes Supported (imperial)</b> | Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in; Optional Tray 3: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.1 x 5.8 to 8.5 x 14 in   |
| <b>Standard Media Sizes Supported (metric)</b>   | Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm   |
| <b>Standard Memory</b>                           | 1 GB  |
| <b>Storage</b>                                   | 4 GB eMMC   |

|   |   |
|---|---|
| <b>Storage Capacity</b>                               | 4 GB eMMC   |
| <b>Storage Device and Direct Print Support</b>        | Front-facing USB/Flash drive; USB printing  |
| <b>Storage Temperature Range (celsius)</b>            | -20 to 40°C   |
| <b>Storage Temperature Range (fahrenheit)</b>         | -4 to 104°F   |
| <b>System Requirements, Macintosh, Minimum</b>        | 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com   |
| <b>System Requirements, Minimum</b>                   | 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com  |
| <b>Target Number of Users and Print Volume</b>        | For teams up to 10 users; Prints up to 4,000 pages/month  |
| <b>Tariff Numbers</b>                                 | 8443321000; 8443321010; 84433239  |
| <b>Technology</b>                                     | Laser   |
| <b>Top Key Features</b>                               | Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing  |
| <b>Typical Electricity Consumption (TEC) Footnote</b> | [3] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).  |
| <b>Typical Electricity Consumption (TEC) number</b>   | 1.189 kWh/Week (Blue Angel); 0.462 kWh/Week (Energy Star 3.0) <sup>[3]</sup>  |
| <b>UNSPSC Code</b>                                    | 43212105  |
| <b>UPC Number</b>                                     | (201) 193905206001; (AB0) 193905205967; (ABT) 193905233199; (ABY) 193905233205; (AC8) 193905878208; (ACQ) 193905233212; (AKV) 193905878192; (B13) 193905481576; (B19) 193905205998; (BAZ) 193905233229; (BBU) 193905205974; (BGJ) 193905206018; (BGM) 193905205981  |
| <b>WEEE Net Weight (metric)</b>                       | 8.247 kg  |
| <b>Warm-up Time</b>                                   | 176 sec   |
| <b>What Is In The Box Footnote</b>                    | [2] For yield information on the cartridge included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. |

[2] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[3] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[5] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

## Services

### Document & Printing

★ : Recommended

#### Print Security Solutions

|   |          |
|---|----------|
| HP HID Mobile Access BLE MIFARE Card Reader             | 35H11B ★ |
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A ★ |
| HP HIP2 Card Reader Accessory Kit                       | 8ZN00A ★ |

#### Print Management Software Solutions - Security

|                              |          |
|------------------------------|----------|
| HP Legic Secure USB Reader   | 4QL32A ★ |
| HP USB Universal Card Reader | X3D03A ★ |

#### Support Services (for Document & Printing)

|   |         |
|---|---------|
| HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for LaserJet Enterprise M40x         | U11XVPE |
| HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet Enterprise M40x  | U11XSPE |
| HP 1 year Post Warranty Parts Exchange Service for LaserJet EnterpriseM40x            | U11YOPE |
| HP 3 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M40x                       | U11XCE  |
| HP 3 year Next Business Day w/DMR Service for LaserJet Enterprise M40x                | U11X8E  |
| HP 3 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only) | U11XNE  |
| HP 4 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M40x                       | U11XDE  |
| HP 4 year Next Business Day w/DMR Service for LaserJet Enterprise M40x                | U11X9E  |
| HP 4 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only) | U11XQE  |
| HP 5 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M40x                       | U11XFE  |
| HP 5 year Next Business Day w/DMR Service for LaserJet Enterprise M40x                | U11XBE  |
| HP 5 year Parts Exchange Service for LaserJet Enterprise M40x (ManagedComponent Only) | U11XRE  |
| HP Installation Service with network configuration for Workgroup Printer (1 unit)     | U9JT2E  |

## Accessories

### Network Print Servers

★ : Recommended

#### External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

#### Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

### Paper Handling

#### Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

D9P29A ★

### Security and Protection

#### Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government

CC543B ★

### Printer Accessories

#### LaserJet Options

HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory

9R1U0A

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Black and White Laser Toner Printer Cartridges

|   |        |
|---|--------|
| HP 58A Black Original LaserJet Toner Cartridge            | CF258A |
| HP 58X High Yield Black Original LaserJet Toner Cartridge | CF258X |
| HP 59A Black Original LaserJet Toner Cartridge            | CF259A |
| HP 59X High Yield Black Original LaserJet Toner Cartridge | CF259X |
| HP 76A Black Original LaserJet Toner Cartridge            | CF276A |
| HP 76X High Yield Black Original LaserJet Toner Cartridge | CF276X |

### HP Business Papers

#### HP Business Papers for laser

|  |        |
|--|--------|
| HP Enhanced Business Paper Glossy 150 g/m2 A4 (210 x 297 mm) 150 sheets            | CG965A |
| HP Everyday Business Paper Glossy 32 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets     | 4WN08A |
| HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets        | 7MV83A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN10A |
| HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets         | 7MV80A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets  | 4WN05A |

### HP Home & Office Papers

#### HP Home & Office Papers for laser and inkjet

|  |          |
|--|----------|
| HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets  | HPM1720P |
| HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets | HPM1120R |
| HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets | HPM1420P |

### HP Paper for Multiple Uses

#### HP Recycled Paper

|   |        |
|---|--------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN07A |
|---|--------|

### HP Paper Designed for Inkjet Printers

## HP Inkjet Photo Paper

HP Professional Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 50 sheets

6MF93A

---

### Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 24, 2026 11:32 AM UTC+0000