



# **SPECIFICATIONS**

CPU Support Supports 10 <sup>th</sup> Gen Intel® Core™ Processors, 11 <sup>th</sup> Gen Intel   Core™ Processors, Pentium® Gold and Celeron® Process   CPU Socket LGA 1200   Chipset Intel® Z590 Chipset   Graphics 1x PCle 4.0 x16 slot   Interface 1x PCle 3.0 x16 slot   Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports   USB ports 1x USB 3.2 Gen 2x2 20Gbps (Type-C)	ors
CPU Socket LGA 1200   Chipset Intel® Z590 Chipset   Graphics 1x PCle 4.0 x16 slot   Interface 1x PCle 3.0 x16 slot   Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	
Chipset Intel® Z590 Chipset   Graphics 1x PCle 4.0 x16 slot   Interface 1x PCle 3.0 x16 slot   Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	.4
Graphics 1x PCle 4.0 x16 slot   Interface 1x PCle 3.0 x16 slot   Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	.4
Interface 1x PCle 3.0 x16 slot   Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	1.4
Display Interface Support 4K@60Hz as specified in HDMI 2.0b, DisplayPort - Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	1.4
- Requires Processor Graphics   Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	1.4
Memory Support 4 DIMMs, Dual Channel DDR4-5333MHz(OC)   Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot 2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	
Expansion Slots 2x PCle 3.0 x1 slots   Storage 1x M.2 Gen4 x4 slot   2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	
Storage1x M.2 Gen4 x4 slot2x M.2 Gen3 x4 slots6x SATA 6Gb/s ports	
2x M.2 Gen3 x4 slots 6x SATA 6Gb/s ports	
6x SATA 6Gb/s ports	
USB ports 1x USB 3.2 Gen 2x2 20Gbps (Type-C)	
2x USB 3.2 Gen 2 10Gbps (1 Type-C + 1 Type-A)	
6x USB 3.2 Gen 1 5Gbps(6 Type-A)	
8x USB 2.0	
LAN Intel <sup>®</sup> I225-V 2.5G LAN	
Audio8-Channel (7.1) HD Audio with Audio Boost	

# **CONNECTIONS**



## **FEATURES**



## **Extended Heatsink Design**



#### MSI extended PWM heatsink and enhanced circuit design ensures even high-end processors to run in full speed.

8+4 Pin power supply

By providing 8+4 pin connectors to ensure adequate power supply to unleash ultimate multi-core CPU performance.



M.2 Shield FROZR


Strengthened built-in M.2 thermal solution. Keeps M.2 SSDs safe while preventing throttling, making them run faster.

### 2.5G Network Solution



Featuring premium 2.5G LAN with LAN manager to deliver better network experience.

#### **Core Boost**





CORE

EZ Debug LED

Easiest way to troubleshoot.

### Frozr AI Cooling



AUUR

Detect CPU & GPU temperatures and automatically adjust system fan duty to a proper value.

## DDR4 Boost

Advanced technology to deliver pure data signals for the best gaming performance and stability.

2. DisplayPort

- 4. LAN port
- 6. Flash BIOS Button
- 7. USB 2.0

1. Keyboard / Mouse

5. Audio connector

3. USB 2.0

- 9. USB 3.2 Gen 1 5Gbps Type-A 11. USB 3.2 Gen 2 10Gbps Type-A
- - 8. HDMI
  - 10. USB 3.2 Gen 2x2 20Gbps Type-C



TRUE GAMING<sup>®</sup> 2021 Micro-Star Int'l Co.Ltd. MSI is a registered trademark of Micro-Star Int'l Co.Ltd. All rights reserved.Intel, the Intel logo, the Intel Inside logo and Intel Core are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

4+8PIN

