



HP Z2 Tower G5 Workstation (644C6UT)



Overview

Our most powerful entry workstation that redefines expectations.

We've engineered a whole new level of performance for entry workstations, so you can cut through BIM, rendering and visualization projects without missing a beat. And when your demands change, you have impressive expandability to upgrade.

Your new benchmark for entry workstation power.

Unleash the full power of professional graphics and Intel® processors on your compute-heavy workloads. We've designed the system for zero throttling, so your components always run at top speeds without ever overheating or slowing down.

We test it so you can trust it. 24/7.

We know you need performance you can rely on. That's why our products endure over 360K hours of rigorous testing, MIL-STD testing[1] and software certifications.

Built to expand. Power to grow.

Need to swap graphics cards? Boost CPU power? Add specialized PCIe cards? Go for it. Our most expandable entry workstation is an investment that will last for years.

HP's most secure workstation.

Advanced security features come standard on every Z2 Tower. System safeguards like self-healing BIOS help lock your device, data and identity down tight.

Features

Intel® Xeon® W processor

Get optimized performance whether your professional application utilizes high core count or high frequency with the Intel® Xeon® W processor.^[2]

Security is your top priority

The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses.

NVIDIA® Quadro® Graphics

Experience high-end visualization and seamlessly render your biggest projects with the next generation NVIDIA® Quadro® T-Series graphics; Certified and supported for the apps you use every day.

Smaller, Functional Design

The stunning new design features front and rear ledges, so you can easily move your system from location to location.

[1]Undergoes MIL-STD testing. MIL-STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Service.

[2] Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

Specifications

| | |
|-----------------------------------|---|
| Form factor | Tower |
| Operating system | Windows 11 Pro |
| Processor family | Intel® Xeon® W processor |
| Processor | Intel® Xeon® W-1250 (3.3 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores) ^[6,7] |
| Chipset | Intel® W480 |
| Memory | 16 GB DDR4-3200 MHz RAM (1 x 16 GB) |
| Memory Slots | 4 DIMM |
| Internal Storage | 512 GB HP Z Turbo Drive PCIe® NVMe™ TLC SSD |
| Internal drive bays | Two 3.5"; Two M.2 NVME 2280 SSD |
| External drive bays | One 5.25" |
| Optical drive | Not included |
| Graphics | Integrated |
| Graphics (integrated) | Intel® UHD Graphics P630 |
| Compatible displays | All HP Z Displays and HP DreamColor Displays are supported. |
| Audio | Realtek ALC3205-VA2-CG, 2.0W internal mono speaker |
| Minimum dimensions (W x D x H) | 35.6 x 16.9 x 38.5 cm (Standard tower orientation.) |
| Minimum dimensions (W x D x H) | 14 x 6.7 x 15.2 in (Standard tower orientation.) |
| Weight | Starting at 7 kg (Exact weight depends on configuration.) |
| Weight | Starting at 15.43 lb (Exact weight depends on configuration.) |
| Keyboard | HP Wired Desktop 320K Keyboard |
| Pointing device | HP Wired 320M Mouse |
| Ports | 1 headphone/microphone combo; 2 SuperSpeed USB Type-A 10Gbps signaling rate; 2 SuperSpeed USB Type-A 5Gbps signaling rate |
| Expansion slots | 1 PCIe 3 x4 (x16 connector); 1 PCIe 3 x16 (x16 connector); 1 M.2 2230 PCIe 3 x1; 2 M.2 2280 PCIe 3 x4; 2 PCIe® 3 x1 (x4 connector) (1 M.2 slot for WLAN and 2 M.2 2230/2280 slot for storage.) |
| Ports | 1 audio-in; 1 audio-out; 1 RJ-45; 2 USB 2.0; 2 DisplayPort™ 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 SuperSpeed USB Type-A 10Gbps signaling rate |
| Sustainable impact specifications | Low halogen |

Security management

HP Business PC Security Lock Kit; HP Keyed Cable Lock Kit; HP Solenoid Hood Lock and Sensor; HP UltraSlim Cable Lock Kit; HP Secure Erase; HP Sure Click; HP Sure Sense; HP Sure Start Gen6; HP Sure Run Gen3; HP Sure Recover Gen3; HP BIOSphere Gen6; HP Sure Admin; HP Client Security Manager Gen6^[15,22,24,25,26,27,28,29,32,34]

Software included

HP PC Hardware Diagnostics UEFI; HP Performance Advisor; HP Support Assistant; HP PC Hardware Diagnostics Windows; ZCentral Remote Boost; HP Image Assistant; HP Manageability Integration Kit^[12,16,21,23]

UPC number

(ABA) 196548065769; (ABC) 196548065745

Additional specifications

| | |
|---------------------------------|--|
| ECC memory | non-ECC |
| Graphics | Discrete |
| Graphics (discrete) | NVIDIA® Quadro® T1000 (4 GB GDDR5 dedicated) |
| Graphics card brand | NVIDIA® |
| Graphics card family | Quadro® |
| Graphics card form factor | PCIe x16 |
| Graphics card memory size | 4 |
| Graphics card memory size uom | GB |
| Graphics card memory type | GDDR5 |
| I/O Port location | Front |
| I/O Port location | Rear |
| Keyboard connectivity | wired |
| Legal tagline | HP recommends Windows 11 Pro for business |
| Memory and storage | 16 GB memory; 512 GB SSD storage |
| Memory layout (slots & size) | 1 x 16 GB |
| Memory module type | UDIMM |
| Memory size | 16 |
| Memory size uom | GB |
| Memory speed | 3200 |
| Memory speed uom | MHz |
| Memory type | DDR4 |
| Model Number | T1000 |
| Number of memory slots | 1 |
| Processor Brand | Intel® |
| Processor base frequency | 3.3 |
| Processor cache | 12 MB L3 |
| Processor core | 6 |
| Processor family | Xeon® W |
| Processor frequency UOM | GHz |
| Processor frequency technology | Intel® Turbo Boost Technology |
| Processor maximum frequency | 4.7 |
| Processor maximum frequency uom | GHz |
| Processor model | 1250 |

| | |
|---|--|
| Processor threads | 12 |
| Product long name specifications | HP Z2 Tower G5 Workstation, Windows 11 Pro, Intel® Xeon® W, 16GB RAM, 512GB SSD, NVIDIA® Quadro® T1000 |
| Security Software Licenses | HP Wolf Pro Security Edition (1 year) |
| Standard memory note | Transfer rates up to 3200 MT/s. |
| Storage brand 01 | HP Z Turbo Drive |
| Storage capacity | 512 |
| Storage capacity uom 01 | GB |
| Storage controller | Integrated SATA (4 ports 6 Gb/s) with integrated RAID 0, 1, for PCIe SSDs supported. Requires identical hard drives (speeds, capacity, interface). |
| Storage interface 01 | PCIe® |
| Storage interface protocol 01 | NVMe™ |
| Storage memory technology 01 | TLC |
| Storage type | SSD |
| Storage type 01 | SSD |
| UNSPSC code | 43211515 |

[6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

[7] Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See <http://www.intel.com/technology/turboboost/> for more information.

[12] HP ZCentral Remote Boost does not come preinstalled on Z Workstations but can be downloaded and run on all Z desktop and laptops without license purchase. With non-Z sender devices, purchase of perpetual individual license or perpetual floating license per simultaneously executing versions and purchase of ZCentral Remote Boost Software Support is required. RGS requires Windows, RHEL (7 or 8), UBUNTU 18.04 LTS, or HP ThinPro 7 operating systems. MacOS (10.13 or newer) operating system is only supported on the receiver side. Requires network access. The software is available for download at hp.com/ZCentralRemoteBoost.

[15] HP Client Security Manager Gen6 requires Windows and is available on the select HP PCs.

[16] HP Performance Advisor Software - HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at: <https://www8.hp.com/us/en/workstations/performance-advisor.html>

[21] HP Support Assistant requires Windows and Internet access.

[22] HP BIOSphere Gen6 features may vary depending on the platform and configurations.

[23] HP Manageability Integration Kit can be downloaded from <http://www8.hp.com/us/en/ads/clientmanagement/overview.html>

[24] HP Client Security Manager Gen6 requires Windows and is available on the select HP PCs.

[25] HP Sure Click requires Windows 11 Pro or Windows 10 Pro or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details.

[26] HP Sure Start Gen 6 is available on select HP PCs and workstations. See product specifications for availability.

[27] HP Sure Run Gen3 is available on select Windows 11 or Windows 10 based HP Pro, Elite and Workstation PCs with select Intel® or AMD processors

[28] HP Sure Recover Gen3 is available on select HP PCs and requires an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

[29] Secure Erase - For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane

[32] HP Sure Sense requires Windows 11, Windows 10 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.

[34] HP Sure Admin requires Windows 11 or Windows 10, HP BIOS, HP Manageability Integration Kit from <http://www.hp.com/go/clientmanagement> and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.

Accessories

Memory

★ : Recommended

DDR4 Memory

| | |
|------------------------------------|-----------|
| 32GB (1x32GB) 3200 DDR4 ECC UDIMM | 141H7AA ★ |
| 16GB (1x16GB) 3200 DDR4 ECC UDIMM | 141H2AA ★ |
| 8GB (1x8GB) 3200 DDR4 NECC UDIMM | 141J4AA ★ |
| 16GB (1x16GB) 3200 DDR4 ECC UDIMM | 141H2AT |
| 16GB (1x16GB) 3200 DDR4 NECC UDIMM | 141H3AA |
| 16GB (1x16GB) 3200 DDR4 NECC UDIMM | 141H3AT |
| 32GB (1x32GB) 3200 DDR4 NECC UDIMM | 141H9AA |
| 32GB (1x32GB) 3200 DDR4 NECC UDIMM | 141H9AT |
| 4GB (1x4GB) 3200 DDR4 NECC UDIMM | 141J1AA |
| 4GB (1x4GB) 3200 DDR4 NECC UDIMM | 141J1AT |
| 8GB (1x8GB) 3200 DDR4 ECC UDIMM | 141J3AA |
| 8GB (1x8GB) 3200 DDR4 ECC UDIMM | 141J3AT |
| 8GB (1x8GB) 3200 DDR4 NECC UDIMM | 141J4AT |

Graphics Cards

Graphics Cards

| | |
|---|-----------|
| AMD Radeon Pro W5500 8GB 4DP GFX | 9GC16AA ★ |
| AMD Radeon Pro W5700 8GB 5mDP+USBc GFX | 9GC15AA ★ |
| AMD Radeon Pro WX 3200 4GB (4)mDP GFX | 6YT68AA ★ |
| AMD Radeon Pro W6600 8GB GDDR6 4DP Graphics | 340K5AA |
| AMD Radeon Pro WX 3200 4GB (4)mDP GFX | 6YT68AT |
| NVIDIA Quadro P1000 4GB Graphics | 1ME01AA |
| NVIDIA Quadro P1000 4GB Graphics | 1ME01AT |
| NVIDIA Quadro P2200 5GB (4)DP GFX | 6YT67AA |
| NVIDIA Quadro P2200 5GB (4)DP GFX | 6YT67AT |
| NVIDIA Quadro P400 2GB Graphics | 1ME43AA |
| NVIDIA Quadro P400 2GB Graphics | 1ME43AT |
| NVIDIA Quadro P620 2GB Graphics Card | 3ME25AA |
| NVIDIA Quadro P620 2GB Graphics Card | 3ME25AT |
| NVIDIA Quadro RTX 4000 8GB (3)DP+USBc | 5JV89AA |

| | |
|---|---------|
| NVIDIA Quadro RTX 4000 8GB (3)DP+USBc | 5JV89AT |
| NVIDIA Quadro RTX 5000 16GB (4)DP+USBc | 5JH81AA |
| NVIDIA Quadro RTX 5000 16GB (4)DP+USBc | 5JH81AT |
| NVIDIA Quadro RTX 6000 24GB (4)DP+USBc | 5JH80AA |
| NVIDIA Quadro RTX 6000 24GB (4)DP+USBc | 5JH80AT |
| NVIDIA Quadro T1000 4GB 4mDP Graphics | 20X22AA |
| NVIDIA RTX A4000 16 GB 4DP Graphics | 20X24AA |
| NVIDIA RTX A4000 16 GB 4DP Graphics | 20X24AT |
| NVIDIA T400 2 GB GDDR6 LP Blower Fan 3mDP PCIe x16 Graphics | 340K8AA |
| NVIDIA T600 4 GB GDDR6 LP Blower Fan 4mDP PCIe x16 Graphics | 340K9AA |

Keyboards/Mice and Input Devices

Keyboards

| | |
|--------------------------------|------------------|
| HP Wireless Premium Keyboard | Z9N41AA ★ |
| HP USB Premium Keyboard | Z9N40AA |
| HP USB Premium Keyboard | Z9N40AT |
| HP Wired Desktop 320K Keyboard | 9SR37AA |
| HP Wired Desktop 320K Keyboard | 9SR37ET |
| HP Wired Desktop 320K Keyboard | 9SR37UT |
| HP Wireless Premium Keyboard | Z9N41AT |

Mice

| | |
|-----------------------------|------------------|
| HP Wireless Premium Mouse | 1JR31AA ★ |
| HP Wired Desktop 320M Mouse | 9VA80AA |
| HP Wired Desktop 320M Mouse | 9VA80ET |
| HP Wired Desktop 320M Mouse | 9VA80UT |
| HP Wireless Premium Mouse | 1JR31UT |

Keyboard and Mouse Kits

| | |
|---|---------|
| HP Wired Desktop 320MK Mouse and Keyboard | 9SR36AA |
| HP Wired Desktop 320MK Mouse and Keyboard | 9SR36ET |
| HP Wired Desktop 320MK Mouse and Keyboard | 9SR36UT |

PC Drives and Storage

PC Solid State Drives

| | |
|--|-----------|
| HP ZTurbo 2TB TLC Z2 G5 TWR/SFF SSDKit | 141M1AA ★ |
| HP ZTurbo 1TB TLC Z2 G5 TWR/SFF SSDKit | 141L5AA ★ |
| HP ZTurbo 256GB TLC Z2 G5 TWR/SFF SSDKit | 141L7AA ★ |
| HP 256GB SATA Solid State Drive | A3D26AA |
| HP 256GB SATA Solid State Drive | A3D26AT |
| HP 2TB PCIe NVME TLC M.2 Z2 G5 TWR/SFF SSD | 35F73AA |
| HP 512GB SATA Solid State Drive | D8F30AA |
| HP 512GB SATA Solid State Drive | D8F30AT |
| HP Z Turbo Drive 2TB TLC Z8 G4 SSD Kit | 2Y7W5AA |
| HP ZTurbo 256GB SED Z2 G5 TWR/SFF SSDKit | 141L8AA |
| HP ZTurbo 512GB SED Z2 G5 TWR/SFF SSDKit | 141M3AA |
| HP ZTurbo 512GB SED Z2 G5 TWR/SFF SSDKit | 141M3AT |
| HP ZTurbo 512GB TLC Z2 G5 TWR/SFF SSDKit | 141M5AA |
| HP ZTurbo 512GB TLC Z2 G5 TWR/SFF SSDKit | 141M5AT |

PC SATA Hard Drives

| | |
|--|---------|
| 2TB 7200RPM SATA 3.5in Enterprise | 2Z274AA |
| 8TB 7200RPM SATA 3.5in Enterprise | 2Z273AA |
| HP 1TB Enterprise SATA 7200 HDD | W0R10AA |
| HP 1TB SATA 6Gb/s 7200 Hard Drive | LQ037AA |
| HP 1TB SATA 6Gb/s 7200 Hard Drive | LQ037AT |
| HP 4TB SATA 7200 Hard Drive | K4T76AA |
| HP 4TB SATA 7200 Hard Drive | K4T76AT |
| HP 500GB 7200rpm SATA SFF SED Hard Drive | D8N29AA |
| HP 500GB SATA 6Gb/s 7200 Hard Drive | LQ036AA |
| HP 500GB SATA 6Gb/s 7200 Hard Drive | LQ036AT |
| HP 6TB Enterprise SATA 7200 HDD | 3DH90AA |

Removable Hard Drive Enclosure

| | |
|-----------------------------------|---------|
| HP 4-in-1 SFF (2.5in) HDD Carrier | B8K60AA |
|-----------------------------------|---------|

PC DVD-ROM Drives

| | |
|----------------------------------|---------|
| HP Z2 TWR DVD-ROM 9.5mm Slim ODD | 4L5K1AA |
|----------------------------------|---------|

PC DVD Drives

| | |
|-------------------------------------|---------|
| HP Z2 TWR DVD-Writer 9.5mm Slim ODD | 4L5K0AA |
|-------------------------------------|---------|

PC Networking Adapters

PC Fast Ethernet Adapters

| | |
|--|---------|
| Allied Telesis AT-2914SX/LC-901 1GB LC Fiber NIC | 1C7Q2AA |
|--|---------|

PC Controller/Controller Options

PC Processor Cards

| | |
|---------------------------------------|---------|
| Aquantia NBASE-T 5GbE PCIe NIC | 1PM63AA |
| Intel Ethernet I210-T1 GbE NIC | E0X95AA |
| Intel Ethernet I350-T2 2-Port 1Gb NIC | V4A91AA |
| Intel Ethernet I350-T4 4-Port 1Gb NIC | W8X25AA |

Expansion Solution and Controller Cards

Port Adapters

| | |
|--|---------|
| HP 1GbE LAN Flex Port 2020 | 141J6AA |
| HP DP Flex Port 2020 | 141J7AA |
| HP Dual USB-A 3.2 Gen1 Flex 2020 | 141J8AA |
| HP Flex 1GbE Fiber LC Single Port | 20J15AA |
| HP Front USB-C 3.2 Gen2 2020 TWR | 141K0AA |
| HP HDMI Flex Port 2020 | 141K1AA |
| HP PCIe x1 Parallel Port Card | N1M40AA |
| HP PCIe x1 Parallel Port Card | N1M40AT |
| HP USB-C 3.2 Gen2 Alt Flex Port 2020 | 141K6AA |
| HP VGA Flex Port 2020 | 141K7AA |
| HP Z2 G5 2nd serial port adapter | 141K8AA |
| HP Z2 G5 Internal Serial and PS/2 Port | 141K9AA |

Cables/Cable Kits/Cable Adapters

Audio and Video Cables

| | |
|---------------------------------|---------|
| HP DisplayPort To VGA Adapter | AS615AA |
| HP DisplayPort To VGA Adapter | AS615AT |
| HP DisplayPort To VGA Adapter | F7W97AA |
| HP DisplayPort to DVI-D Adapter | FH973AA |
| HP DisplayPort to DVI-D Adapter | FH973AT |

Cable Adapters

| | |
|--------------------------------------|---------|
| HP Single miniDP-to-DP Adapter Cable | 2MY05AA |
| HP USB-C to DP Adapter | 4SH08AA |
| HP USB-C to HDMI Adapter | 4SH07AA |
| HP USB-C to VGA Adapter | 4SH06AA |

Chassis and Chassis Accessories

Brackets/Bezels/Panels

| | |
|-------------------------------------|---------|
| HP Dust Filter Z2 G5 Tower | 141L2AA |
| HP Dust Filter bezel Z2 G5 Tower | 141L3AA |
| HP Optical Bay HDD Mounting Bracket | NQ099AA |

Point of Sales System Options

POS Display Accessories

| | |
|--|---------|
| HP L7010t 10.1-inch Retail Touch Monitor | T6N30AA |
| HP L7014 14-inch Retail Monitor | T6N31AA |
| HP L7014t 14-inch Retail Touch Monitor | T6N32AA |
| HP L7016t 15.6-inch Retail Touch Monitor | V1X13AA |

PC Accelerators

PC IO Accelerators

| | |
|---------------------------------------|---------|
| HP Thunderbolt 3.0 PCIe Card Z2 Tower | 141M7AA |
|---------------------------------------|---------|

Rack Brackets/Bezels/ Panels/Rails/ Trays/Mounting

Rack Kits

| | |
|--|---------|
| HP Z2 Mini/Z2 Tower/Z4/Z6 Depth Adjustable Fixed Rail Rack Kit | 2A8Y5AA |
|--|---------|

Batteries/Chargers/Adapters

Power Cords

| | |
|------------------------|---------|
| HP Z2 Power Cord Kit M | 1N1D5AA |
|------------------------|---------|

Network Adapters

Adapter Cards

Intel X550 10GBASE-T Dual Port NIC

1QL46AA

Intel X710-DA2 10GbE SFP+ DP NIC

1QL47AA

Monitors

Business Monitors

★ : Recommended

Z Displays

| | |
|--|-----------|
| HP Z32 31.5-inch 4K UHD Display | 1AA81A4 ★ |
| HP DreamColor Z27x G2 Studio Display | 2NJ08A4 |
| HP DreamColor Z31x Studio Display | Z4Y82A4 |
| HP Z24f G3 FHD Display | 3G828AA |
| HP Z24n G3 WUXGA Display | 1C4Z5AA |
| HP Z24u G3 WUXGA USB-C Display | 1C4Z6AA |
| HP Z25xs G3 QHD USB-C DreamColor Display | 1A9C9AA |
| HP Z27k G3 4K USB-C Display | 1B9T0AA |
| HP Z27q G3 QHD Display | 1C4Z7AA |
| HP Z27u G3 QHD Display | 1B9X2AA |
| HP Z27xs G3 4K USB-C DreamColor Display | 1A9M8AA |
| HP Z38c 37.5-inch Curved Display | Z4W65A4 |
| HP Z43 42.5-inch 4K UHD Display | 1AA85A4 |

E-Series

| | |
|---------------------------------------|---------|
| HP E22 G4 FHD Monitor | 9VH72AA |
| HP E23 G4 FHD Monitor | 9VF96AA |
| HP E24 G4 FHD Monitor | 9VF99AA |
| HP E24 G4 FHD No Stand(Bulk2) Monitor | 3R473AA |
| HP E24i G4 WUXGA Monitor | 9VJ40AA |
| HP E24mv G4 FHD Conferencing Monitor | 169L0AA |
| HP E24q G4 QHD Monitor | 9VG12AA |
| HP E24t G4 FHD Touch Monitor | 9VH85AA |
| HP E24u G4 FHD USB-C Monitor | 189T0AA |
| HP E27 G4 FHD Monitor | 9VG71AA |
| HP E27q G4 QHD Monitor | 9VG82AA |
| HP E27u G4 QHD USB-C Monitor | 189T3AA |

EliteDisplays

| | |
|---|---------|
| HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor | E4U30AA |
| HP EliteDisplay E233 23-inch Monitor | 1FH46AA |

| | |
|---|---------|
| HP EliteDisplay E243 23.8-inch Monitor | 1FH47AA |
| HP EliteDisplay E243d 23.8-inch Docking Monitor | 1TJ76AA |
| HP EliteDisplay E243d 23.8-inch Docking Monitor | 7MP20AA |
| HP EliteDisplay E243m 23.8-inch Monitor | 1FH48AA |
| HP EliteDisplay E273m 27-inch Monitor | 1FH51AA |
| HP EliteDisplay S340c 34-inch Curved Monitor | V4G46AA |

Healthcare Edition Displays

| | |
|--|---------|
| HP Healthcare Edition HC241 Clinical Review Monitor | 3ME68AA |
| HP Healthcare Edition HC241p Clinical Review Monitor | 3ME69AA |

ProDisplays

| | |
|---------------------------|---------|
| HP Mini-in-One 24 Display | 7AX23AA |
|---------------------------|---------|

P-Series

| | |
|--------------------------|---------|
| HP P22 G4 22 FHD Monitor | 1A7E4AA |
| HP P22h G4 FHD Monitor | 7UZ36AA |
| HP P22h G4 FHD Monitor | 7UZ36AT |
| HP P24 G4 24 FHD Monitor | 1A7E5AA |
| HP P24h G4 FHD Monitor | 7VH44AA |
| HP P27h G4 FHD Monitor | 7VH95AA |

Value Displays

| | |
|-----------------|---------|
| HP V22b Monitor | 2XM33AA |
| HP V24b Monitor | 2XM34AA |

Remote Connectivity Software

★ : Recommended

Workstation Remote Connectivity Software

| | | |
|--|----------|----------|
| HP ZCentral Connect 2020 E-LTU | 9TS59AAE | obsolete |
| HP ZCentral Remote Boost 2020 Floating E-LTU | 9TS61AAE | |
| HP ZCentral Remote Boost 2020 Standard E-LTU | 9TS60AAE | |

Disclaimer — Copyright

Intel, Pentium, the Intel logo, Intel Core, Thunderbolt, vPro, Optane, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth is a trademark of its proprietor, used by HP Inc. under license. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Adobe PDF is a trademark of Adobe Systems Incorporated. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. NVIDIA, the NVIDIA logo, Quadro, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. All other trademarks are the property of their respective owners.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.