

peerless-AV<sup>®</sup>

Digital Signage  
Collection



# Exceeding your expectations with innovative solutions.

Peerless-AV® continues to be a pioneer and market leader in the digital signage arena. We consistently raise the bar, providing innovative, award-winning solutions for interactive displays, out-of-home advertising, in-store displays, POS solutions, and much more. We have creative, compelling solutions for just about any environment.

Our standard products encompass a wide range of digital signage solutions, from dvLED video wall mounting systems to integrated kiosks. As the industry leader in custom solutions for high volume projects, we offer true innovation and technical expertise, all housed within our state-of-the-art facility, to take projects from concept to successful completion. Our dedicated team ensures we're staying ahead of industry trends, providing you with innovative products backed by the Peerless-AV quality you trust.

## COMPLETE LINE OF DIGITAL SIGNAGE SOLUTIONS



Outdoor Displays & Accessories  
pg# 4-5



Outdoor Kiosks  
pg# 6-7



Indoor Kiosks  
pg# 8-9



dvLED Video Wall Mounting Systems  
pg# 10-11




Full Service Video Wall Mounts  
pg# 12-13



Digital Menu Board Mounts  
pg# 14



Window Display Mounts  
pg# 15



Modular Solutions  
pg# 16-17



Carts & Stands  
pg# 18



Media Storage & Back-to-Back Mounts  
pg# 19

# Xtreme™ High Bright Outdoor Displays

The unique, fully-sealed design of the Peerless-AV® Xtreme™ High Bright Outdoor Display is perfect for any professional, digital signage application. These daylight readable displays are an ideal solution for commercial installations including stadiums, theme parks, quick serve restaurants, mass transit and more.

Visit [peerless-av.com/XtremeHB](http://peerless-av.com/XtremeHB) to learn more.



All Weather Rated: IP66

## Xtreme™ High Bright Outdoor Displays

| XHB554   |   |
|--|---|
| <b>Display Size</b><br>55" Class (54.6" Diagonal)                  |   |
| <b>Operating Temperature</b><br>-31°F to 140°F (-35°C to 60°C)     |   |
| <b>Inputs</b><br>CVBS, YPbPr, HDMI, DisplayPort, USB, HDBaseT, LAN |   |
| <b>Resolution</b><br>1920 x 1080                                   | <b>Refresh Rate</b><br>60Hz                       |
| <b>Viewing Angle</b><br>178° Vertical/Horizontal                   | <b>Display Orientation</b><br>Landscape, Portrait |



- Daylight readable displays offer high bright output for a clear, crisp picture, even in direct sunlight
- IP66 rated design prevents the ingress of foreign materials, such as water, dust, moisture and insects, from entering the display
- Patented thermal exhaust system keeps internal components properly cooled in extreme heat
- Remote and Local monitoring, supported via IP addressable user interface, for temperature, humidity, and power draw diagnostics of the display



## OUTDOOR ACCESSORIES



Wind Rated Tilt Wall Mount  
for Outdoor Displays

Wind rated up to 110mph  
when fixed tilt mechanism is engaged

### EWMU

Display Size  
32" to 65"

Max Load  
200lb (91kg)

Mounting Pattern  
721 x 449mm  
(28.39"W x 17.67"H)



Outdoor Universal  
Flat Mount - Portrait

### ESF655P

Display Size  
42" to 80"

Max Load  
150lb (68kg)

Mounting Pattern  
450 x 745mm  
(17.73"W x 29.31"H)



Outdoor Flat Wall Mount

### ESF686

Display Size  
65" to 86"

Max Load  
200lb (91kg)

Mounting Pattern  
700 x 610mm  
(27.6"W x 24.0"H)



Outdoor Ceiling Mount

### ECMUA

Display Size  
43" to 75"

Max Load  
175lb (79.4kg)

Mounting Pattern  
Up to 400 x 400mm\*  
\*Up to 600 x 400mm  
with optional EPT650

Visit [peerless-av.com](http://peerless-av.com) to learn more about Peerless-AV's complete line of outdoor solutions.

# Outdoor Kiosks

Replace static signage with Peerless-AV® outdoor kiosks for greater public engagement and seamless updates of digital content whenever, wherever. With a focus on functionality and aesthetics, these outdoor kiosks are designed to be modern, approachable, practical, and endure the rigors of everyday use. Peerless-AV's all-weather rated kiosks are ideal for sharing community information, travel, and weather details, as well as wayfinding, advertising, entertainment, and more.



All Weather  
Rated Display:  
IP66



Display's Operating  
Temperature Range:  
-31°F - 140°F  
(-35°C to 60°C)

## Smart City Kiosks

Includes 55" Xtreme™ High Bright Outdoor Display (XHB554)

**Single-Sided: KOP55XHB(-S), KOP55XHB(-S)A**  
**Dual-Sided: KOP55XHB2(-S), KOP55XHB2(-S)A**

Display Size  
55" Class



Wind tested up to 135mph

Kiosk: **RoHS** **TAA** COMPLIANT Display: **RoHS** **FC** **CE** **IP** **UK** **CA**



Create an interactive kiosk by adding the KIRP-XHB4-(HT), which can detect up to 10 touch points



- All stainless steel and aluminum body combined with an outdoor rated paint finish to provide the ultimate in corrosion resistance
- Installation is easy without the need for cranes or forklifts
- IP55 rated media cabinet provides a dedicated, spacious area for storing AV components, and the integrated fans provide active cooling
- Available in black or silver and with or without speakers to ensure your product needs are met



## Outdoor Digital Signage Boards

Supports 55" Peerless-AV® XHB554, Samsung OH55F/A and LG 55XE4F-M Outdoor Displays\*

*\*Displays must be ordered separately. Samsung & LG displays require additional accessory (KOF-OPT-SAM /KOF-OPT-LG).*

**KOF555-1, KOF555-2, KOF555-3**

Display Size  
55" Class

Kiosk: **RoHS** 



CREATE A FULLY INTEGRATED DRIVE-THRU SOLUTION WITH A VARIETY OF OPTIONS:



Speaker/  
Microphone Kit  
(KOF-OPT-SPK)



Media  
Storage Fan  
(KOF-OPT-FAN)



Internal Media  
Player Shelf  
(KOF-OPT-SHELF)



Power  
Distribution Unit  
(KOF-OPT-ELECTRICAL)

- Sleek and stylish, yet rugged enough to be installed in any outdoor application for 24/7 use

- Modular design allows displays to be installed from the front, without disturbing the adjacent units

- Pedestal base allows for mounting to existing footing, thus eliminating the need for pouring new concrete\*\*

*\*\*As long as it meets the requirements for various wind load specifications*

# Indoor Kiosks

Choose from a versatile array of sleek, slim and attractive standard kiosk enclosures or create a completely unique kiosk solution fit for any indoor application and market – corporate, education, quick serve restaurants, hospitality, stadiums, retail and more. Our kiosks are customizable to fit your needs – from the choice of technology to custom paint and vinyl wraps. If you can envision it, we can make it happen.



KIPC25 models

**Floor Standing Portrait  
Kiosks, Single Sided**

For 55"-65" displays



KIPC25B models

**Floor Standing Portrait  
Back-to-Back Kiosks**

For 55"-65" displays



KILH5 models

**Floor Standing  
Landscape Kiosks**

For 43" & 55" displays

Don't see a design or size you're looking for?







KIP522 models

Landscape/  
Portrait Kiosk

For most 15", 22", or 32" Displays



KIP6/KIL6 models

Wall Kiosks,  
Portrait & Landscape

For 55" displays



Custom Solutions  
For High Volume Projects



Contact our **dedicated Kiosk Design Team** to develop a solution (for high volume projects only) that perfectly matches your vision: 800-865-2112 or [kiosks@peerless-av.com](mailto:kiosks@peerless-av.com)

# SEAMLESS


## dvLED Video Wall Mounting Systems

With over 80 years of audio visual experience, our commitment to the creation of cutting-edge technology and standard-setting solutions has elevated us to the status of the industry's most innovative leader. Our SEAMLESS dvLED Solutions Team sets the bar for high quality design, while achieving the pinnacle of aesthetic results. Our dynamic group of dvLED professionals include structural and mechanical engineers, product managers, project managers, installers, as well as sales and service personnel. The entire Peerless-AV® dvLED Solutions Team is there every step of the way to ensure every customer receives SEAMLESS product support & service.

Choose between our SEAMLESS Kitted or Bespoke Series dvLED Mounting Systems to fit your specific needs.

### SEAMLESS KITTED Universal dvLED Mounting System

The SEAMLESS Kitted Universal dvLED Mounting System features a slim and versatile design. This cost-effective, kitted solution is enabled by a patent-pending universal spacer\* that makes it adaptable for most latching dvLED displays.



**DS-LEDUNV Models**

Abjen

AOTO

BARCO

CHRISTIE

FABULUX LED

INFILED

Jupiter

JUST VIDEO WALLS

LEYARD

LG Business Solutions

LINSLED

MAXHUB

PHILIPS

PLANAR

QST

SAMSUNG

SHARP/NEC

SNA DISPLAYS

SONY

Unilumin

*Please visit the product webpage, or contact a Peerless-AV® Sales Representative, for the current list of compatible latching dvLED display models.*

*\*Universal spacer (DS-LEDUNVSPACER) is included with the preconfigured models only, sold separately with the 1:1 models.*



**Accessory:** Universal Trim Kit for dvLED Video Walls 3.9" to 6.3" deep (DS-LEDTK)

This sleek accessory is designed to cover the unsightly sides of dvLED displays and give the video wall a completely finished appearance.



## SEAMLESS **BESPOKE** Custom dvLED Mounting Systems

Peerless-AV® provides an innovative approach to all our services. Specializing in custom dvLED solutions, we strive to stay on the cutting edge of what the industry has to offer. We are equipped to work in a variety of markets & environments, giving our customers endless design options (flat, corner or curved configurations).

### OUR CLIENTS



For more information, visit [peerless-av.com/SEAMLESS](http://peerless-av.com/SEAMLESS)

# SmartMount® Full Service Video Wall Mounts

The SmartMount® video wall series is a comprehensive line of mounts that provide solutions for any environment. Limitless configurations are possible with the ability to accommodate displays in both landscape and portrait orientations. With features such as the tool-less micro-adjustment and the quick release pop out mechanism, we give you the tools you need to create the perfect video wall.

Visit [peerless-av.com](http://peerless-av.com) see the full line of award-winning mounting solutions.

RoHS



Supreme Full Service Video Wall Mount

Quick Release Model Available: DS-VW775-QR

**DS-VW775**

Display Size  
46" to 60"

Max Load  
125lb (56.8kg)

VESA® Pattern  
200 x 200 up to  
600 x 400mm



Full Service Thin Video Wall Mount with Quick Release

**DS-VW755S**

Display Size  
46" to 65"

Max Load  
80lb (36.4kg)

VESA® Pattern  
200 x 200 up to  
400 x 400mm

600 x 400mm with required accessory

- ADA compliant when paired with displays ≤ 2" deep and 8-point tool-less micro-adjustment



Full Service Video Wall Mount Landscape

Quick Release Model Available: DS-VW765-LQR

**DS-VW765-LAND**

Display Size  
40" to 65"

Max Load  
125lb (56.8kg)

VESA® Pattern  
In 100mm increments,  
starting at 200 x 200  
up to 700 x 400mm

- Tool-less micro-adjustments at 8 points allows the mount to overcome uneven walls and creates a seamless video wall display



Full Service Video Wall Mount with Quick Release

**DS-VW795-QR**

Display Size  
65" to 95"

Max Load  
225lb (102kg)

VESA® Pattern  
200 x 200 up to  
600 x 600mm

- Quick release pop out mechanism provides convenient display access in recessed applications



## ADDITIONAL MOUNTING SOLUTIONS

Accessories ..... page 19



2x2 Flat Video  
Wall Mount


**DS-VW655-2X2**

**Display Size**  
46" to 55"

**Max Load**  
600lb (272kg)

**Mounting Pattern**  
1886 x 1137mm  
(74.25"W x 44.75"H)

- Horizontal adjustment makes mounting and aligning displays quick and easy



3x3 Video Wall Cart  
& Pedestal Mount

Other Configurations Available

**DS-C555-3X3 | DS-S555-3X3**

**Display Size**  
46" to 55"

**Max Load**  
900lb (409kg)  
100lb per display

**VESA® Pattern**  
200 x 200 up to  
600 x 400mm

- Tool-less micro-adjustment at 8 points seamlessly aligns the displays



Multi-Display Ceiling Mount  
with Four Telescoping Arms

Other Configurations Available

**DST975-4**

**Display Size**  
37" to 75"

**Max Load**  
500lb (227kg)  
125lb (57kg) per display


**Mounting Pattern**  
730 x 405mm  
(28.75"W x 15.95"H)

- Arms telescope to allow for the desired display spacing
- 0°-20° of tilt and 360° of swivel


# SmartMount® Digital Menu Board Mounts

Peerless-AV® offers menu board solutions for both wall and ceiling applications to fit all environments. The SmartMount® Digital Menu Board Mounts are perfect for Quick Service Restaurants, Cafeterias, Bars and more. With a one-to-one ordering process and functionality features that reduce installation time and costs, these digital menu board mounts are the perfect solution for your digital signage needs.

RoHS



Landscape



Landscape configuration for three displays



Digital Menu Board Wall Mount with Height & Depth Adjustment

Digital Menu Board Ceiling Mount with Height & Depth Adjustment - Landscape

| Landscape  | Landscape  | Portrait   | 2x1 Configuration                                       | 2x1 Configuration                                       | 3x1 Configuration  | 3x1 Configuration  |
|--|--|--|---|---|--|--|
| <b>DS-MBZ642L</b>                                      | <b>DS-MBZ647L</b>                                      | <b>DS-MBZ647P</b>                                    | <b>DS-MBZ942L-2X1</b>                                   | <b>DS-MBZ947L-2X1</b>                                   | <b>DS-MBZ942L-3X1</b>                                    | <b>DS-MBZ947L-3X1</b>                                    |
| Display Size<br>40" to 42"                             | Display Size<br>46" to 65"                             | Display Size<br>42" to 48"                           | Display Size<br>40" to 42"                              | Display Size<br>46" to 55"                              | Display Size<br>40" to 42"                               | Display Size<br>46" to 48"                               |
| Max Load<br>100lb (45.5kg)                             | Max Load<br>100lb (45.5kg)                             | Max Load<br>100lb (45.5kg)                           | Max Load<br>200lb (90.9kg)                              | Max Load<br>200lb (90.9kg)                              | Max Load<br>300lb (136kg)                                | Max Load<br>300lb (136kg)                                |
| Mounting Pattern<br>880 x 400mm<br>(34.65"W x 15.75"H) | Mounting Pattern<br>975 x 400mm<br>(38.40"W x 15.75"H) | Mounting Pattern<br>550 x 400mm<br>(21.65" x 15.75") | Mounting Pattern<br>1769 x 400mm<br>(69.65"W x 15.75"H) | Mounting Pattern<br>1960 x 400mm<br>(77.15"W x 15.75"H) | Mounting Pattern<br>2658 x 400mm<br>(104.65"W x 15.75"H) | Mounting Pattern<br>2944 x 400mm<br>(115.90"W x 15.75"H) |

- Tool-less height adjustment and four-corner depth adjustment to alleviate issues with wall imperfections and fine-tuning

- Uses a one-to-one ordering process for an effortless digital signage solution

- Connecting wall plates create a continuous mounting surface for ease of display alignment

- Vertical adjustment on each bracket for post-installation leveling and height adjustment fine tuning

- Quick connect latch automatically engages the wall plate when mounting the display for a speedy set-up and peace of mind



# Floor & Ceiling Window Display Mounts

Peerless-AV's unique mounting solutions are ideal for retail applications to showcase eye-catching, digital signage content in store windows.

**RoHS**  
2002/95/EC



Ceiling Window Display Mounts

For Samsung OM55N-D Double-Sided Displays

## DS-OM55ND-CEIL

**Display Size**  
55" Samsung Double-Sided Display

**Max Load**  
100lb (45.4kg)

**Center of Display**  
Ceiling Mounted:  
53" (1350mm)



Floor Window Display Mounts

For Samsung OM55N-D Double-Sided Displays

## DS-OM55ND-FLOOR

**Display Size**  
55" Samsung Double-Sided Display

**Max Load**  
100lb (45.4kg)

**Center of Display**  
Floor Mounted:  
65" (1650mm)

- Both floor and ceiling models have a minimal footprint, which allows for installation right up to the window
- Concealed cable management for a sleek and professional appearance
- Mount is designed to complement the sleek look of the Samsung display with its slim profile
- Concealed floor/ceiling attachment for sleek aesthetics

# Modular Series

The Modular Series features connectable components to meet virtually any application, making them the most versatile and easy to install products available. Choose from a variety of kits including ceiling, floor-to-ceiling, and free standing in either single or dual poles, or create your own video wall configuration for your unique installation. The modular series provides a complete digital signage solution for a wide range of applications.

To “build your own” solution, contact Peerless-AV® Customer Care.

RoHS



## Modular Series Ceiling Kit

One 39" (1m) extension pole included with MOD-FPSKIT100(-B)  
One 59" (1.5m) extension pole included with MOD-FPSKIT150(-B)

**MOD-FPSKIT100/150(-B)**

## Modular Series Floor-to-Ceiling Kit

One 118" (3m) extension pole included

**MOD-FCSKIT300(-B)**

## Modular Series Dual Pole Ceiling Kit

Two 59" (1.5m) extension poles included

**MOD-FPS2KIT150(-B)**

## Modular Series Dual Pole Floor-to-Ceiling Kit

Two 118" (3m) extension poles included

**MOD-FCS2KIT300(-B)**

**Display Size**  
Up to 75"

**Display Size**  
Up to 75"

**Display Size**  
46" to 90"

**Display Size**  
46" to 90"

**Max Load**  
132lb (60kg) per display  
  
Up to 2 displays when used back to back using MOD-FPMD accessory.

**Max Load**  
132lb (60kg) per display  
  
Up to 2 displays when used back to back using MOD-FPMD accessory.

**Max Load**  
211lb (96kg) per display  
  
Up to 2 displays when used back to back using MOD-FPMD2 accessory.

**Max Load**  
211lb (96kg) per display  
For multi screen applications the max system load is 411lb (192kg) with a maximum of 3 displays positioned on one side of the poles or 6 displays back to back using MOD-ASC2 and MOD-FPMS2 or MOD-FPMD2 accessories.

**VESA® Pattern**  
up to 600 x 400mm

**VESA® Pattern**  
up to 600 x 400mm

**VESA® Pattern**  
up to 600 x 400mm

**VESA® Pattern**  
up to 600 x 400mm

- Includes simple hook-on feature, with +20° to -5° tilt and locks at every 5° increment

- Modular Series poles can be cut to length on the jobsite

- Securely mounts to wood or concrete ceilings and floors to accommodate many environments

- Additional displays can be stacked on the dual poles for added versatility to the installation





Modular Series Dual Pole Floor-to-Wall Kit

Two 118" (3m) extension poles included

**MOD-FW2KIT300(-B)**

**Display Size**  
46" to 90"

**Max Load**

211lb (96kg) per display  
For multi screen applications the max system load is 411lb (192kg) with a maximum of 3 displays positioned on one side of the poles using MOD-ASC2 and MOD-FPMS2 accessories.

**VESA® Pattern**  
up to 600 x 400mm

- Display can be positioned at any point along the height of the pole for maximum versatility



Modular Series Dual Pole Free Standing Kit

Two 78" (2m) extension poles included

**MOD-FPP2KIT200(-B)**

**Display Size**  
46" to 90"

**Max Load**

211lb (96kg) per display  
For multi screen applications the max system load is 411lb (192kg) with a maximum of 2 displays positioned on one side of the poles or 4 displays back to back using MOD-ASC2 and MOD-FPMS2 or MOD-FPMD2 accessories.

**VESA® Pattern**  
up to 600 x 400mm

- Integrated cable management runs through poles with open access at both ends for ease of use



Modular Series Dual-Pole Wall Mount Interface & Flat Mount

**MOD-AWM2**

**Display Size**  
46" to 90"\*


**Max Load**

211lb (96kg) per display when used as a display mount\*

*\*Reference mount specifications when used with optional Flat, Tilt or Video Wall Mounts*

**VESA® Pattern**  
200, 300 & 400mm when used as a display mount\*

- Provides compatibility with Peerless-AV Flat, Tilt and Video Wall mounts onto the Modular Series Dual Pole configurations



3x3 LANDSCAPE VIDEO WALL Shown in Modular Series Dual Pole Floor-to-Ceiling configuration

(SmartMount® Full Service Video Wall Mount with Quick Release, DS-VW765-LQR, required)



3x2 PORTRAIT VIDEO WALL Shown in Modular Series Dual Pole Floor-to-Wall configuration

(SmartMount® Full Service Video Wall Mount with Quick Release, DS-VW765-PQR, required)

# Carts & Stands

Peerless-AV® carts and stands are compatible with a wide range of display sizes, and are perfect for portability or when mounting to a wall is not an option. These solutions provide a safe and secure mounting platform for displaying digital content in public areas like conference rooms, lobbies or convention centers.

RoHS



Accessories ..... page 19



Universal Stand



Flat Panel Cart



Flat Panel Cart



Flat Panel Cart



Flat Panel Cart

| SS575K  | SR560M   | SR598  | SR860  | SR898  |
|---|--|--|--|--|
| <b>Display Size</b><br>32" to 75"                                       | <b>Display Size</b><br>32" to 75"                                | <b>Display Size</b><br>55" to 98"                      | <b>Display Size</b><br>43" to 75"+                     | <b>Display Size</b><br>55" to 110"+                    |
| <b>Max Load</b><br>150lb (68.3kg) display<br>25lb (11.4kg) media player | <b>Max Load</b><br>150lb (68.2kg) display<br>10lb (4.55kg) shelf | <b>Max Load</b><br>300lb (136.1kg)                     | <b>Max Load</b><br>150lb (68kg)<br>for the display     | <b>Max Load</b><br>300lb (136.1kg)<br>for the display  |
| <b>VESA® Pattern</b><br>200 x 200<br>up to 600 x 400mm                  | <b>Mounting Pattern</b><br>200 x 200<br>up to 600 x 400mm        | <b>VESA® Pattern</b><br>200 x 200 up to<br>900 x 600mm | <b>VESA® Pattern</b><br>200 x 200 up to<br>800 x 400mm | <b>VESA® Pattern</b><br>200 x 200 up to<br>900 x 600mm |

- Secure media player storage below the display with simple access to the device without having to remove the display

- Display and/or component shelf can be located anywhere along the column for perfect component placement & viewing height

- Removable rear cover sits behind the display and provides a clean, concealed area for managing cabling and components

# SmartMount® Media Storage & Back-to-Back Mounts

Media device storage is simple and effective with the SmartMount® Media Storage Mounts. Available solutions include flat/tilt wall and ceiling mounts and back-to-back ceiling mounts.

RoHS  
RECYCLED



Flat/Tilt Wall Mount with Media Device Storage  
Accommodates media device up to 12" x 13" x 2.4" (305 x 330 x 61mm)

Flat/Tilt Ceiling Mount with Media Device Storage  
Accommodates media device up to 16" x 11" x 3.25" (406 x 279 x 83mm)

Back-to-Back Ceiling Mount with Media Device Storage  
Provide storage for standard size computers

### DST660

Display Size  
40" to 60"

Max Load  
125lb (57kg)

VESA® Pattern  
200 x 100 up to 400 x 400mm

### DST995

Display Size  
40" to 95"

Max Load  
225lb (102kg)

VESA® Pattern  
In 100mm increments, starting at 200 x 200 up to 400 x 400mm

### DST965

Display Size  
40" to 65"

Max Load  
300lb (136kg)

Mounting Pattern  
730 x 405mm (28.75"W x 15.95"H)

- Security hardware to deter tampering and theft
- Easy access to media player for maintenance or repair

## Accessories for the Digital Signage Collection



**DCS400**  
Multi-Display Structural Ceiling Stress Decoupler



**DCT300**  
Multi-Display Truss Ceiling Stress Decoupler



**DCT500/600/700/800/900**  
Multi-Display I-beam Clamps



**ACC600**  
Multi-Display Interface Bracket



**CMJ470/480/490**  
Ceiling Plates

Additional ceiling plates available, visit [peerless-av.com](http://peerless-av.com)



**PLCM-2**  
Ceiling Mounted Tilt Box for up to 90° Displays



**PLCM-4**  
Ceiling Mounted Stackable Tilt Box for up to 90° Displays



**DS-VWS###(-P)**  
Video Wall Spacer Kit



**DSX750**  
Media Player Holder Accessory



**ACC-UCM**  
Universal AV Component Mount  
Can be mounted to various wall surfaces. Peerless-AV® products, or directly to the TV's VESA® pattern



**ADD models**  
Fixed or Adjustable Extension Columns for Ceiling Decouplers

Various lengths available. Visit [peerless-av.com](http://peerless-av.com)



**EXT models**  
Fixed Extension Columns

Various lengths available. Visit [peerless-av.com](http://peerless-av.com)



**AEC models**  
Adjustable Extension Columns

Various lengths available. Visit [peerless-av.com](http://peerless-av.com)



**ACC325**  
Accessory Shelf for Flat Panel Stand, FPZ-600



**ACC615**  
Metal Stud Fastener Kit - 6 togglers



**ACCDC models**  
TV/Display Covers



**PLP-UNL**  
Universal I-Shaped Display Adaptor for 32" to 90" Displays



**PLP-V models**  
Dedicated Display Adaptor

Various models available. Visit [peerless-av.com](http://peerless-av.com)



**ACC-V900X**  
VESA® 600, 800 or 900mm Adaptor



**ACC310**  
Feet Accessory for SmartMount® Carts and Stands



**ACC320**  
Electrical Outlet Strip with Cord Wrap for SmartMount® Carts and Stands





**ACC-VCS**  
Video Conferencing Camera Shelf for SmartMount® Carts and Stands



**ACC-LA**  
Laptop Arm for SmartMount® Carts and Stands



For over 80 years, passion and innovation continue to drive Peerless-AV forward. We proudly design and manufacture the highest quality products, including outdoor displays and TVs, dvLED and LCD video wall systems, complete integrated kiosks, professional carts and stands, and more. Whether a full-scale global deployment or high volume custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way. For more information, visit [peerless-av.com](http://peerless-av.com).

 [peerless-av.com](http://peerless-av.com)  
 800-865-2112