



HP LaserJet Pro MFP 3101fdw Printer (3G628F)



Overview

Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

Powerful productivity.

Support your small workteams with this laser printer, designed for up to 7 users.

HP Wolf Pro Security.

Get printer security out of the box. Preconfigured settings mean it's ready when you are.

Seamless management.

Centralize your print management. HP Web Jetadmin makes it easy with its suite of features. [4]

Sustainable printing

Save up to 20% energy. EcoSmart toner with JetIntelligence balances premium quality with sustainability. [5]

Features

Small workteam solution.

Fast print and duplex speeds.^[1]

HP Smart^[2]

HP Web Jetadmin^[4]

Simple setup

[1] Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

[2] Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

[4] HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

[5] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart.

Specifications

| | |
|--|---|
| Print Resolution Technologies | 600dpi with Resolution Enhancement technology (REt); ProRes 1200 |
| Print quality black (best) | Up to 1200 x 1200 dpi |
| Print speed black (ISO, A4) | Up to 33 ppm |
| Print speed black (ISO, letter) | Up to 35 ppm |
| Print speed | Black (normal, A4): Up to 33 ppm; Black (normal, letter): Up to 35 ppm; Black (Duplex, A4): Up to 20 ipm; Black (Duplex, letter): Up to 21 ipm |
| Bottom margin (A4) | 4.23 mm |
| Left margin (A4) | 4.23 mm |
| Right margin (A4) | 4.23 mm |
| Top margin (A4) | 4.23 mm |
| Functions | Print, copy, scan, fax |
| Duplex printing | Automatic (standard) |
| Duty cycle (monthly, A4) | Up to 50,000 pages |
| Duty cycle (monthly, letter) | Up to 50,000 pages |
| Printer smart software features | Automatic duplex, Easy OOB, Scan Destinations, Smart security, Print always work. |
| Replacement cartridges | HP 138A Original Black LaserJet Toner Cartridge W1380A (~1,500 yield); HP 138X Original Black LaserJet Toner Cartridge W1380X (~4,000 yield) ^[2] |
| Supplies feature | HP JetIntelligence Cartridge |
| Connectivity, standard | 2 Hi-Speed USB 2.0 (device); Ethernet 10/100 BT; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz |
| Network capabilities | 10/100Mbps Ethernet; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz. |
| Wireless capability | Yes |
| Mobile printing capability | HP Smart App; Apple AirPrint™; Mopria™ Certified; Wireless Direct Printing |
| Network protocols, supported | TCP/IP; IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS |
| Software included | No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools |
| Compatible Operating Systems | Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) <i>(Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit), Windows 8, 8.1. Full solution software available only for Windows 7 SP1 and newer; For Windows Server 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit, 2016 64-bit only print driver is installed. Linux systems use in-OS HPLIP software.)</i> |
| Sustainable impact specifications | Mercury free |

| | |
|---|--|
| Energy star certified | Yes |
| Ecolabels | Blue Angel; EPEAT® Silver; ENERGY STAR® certified |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies |
| Copy speed (black, normal quality, A4) | Up to 33 cpm |
| Copy speed black (normal, letter) | Up to 35 cpm |
| Copy speed black duplex (A4) | Up to 20 ppm |
| Copy speed black duplex (Letter) | Up to 21 ppm |
| Digital sending standard features | Scan to email; Scan to PDF |
| Fax Resolution Black (best) | Up to 300 x 300 dpi |
| Faxing | Yes |
| Scan speed (normal, A4) | Up to 19 ppm (b&w), up to 8 ppm (color) |
| Scan speed (normal, letter) | Up to 20 ppm (b&w), up to 9 ppm (color) |
| Scan file format | JPG, TIFF, XPS, PDF, PDF/A |
| Scan input modes | HP Smart App; and user applications via Twain |
| Scan technology | CIS |
| Scanner type | ADF, flatbed |
| Display area (imperial) | 2.7 in |
| Display area (metric) | 6.85 cm |
| Display | 2.7" CGD; Touch Screen |
| Minimum dimensions (W x D x H) | 418.0 x 398.2 x 313.2 mm |
| Minimum dimensions (W x D x H) | 16.5 x 15.7 x 12.3 in |
| Weight | 10.5kg <i>(with Starter cartridge)</i> |
| Weight | 23.1lb <i>(with Starter cartridge)</i> |
| Power consumption | 436 watts (active printing), 4.5 watts (ready), 1.31 watts (sleep), 0.06 watts (Manual Off), 0.06 watts (Auto Off/Manual On) <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.)</i> |
| Power supply type | Internal (Built-in) power supply |
| What's in the box | HP LaserJet Pro MFP 3101fdw Printer, Preinstalled HP Black Original LaserJet Toner Cartridge, Setup Guide, Reference Guide, Regulatory Flyer, Warranty Guide, Power cord ^[1] |
| Manufacturer Warranty | One-year limited warranty |

Additional specifications

| | |
|---|--|
| Acoustic power emissions (active scan) | ADF scan (color) : 5.4 B(A) ; ADF scan (mono) : 6.1 B(A) |
| Acoustic power emissions (active, printing) | 6.6 B(A) (printing at 33ppm) |
| Acoustic power emissions (ready) | 3.2 B(A) |
| Acoustic pressure emissions bystander (active scan) | ADF scan (colour) : 40 dB(A); ADF scan (mono) : 47 dB(A) |
| Acoustic pressure emissions bystander (active, printing) | 53 dB(A) |
| Acoustic pressure emissions bystander (ready) | 14 dB(A) |
| Auto fax reduction supported | Yes |
| Automatic document feeder capacity | Standard, 50 sheets |
| Automatic paper sensor | No |
| Bit depth | 24-bit |
| Cable included | no USB |
| Cartons per layer | 6 |
| Certifications and compliances | RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Chile, Argentina, Paraguay, Indonesia, Singapore, Philippines, etc. |
| Color or black | Black and white |
| Color scanning | Yes |
| Compatible Network Operating Systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing , |
| Connection type | Wireless |
| Control panel | 2.7" CGD; Touch Screen; 3 LED buttons (Back, Home, Info) |
| Copier scaling (ADF) | 25 to 400% |
| Copier settings | Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality |
| Copies, maximum | Up to 999 copies |
| Copy reduce / enlarge settings | 25 to 400% |
| Copy resolution (black text) | Up to 300 dpi |

Copy speed note

First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.

Count of layers in pallet

NA:5 ; EMEA/AP:4

Country of origin

Made in Vietnam

Distinctive ring detection supported

Yes

Downloadable software

From hpsmart.com/setup: HP Easy Start (Windows); HP Easy Start Pro (Mac); From hp.com: Full-solution software and drivers(with installer) - offline use; HP Easy Start; Product Documentation and Support; HP Print and Scan Doctor; From Mobile OS: See "HP Mobile Printing" (<http://www.hp.com/go/mobileprinting>); From In-OS app stores: HP Smart; HP Print Service Plugin; From HP.com for printer administrators: Linux Print Drivers; HP Web JetAdmin Software (HP SNMP Proxy Agent); HP Smart Universal Print Driver.

Driver updates

Latest drivers available from support web site.

Duplex ADF scanning

No

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Electromagnetic compatibility

CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6

Fax Auto Redial

Yes

Fax Broadcast Locations

0

Fax PC Interface Supported

Yes, Windows fax driver, HP PC Send Fax Driver 2.0

Fax Polling

No

Fax Remote Retrieval

No

Fax Speed Dials, Maximum Number

Up to 200 numbers

Fax Transmission Speed

33.6 kbps (maximum); 14.4 kbps (default)

Fax Transmission Speed Note

[3] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

Fax delayed sending

Yes

Fax forwarding

Yes

Fax memory

Up to 500 pages

Fax memory

Up to 500 pages

Fax phone TAM interface supported

No

Fax resolution black

Up to 203 x 196 dpi

| | |
|---|---|
| Fax telephone mode supported | Yes |
| Fax transmission speed (letter) | 3 sec per page ^[3] |
| First copy out black (A4) | As fast as 6.2 sec |
| First copy out black (A4, sleep) | As fast as 7.2 sec |
| First copy out black (letter) | As fast as 6.0 sec |
| First copy out black (letter, sleep) | As fast as 7.0 sec |
| First page out black (A4, ready) | As fast as 7.0 sec |
| First page out black (A4, sleep) | As fast as 8.7 sec |
| First page out black (letter, ready) | As fast as 6.6 sec |
| First page out black (letter, sleep) | As fast as 8.3 sec |
| First page out footnote | [6] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. |
| Fonts and typefaces | 84 scalable TrueType fonts |
| Input capacity | Up to 250 sheets |
| Internal Storage | no hard disk |
| Junk fax barrier | Yes, requires Caller ID |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Input Capacity (envelopes) | Up to 10 envelopes |
| Maximum Memory | 512 MB |
| Maximum dimensions (W x D x H) | 426.8 x 758.8 x 475.5 mm |
| Maximum dimensions (W x D x H) | 16.8 x 29.9 x 18.7 in |
| Maximum input capacity (sheets) | Up to 250 sheets |
| Maximum metric depth | 758.5mm |
| Maximum metric height | 475.5mm |
| Maximum metric width | 426.8mm |
| Maximum output capacity (sheets) | Up to 150 sheets |
| Maximum print area | 207 x 348 mm |
| Media size (ADF) | A4; LTR; LGL |
| Media size, tray 1 | Letter; Legal; Executive; Oficio 8.5x13; Oficio(216x340); A4, A5, A5-R, A6, B5(JIS); B6(JIS); 16K(195 x 270 mm); 16K(195 x 270 mm); 16K(197 x 273 mm); L 9x13 cm; 10x15cm; 3x5; 4x6; 5x7; 5x8; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL; Envelope #10; Envelope Monarch |
| Media sizes supported | Letter; Legal; Executive; Oficio 8.5x13; 3x5; 4x6; 5x7; 5x8; Envelope #10; Envelope Monarch |

| | |
|--|--|
| Media sizes supported | A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL |
| Media sizes supported, key | 10 x 15 cm; A4; Envelopes |
| Media sizes supported, key | 4 x 6 in; Letter; Legal; Envelopes |
| Media sizes, custom | Width 3 x 8.5 in ; Length 5 to 14 in |
| Media sizes, custom | Width 76 to 216 mm ; Length 127 to 356mm |
| Media type and capacity, ADF | 50 sheet of 20 lb plain paper |
| Media type and capacity, tray 1 | Sheets : up to 250; Envelopes : up to 10 |
| Media types | Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards |
| Media weight (tray 1) | 60 to 163 g/m ² |
| Media weight, supported | 16 to 43lb |
| Media weight, supported | 60 to 163 g/m ² |
| Media weights, supported ADF | 16 to 24 lb |
| Media weights, supported ADF | 60 to 90 g/m ² |
| Memory | 512 MB |
| Metric depth | 398.2mm |
| Metric height | 313.2mm |
| Metric width | 418.0mm |
| Minimum System Requirements | Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. |
| Minimum System Requirements for Macintosh | Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required |
| Model number | 3101fdw |
| Native scan file format | PDF, JPG |
| Number of print cartridges | 1 (black) |
| Number of users | 3-10 Users |
| Operating humidity range | 10 to 80% RH |
| Operating temperature range | 59 to 90.5°F |
| Operating temperature range | 15 to 32.5°C |
| Output capacity | Up to 150 sheets |
| Package dimensions (W x D x H) | 497 x 379 x 490 mm |
| Package dimensions (W x D x H) | 19.57 x 14.92 x 19.29 in |
| Package weight | 13.6 kg |
| Package weight | 30.0 lb |

| | |
|---|--|
| Page yield (set-up/inbox cartridges) | ~1,000 black pages |
| Pallet dimensions | NA: 47.24 X 39.37 X 102.4 in; EMEA/AP: 47.24 X 39.37 X 83.11 |
| Pallet dimensions (W x D x H) | NA: 1200 x 1000 x 2601mm; EMEA/AP: 1200 x 1000 x 2111mm |
| Pallet weight | NA: 944.7 lb; EMEA/AP: 764.8 lb |
| Pallet weight | NA: 428.5 kg; EMEA/AP: 346.9 kg |
| Paper handling input, standard | 1 main tray; 250 sheets or 10 envelopes |
| Paper handling output, standard | 150 sheets output tray |
| Paper trays, maximum | 1 Main Tray |
| Paper trays, standard | 1 |
| Plug and play | Easy wireless setup with HP Smart App |
| Power | 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz |
| Print Technology | Laser |
| Print colors | No |
| Print languages | PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm |
| Print quality black (normal) | Up to 600 x 600 dpi |
| Print resolution black (fine lines) | Up to 1200 x 1200 dpi |
| Print speed black (Landscape, A5) | Up to 53 ppm |
| Print speed black (Portrait, A5) | Up to 7 ppm |
| Print speed duplex (A4) | Up to 20 ipm |
| Print speed duplex (letter) | Up to 21 ipm |
| Print speed footnote (A5) | [4] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. |
| Print speed footnote number (A5) | [4] |
| Print technology | Laser |
| Printer Management | HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com |
| Processor speed | 800 MHz |
| Product long name specifications | HP LaserJet Pro MFP 3101fdw Printer, Black and white Printer for Small medium business, Print, copy, scan, fax, Automatic document feeder; Two-sided printing; Scan to email; Scan to PDF; Fax; Front USB flash drive port; Touchscreen; JetIntelligence cartridge |
| Product short name specifications | HP LaserJet Pro 3101fdw Wireless Multifunction Black and white Printer, Copier, Scanner; Duplex |
| Quantity per pallet | NA:30; EMEA/AP: 24 |
| RMN number | SHNGC -2001-01 |

| | |
|---|---|
| Recommended media weight (duplex) | 60 to 105 g/m ² |
| Recommended media weight (duplex) | 16 to 28 lb |
| Recommended monthly page volume | 350 to 2500 pages |
| Recommended monthly scan volume | 150 to 1500 |
| Recommended operating humidity range | 30 to 70% RH |
| Recommended operating temperature range | 63.5 to 77°F |
| Recommended operating temperature range | 17.5 to 25°C |
| Replacement cartridges footnote | [2] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield |
| Resolution | Up to 600 dpi |
| Resolution (black and white, standard mode) | 203 x 98 dpi |
| Resolution (black and white, superfine mode) | Up to 300 x 300 dpi |
| Resolution (black photo grayscale) | 203 x 196 dpi |
| Safety | IEC 60950-1:2005 +A1:2009+A2:2013; IEC/EN 62368-1:2014; CAN/CSA C22.2 No. 62368-1, 3rd Edition; UL62368-1, 3rd Edition; IEC 60825-1 3rd Edition (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IECEE CB Bulletin; Complies with FDA performance standards for laser products except for conformance with IEC 60825-1 Ed.3., as described in Laser Notice No. 56, dated May 8, 2019 |
| Scan resolution, hardware | Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) |
| Scan resolution, optical | Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) |
| Scan size (ADF), maximum | 8.5 x 14 in |
| Scan size (ADF), maximum | 216 x 356 mm |
| Scan size (ADF), minimum | 5.8 x 8.3 in |
| Scan size (ADF), minimum | 148 x 210 mm |
| Scan size, maximum | 216 x 297 mm |
| Scan size, maximum | 8.5 x 11.7 in |
| Scan speed footnote | [8] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. |
| Security management | Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change |

| | |
|---|---|
| Segment (filter) | Small medium business |
| Software scan file format | PDF, JPG, PNG, BMP, TIF, Text (.txt), Rich Text (.rtf), Searchable PDF (.pdf), PDF/A (.pdf) |
| Standard media sizes (duplex) | A4 |
| Standard media sizes (duplex, imperial) | Letter; Legal; Oficio (8.5 x 13 in) |
| Standard output capacity (envelopes) | Up to 10 |
| Storage device and direct print support | Wi-Fi Direct; USB Printing |
| Storage temperature range | -20 to 60°C |
| Storage temperature range | -4 to 140°F |
| Target user and print volume | Prints up to 2,500 pages/month; For teams up to 7 users |
| Tariff numbers | 8443310000 |
| Telecom compliance (fax capability) | Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / draft EN 301 489-17: V3.2.0; EN 300 328: V2.1.1 / EN301 893 V2.1.1/ EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008 Fax Telecom: ES 203 021; FCC Title 47 CFR, Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries. |
| Telephone handset supported | No |
| Top key features | Wireless; Print from phone or tablet; Two-sided printing; Fax |
| Twain version | Version 2.1 |
| Typical electricity consumption (TEC) footnote | [7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. |
| Typical electricity consumption (TEC) number | Energy Star: 0.35 kWh/week, Blue Angel: 0.402 kWh/week ^[7] |
| UNSPSC code | 43212110 |
| UPC number | (BGJ) 195122462000; (BGM) 195122461997 |
| Warm-up time | As fast as 55 sec |
| What is in the box footnote | [1] For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. |

[1] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[2] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

[3] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

[7] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

| | |
|--|--------|
| HP 138A Black Original LaserJet Toner Cartridge | W1380A |
| HP 138X High Yield Black Original LaserJet Toner Cartridge | W1380X |
| HP 139A Black Original LaserJet Toner Cartridge | W1390A |
| HP 139X High Yield Black Original LaserJet Toner Cartridge | W1390X |
| HP 145A Black Original LaserJet Toner Cartridge | W1450A |
| HP 145X High Yield Black Original LaserJet Toner Cartridge | W1450X |
| HP 146A Black Original LaserJet Toner Cartridge | W1460A |
| HP 146X High Yield Black Original LaserJet Toner Cartridge | W1460X |

HP Business Papers

HP Business Papers for laser

| | |
|---|--------|
| HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6611A |
| HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6543A |
| HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | Q6612A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN10A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | 4WN05A |

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

| | |
|---|----------|
| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets | HPM1720P |
| HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets | HPM1120R |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420P |
| HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets | HPJ1124P |

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in

4WN06A

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in

4WN09A

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in

4WN11A

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets

6MF93A

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 19, 2024 7:39 AM UTC+0000