

DATA SHEET

4XEM's 6-in 1-out Type-C to HDMI/USB 3.0/SD and USB-C adapter with Power Delivery

4XEM Part- 4XHB03



Connectivity has never been easier with 4XEM's 8-in 1-out Type-C to HDMI/USB 3.0/SD and USB-C adapter with Power Delivery. More easily understood as a multi-port adaptor, this device is an ideal solution to any problem revolving around needing to expand a work or home tech station. 6 unique ports, including HDMI, SD card reader and other USB ports, this one device can itself create an impressive workstation. Supporting 4K video resolution as well as Power Delivery and PD pass through (up to 100W) this adaptor can also upgrade a station to be more efficient. Simple plug and play technology means your station will not be down for a long set-up time. Upgrade and solve your connectivity problems with 4XEM.

Problem it solves: Extend your connections quickly and efficiently with 4XEM's 6-in 1-out data and display adapter.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





Features

- USB 3.1 Male connector
- 1 HDMI 1.4 port
- 2 USB 3.0 Type A ports
- 1 SD/MMC Card slot
- 1 Micro SD card slot
- 1x USB Type C port (for Power Delivery only)
- Host Device requires USB Power Delivery 3.0 and DP Alt mode support
- Supports 4K video resolution (3840x2160 @ 30 Hz)
- Supports PD pass through up to 100W
- Compatible with Windows 10 and Mac OS



Application

- Home theatre
- Office
- Business Presentations
- Connectivity

4XEM Products Are Available At Your Favorite Online Retailers

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information Warranty 1 Year

4K Support Yes Fast-Charge Port(s) No Displays Supported

Interface USB 3.1 Gen 1

USB-C Bus Type

Industry Standards USB 3.0 - Backward compatible with USB 2.0 and 1.1

Secure Digital 3.01 Multi-Media Card 4.2

DisplayPort 1.2 Alt-Mode

HDCP 1.4

Power Delivery 3.0 Algoltek - AG9311 Chipset ID

Genesys Logic - GL3510 Hexin Semicinductor - HX1151 Prolific Technology - PL2731

Connector(s) Host Connector USB Type-C (24 pin) USB 3.1 (5 Gbps)

Host Connector Type Fixed Attached Cable 1x HDMI 1.4 (10.2 Gbps) Connector Type(s)/Rate(s) 2x USB 3.0 Type-A (5 Gbps)

1x SD / MMC Slot 1x MicroSD Slot

1x USB Type-C (Used for Power Delivery only)

Performance Audio Specifications Up to 2 Channels (via HDMI) 3840x2160 (4K), 30Hz, 8bpc Maximum Digital Resolutions

Software OS Compatibility Windows 10

Mac OS

Power USB-Powered Power Source Power Consumption 10W

Up to 100W PD Pass-through

Physical Characteristics Colour Grey Shell Material Aluminium

5.06 in [128.4 mm] Attached Cable Length 0.47 in [11.9 mm] Product Height Product Width 1.24 in [31.6 mm] Product Length (Body) 4.65 in [118.0 mm] 11.42 in [290 mm] Product Length (Overall) Weight of Product 1.90 oz [54 g]

Packaging Information Poly-bag 7.76 in [197 mm] Package Type Package Height

Package Width 5.83 in [148 mm] Package Length 0.53 in [13.5 mm] Shipping (Package) Weight 2.05 oz [58 g]

What's in the Box Included in Package 1x USB-C Multi-Port Adaptor

Notes Notes "A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-

C port must support USB Power Delivery 2.0 and DP alt mode).

Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.

Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter).

A 4K-capable display is required to achieve 3840 x 2160p resolution (4K is also known as 4K x

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to

Your laptop might have specific charging requirements. For example, if your laptop requires exactly 60W of power and an adapter consumes some of the 60W, your laptop might not recognize that it is getting enough power. For more information about Power Delivery, refer to the manufacturer of your hardware.

This adaptor used 2 DP lanes for video output (via HDMI) and remaining lanes of other dock

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



^{*} Product appearance and specifications are subject to change without notice

^{*} Same day shipping is only available for orders shipping within the United States