




A140 FULLY RUGGED TABLET

- 14" FHD / HD LumiBond® 2.0 display with Getac sunlight readable technology for unprecedented viewing experience
- Dual battery design with LifeSupport™ battery swappable technology
- Enhanced security with TPM 2.0, RFID/NFC and fingerprint scanner
- Optional 1D/2D imager barcode reader and RFID
- Multi-function hard handle, hand straps and shoulder straps and slim-profile vehicle dock for maximum mobile productivity



A140 FULLY RUGGED TABLET

SPECIFICATIONS

Generation	G2
Operating System	Windows 10 Pro Windows 11 Pro
Mobile Computing Platform	Intel® Core™ i5-10210U Processor 1.6GHz Max. 4.2GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache Platform options: Intel® Core™ i5-10310U, vPro Processor 1.7GHz Max. 4.4GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache Intel® Core™ i7-10510U Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache Intel® Core™ i7-10610U vPro Processor 1.8GHz Max. 4.9GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache
VGA Controller	Intel® UHD Graphics
Display	14" TFT LCD HD (1366 x 768) Protection film 1,000 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen Optional: 14" IPS TFT LCD FHD (1920 x 1080) 800nits LumiBond® display with Getac sunlight readable technology and capacitive multi-touch screen
Storage & Memory	8GB DDR4 Optional: 16GB / 32GB DDR4 256GB PCIe NVMe SSD Optional: 512GB / 1TB PCIe NVMe SSD
Keyboard	Power button 7 tablet programmable buttons
Pointing Device	Touchscreen - Capacitive multi-touch screen

A140 FULLY RUGGED TABLET

Expansion Slots	Optional: 1D/2D imager barcode reader Optional: Serial port, or HF RFID, or Fingerprint scanner, or HF RFID + Fingerprint scanner
I/O Interface	Audio in/out combo x 1 DC in Jack x 1 USB 2.0 x 1 USB 3.2 Gen 2 Type-A x 1 USB 3.2 Gen 1 Type-C x 1 HDMI 1.4 x 1 LAN(RJ45) x 1 Docking connector x 1 Optional: FHD webcam x 1 Optional: SIM card slot x 1 (Micro-SIM, 3FF) Optional: RF antenna pass-through for GPS, WWAN and WLAN Optional: 8M pixels auto focus rear camera x 1
Communication Interface	10/100/1000 base-T Ethernet x 1 Intel® Wi-Fi 6 AX201, 802.11ax Bluetooth (v5.2) ⁱ Optional: Dedicated GPS ⁱⁱ Optional: 4G LTE mobile broadband ⁱⁱⁱ
Security Feature	TPM 2.0 Kensington lock Optional: HF RFID Optional: Fingerprint reader Smart card reader
Power	AC adapter (65W, 100-240VAC, 50/60Hz) Li-ion smart battery (10.8V, typical 3220mAh; min. 3120mAh) x 2 LifeSupport™ battery swappable technology
Dimension	369 x 248 x 32.5mm (14.58" x 9.76" x 1.279") 2.3kg (5.07lbs) ^{iv}
Rugged Feature	MIL-STD-810H certified IP65 certified MIL-STD-461G certified ^v Vibration & 4ft (1.2m) drop resistant ^{vi} Optional: ANSI / ISA 121201
Environmental Specification	Temperature ^{vii} : - Operating: -29°C to 63°C / -20°F to 145°F - Storage: -51°C to 71°C / -60°F to 160°F Humidity: - 95% RH , non-condensing

A140 FULLY RUGGED TABLET

Pre-installed Software

Getac Utility
Getac Camera
Getac Geolocation
Getac Barcode Manager ^{viii}
Optional: Absolute Persistence®

Optional software

Getac Driving Safety Utility
Getac KeyWedge Barcode Reader Utility
Getac Device Monitoring System (GDMS)
Getac VGPS Utility ^{ix}

Accessories

Battery (10.8V, typical 3220mAh; min. 3120mAh)
AC adapter (65W, 100-240VAC)
Capacitive stylus with tether

Optional:

Carry bag
Battery (10.8V, typical 3220mAh; min. 3120mAh)
Multi-Bay charger (Dual-Bay)
Multi-Bay charger (Eight-Bay)
AC adapter (65W, 100-240VAC)
Office dock AC adapter (90W, 100-240VAC)
MIL-STD-461 certified AC adapter (90W, 115-230VAC)
DC-DC vehicle adapter (120W, 11-32VDC)
Capacitive stylus with tether
Protection film
Rotating hand strap with kickstand
Rubber hand strap
Shoulder strap (2-point)
Shoulder harness (4-point; handsfree)
Vehicle cradle
Vehicle dock ^x
Office dock
100W Type-C adapter
Getac rugged keyboard

Bumper-to-Bumper Warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

i. Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.

A140 FULLY RUGGED TABLET

- II. Supports GPS and Glonass.
- III. Units with 4G LTE option comes with an embedded SIM card slot.
- IV. Weight varies from configurations and optional accessories..
- V. MIL-STD-461G 90W AC adapter sold separately.
- VI. Drop test results vary from configurations and optional accessories.
- VII. Tested by an independent third-party test lab following MIL-STD-810H.
- VIII. Available when barcode reader option is selected.
- IX. Models require either embedded or standalone GPS module.
- X. Gamber Johnson and Havis vehicle docks are e-mark certified.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.

	Vehicle Dock	Office Dock
Serial Port	1	1
External VGA	1	-
Display Port	-	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	4	3
LAN	1	1
HDMI 1.4	1	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	-
Printer Port	-	1

Getac (UK) Ltd.

Getac House, Stafford Park 12,
Telford, Shropshire TF3 3BJ, United Kingdom
Tel : +44 (0) 1952 207 222

Sales-Getac-UK@getac.com | www.getac.com/en/

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

Information provided herewith is for reference only,
available specification shall be subjected to quotation by request.