



# HP LaserJet Pro MFP 4101dw Printer (2Z620F)



## Overview

Get blazing fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

Get blazing fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

### Maximum productivity

Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.

### HP Wolf Pro Security

Get printer security out of the box. Preconfigured settings mean it's ready when you are.

### Seamless management

Centralize your print management. HP Web Jetadmin makes it easy with its suite of features. [4]

### Sustainable printing

Save up to 20% energy. EcoSmart toner with JetIntelligence balances premium quality with sustainability. [5]

# Features

Large workteam solution.      HP Pro-class print speed<sup>[1]</sup>

Simple shortcuts.              HP Smart<sup>[2]</sup>

HP Web Jetadmin

---

*[1] Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.*

*[2] Requires HP app download available at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting). Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at [www.hpsmart.com](http://www.hpsmart.com).*

*[4] HP Web Jetadmin is available for download at no additional charge at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).*

*[5] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See [hp.com/ecosmart](http://hp.com/ecosmart)*

## Specifications

<b>Print Resolution Technologies</b>	HP FastRes 1200, HP ProRes1200, Economode
<b>Print quality black (best)</b>	Fine Lines (1200 x 1200 dpi)
<b>Print speed black (ISO, A4)</b>	Up to 40 ppm
<b>Print speed black (ISO, letter)</b>	Up to 42 ppm
<b>Print speed</b>	Prints up to 42/40 ppm (LTR/A4)
<b>Bottom margin (A4)</b>	4.3 mm
<b>Left margin (A4)</b>	4.3 mm
<b>Right margin (A4)</b>	4.3 mm
<b>Top margin (A4)</b>	4.3 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Automatic (default)
<b>Duty cycle (monthly, A4)</b>	Up to 80,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 80,000 pages
<b>Printer smart software features</b>	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types <sup>[1]</sup>
<b>Scanner advanced features</b>	Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets
<b>Fax smart software features</b>	Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology; EcoSmart black toner
<b>Replacement cartridges</b>	HP 148A Black Original LaserJet Toner Cartridge (~2,900 pages), W1480A; HP 148X Black Original LaserJet Toner Cartridge (~9,500 pages), W1480X <sup>[4]</sup>
<b>Supplies feature</b>	HP JetIntelligence Cartridge
<b>Connectivity, standard</b>	1 Front USB port; 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11b/g/n; 802.11b/g/n Access Point
<b>Network capabilities</b>	Yes, via built-in 10/100Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
<b>Mobile printing capability</b>	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing

<b>Network protocols, supported</b>	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
<b>Software included</b>	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> ; <a href="http://123.hp.com">http://123.hp.com</a> ;
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Chrome OS
<b>Technical features</b>	AirPrint; Automatic two-sided printing; ADF; Compact size; Ethernet; Fast First Page Out; ENERGY STAR®; HP Auto-On/Auto-Off; JetIntelligence Toners; Private Print via PIN; Professional print quality; Scan-to-email; Scan-to-cloud; Scan-to-folder; Touchscreen; Walk-up USB (doc, ppt, pdf, jpg); Wireless; Wireless Direct
<b>Sustainable impact specifications</b>	Recyclable through HP Planet Partners; Compatible with Accessibility Accessories; Contains post-consumer recycled plastic
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	IT ECO Declaration; EPEAT® Silver registered
<b>Blue Angel compliant</b>	No, please refer to the ECI (Ecolabel Comparison Information) document
<b>Copy speed (black, normal quality, A4)</b>	Up to 40 cpm
<b>Copy speed black (normal, letter)</b>	Up to 42 cpm
<b>Copy speed black duplex (A4)</b>	Up to 34 cpm
<b>Copy speed black duplex (Letter)</b>	Up to 36 cpm
<b>Faxing</b>	No
<b>Scan speed (normal, A4)</b>	Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color)
<b>Scan speed (normal, letter)</b>	Up to 31 ppm/49 ipm (b&w), up to 21 ppm/36 ipm (color)
<b>Scan file format</b>	PDF, JPG, TIFF
<b>Scan input modes</b>	Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA
<b>Scan technology</b>	Contact Image Sensor (CIS)
<b>Scanner type</b>	Flatbed, ADF
<b>Display area (imperial)</b>	2.13 x 1.59 in
<b>Display area (metric)</b>	5.4 x 4.05 cm
<b>Display</b>	2.7" (6.86 cm) intuitive color touchscreen (CGD)
<b>Dimensions (W x D x H)</b>	420 x 390 x 323 mm (without trays and covers not extended)
<b>Dimensions (W x D x H)</b>	16.54 x 15.35 x 12.72 in (without trays and covers not extended)
<b>Weight</b>	8.22 kg

**Weight** 18.13 lb

**Power consumption** 510 watts (active printing), 7.5 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto-off/Manual-on), 0.06 (Manual Off)  
*(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)*

**Power supply type** Internal (Built-in) power supply

**What's in the box** Preinstalled HP Black Original LaserJet Toner Cartridge; Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only)<sup>[2]</sup>

**Manufacturer Warranty** One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to [hp.com/support](http://hp.com/support) to learn about HP award winning service and support options in your region.

## Additional specifications

<b>Acoustic power emissions (active scan)</b>	6.2 B(A)
<b>Acoustic power emissions (active, printing)</b>	6.7 B(A)
<b>Acoustic power emissions (ready)</b>	Inaudible
<b>Acoustic power note</b>	Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm
<b>Acoustic pressure emissions bystander (active scan)</b>	48 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	Inaudible
<b>Auto fax reduction supported</b>	No
<b>Automatic document feeder capacity</b>	Standard, 50 sheets
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Blue Angel footnote</b>	[9] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
<b>Cable included</b>	Yes, 1 USB; 1 USB PC to Printer (AP and Wireless); No, please purchase USB cable separately (EMEA, NA)
<b>Cartons per layer</b>	6
<b>Certifications and compliances</b>	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc.
<b>Color or black</b>	Black and white
<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Windows 8; Windows Server; macOS 15 Sequoia; Linux; Citrix; Novell
<b>Connection type</b>	Wireless
<b>Control panel</b>	2.7" Color Touchscreen
<b>Copier scaling (ADF)</b>	25 to 400%
<b>Copier settings</b>	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults
<b>Copies, maximum</b>	Up to 9999 copies

<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed note</b>	First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application and document complexity.
<b>Count of layers in pallet</b>	AMS: 5, EMEA/APJ: 4
<b>Country of origin</b>	Made in Brazil; Made in China; Made in India
<b>Distinctive ring detection supported</b>	No
<b>Downloadable software</b>	From <a href="http://123.hp.com">http://123.hp.com</a> - HP Easy Start (Guided Software Install for Windows and Mac); From <a href="http://hp.com">http://hp.com</a> for Windows OS-Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <a href="http://hp.com">http://hp.com</a> for Mac OS-, HP Mac OS Print Driver, HP Easy Admin, For Mobile OS-, iOS For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a> , Android For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a> , From <a href="http://hp.com">http://hp.com</a> for printer administrators-, Printer Administrator Resource Kit (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , SAP Print Drivers for more information see <a href="http://support.hp.com/us-en/document/c05051702">http://support.hp.com/us-en/document/c05051702</a> , HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux, Printer Driver for more information see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> , Unix Model Script Printer Driver for more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> , For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, Supported Operating systems, For more information on the supported operating systems also see <a href="http://www.hp.com/go/upd">www.hp.com/go/upd</a> , HP Smart Suite- Basic (Only supported on Windows 10 and above), HP Smart Suite- Advanced (Only supported on Windows 10 and above), HP SmartApp (Only supported on Windows 10 and above), HP SmartDriver, HP PrintScanDr, HP WebJetAdmin + Workpath, HP Command Center, Chrome Extension, Android Plug-in;
<b>Driver updates</b>	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <a href="http://www.hp.com/support/">http://www.hp.com/support/</a> (country/region may need to be selected), Select "Support", Select "Software and Drivers"Select "Printer"Enter a product name/number (The operating system is automatically detected),Select a driver or other software,Select "Download";
<b>Duplex ADF scanning</b>	Yes
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<b>Dynamic security</b>	Dynamic security enabled printer
<b>Ecolabels footnote</b>	[5] EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country.
<b>Electromagnetic compatibility</b>	CISPR 32:2015 Class B / EN 55032:2015 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B
<b>Enhanced scanning resolution</b>	Up to 1200 x 1200 dpi
<b>Envelope Feeder</b>	No
<b>Fax Polling</b>	No
<b>Fax delayed sending</b>	No
<b>Fax phone TAM interface supported</b>	No
<b>Finished output handling</b>	Sheetfeed
<b>First copy out black (A4)</b>	As fast as 7.2 sec
<b>First copy out black (A4, sleep)</b>	As fast as 9.5 sec
<b>First copy out black (letter)</b>	As fast as 6.8 sec
<b>First copy out black (letter, sleep)</b>	As fast as 9.1 sec
<b>First page out black (A4, ready)</b>	As fast as 6.3 sec
<b>First page out black (A4, sleep)</b>	As fast as 8.8 sec
<b>First page out black (letter, ready)</b>	As fast as 6.1 sec
<b>First page out black (letter, sleep)</b>	As fast as 8.6 sec
<b>First page out footnote</b>	[8] Measured using ISO/IEC 17629. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Fonts and typefaces</b>	84 scalable TrueType fonts
<b>Input capacity</b>	Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)
<b>Internal Storage</b>	No
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	512 MB
<b>Maximum dimensions (W x D x H)</b>	430 x 634 x 325 mm
<b>Maximum dimensions (W x D x H)</b>	16.93 x 25 x 12.8 in
<b>Maximum input capacity (sheets)</b>	Up to 900 sheets (with Optional 550-sheet tray)
<b>Maximum metric depth</b>	635 mm
<b>Maximum metric height</b>	325 mm



<b>Maximum metric width</b>	430 mm
<b>Maximum output capacity (sheets)</b>	Up to 150 sheets
<b>Maximum print area</b>	207.4 x 347.1mm
<b>Media size (ADF)</b>	Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
<b>Media size, tray 1</b>	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement
<b>Media size, tray 2</b>	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement
<b>Media size, tray 3</b>	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement
<b>Media sizes supported</b>	Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS)
<b>Media sizes supported</b>	Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Custom Size; 5 x 8 in; Statement
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.12 x 5.83 to 8.5 x 14 in
<b>Media sizes, custom</b>	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm
<b>Media type and capacity, ADF</b>	Sheets: 50 uncurled
<b>Media type and capacity, tray 1</b>	Sheets: 100; Envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets: 250
<b>Media type and capacity, tray 3</b>	Sheets: 550 (optional)
<b>Media types</b>	Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;
<b>Media weight (tray 1)</b>	60 to 200 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight (tray 3)</b>	60 to 120 g/m <sup>2</sup> (optional 550-sheet tray)
<b>Media weight, supported</b>	Tray 1: 60 to 200 g/m <sup>2</sup> ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 16 to 53 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb
<b>Media weights, supported ADF</b>	60 to 120 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	16 to 32 lb

<b>Memory</b>	512 MB
<b>Metric depth</b>	390 mm
<b>Metric height</b>	323 mm
<b>Metric width</b>	420 mm
<b>Minimum System Requirements</b>	2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;
<b>Minimum System Requirements for Macintosh</b>	2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;
<b>Model number</b>	4101dw
<b>Native scan file format</b>	PDF; JPG
<b>Number of users</b>	3-10 Users
<b>Operating humidity range</b>	10 to 80% RH (non-condensing)
<b>Operating temperature range</b>	50 to 90.5°F
<b>Operating temperature range</b>	10 to 32.5°C
<b>Output capacity</b>	Up to 150 sheets
<b>Package dimensions (W x D x H)</b>	497 x 398 x 490 mm
<b>Package dimensions (W x D x H)</b>	19.6 x 15.7 x 19.3 in
<b>Package weight</b>	15.5 kg
<b>Package weight</b>	34.2 lb
<b>Page yield (set-up/inbox cartridges)</b>	~2,900 black pages
<b>Pallet dimensions</b>	AMS: 47.2 x 39.4 x 102.4 in, EMEA/APJ: 47.2 x 39.4 x 83.1 in
<b>Pallet dimensions (W x D x H)</b>	AMS: 1200 x 1000 x 2601 mm, EMEA/APJ: 1200 x 1000 x 2111 mm
<b>Pallet weight</b>	AMS = 485 kg, EMEA/APJ = 393 kg
<b>Pallet weight</b>	AMS = 1070 lb, EMEA/APJ = 865 lb
<b>Paper handling input, optional</b>	Optional third 550-sheet tray
<b>Paper handling input, standard</b>	100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF)
<b>Paper handling output, standard</b>	150-sheet output bin
<b>Paper trays, maximum</b>	3
<b>Paper trays, standard</b>	2
<b>Power</b>	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier)
<b>Print Cartridges/Bottle, Number</b>	1 (black)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No

<b>Print languages</b>	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
<b>Print quality black (normal)</b>	Normal (native 600 x 600 dpi; enhanced up to 4800 x 600 dpi)
<b>Print resolution black (fine lines)</b>	Fine Lines (1200 x 1200 dpi)
<b>Print speed black (Landscape, A5)</b>	Up to 63 ppm
<b>Print speed black (Portrait, A5)</b>	Up to 14 ppm
<b>Print speed duplex (A4)</b>	Up to 34 ipm
<b>Print speed duplex (letter)</b>	Up to 36 ipm
<b>Print speed footnote (A5)</b>	[6] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Print speed footnote number (A5)</b>	[6]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)
<b>Printer smart software features footnote</b>	[1] Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
<b>Processor speed</b>	1200 MHz
<b>Product long name specifications</b>	HP LaserJet Pro MFP 4101dw Printer, Black and white Printer for Small medium business, Print, copy, scan, Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing; Scan to email; Scan to PDF; Front USB flash drive port; Optional high-capacity trays; Touchscreen; JetIntelligence cartridge
<b>Product short name specifications</b>	HP LaserJet Pro 4101dw Wireless Multifunction Black and white Printer, Copier, Scanner; Duplex
<b>Quantity per pallet</b>	AMS: 30, EMEA/APJ: 24
<b>Recommended media weight (duplex)</b>	16 to 32 lb
<b>Recommended media weight (duplex)</b>	60 to 120 g/m <sup>2</sup>
<b>Recommended monthly page volume</b>	750 to 4,000
<b>Recommended monthly page volume note</b>	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended monthly scan volume</b>	750 to 4000
<b>Recommended monthly scan volume note</b>	750 - 4,000

<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	59 to 80.6°F
<b>Recommended operating temperature range</b>	15 to 27°C
<b>Replacement cartridges footnote</b>	[4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a>
<b>Resolution</b>	Up to 1200 x 1200 dpi
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014 / EN 62368-1:2014; IEC 60825-1:2014 / EN 60825-1:2014; IEC 62479:2010 / EN 62479:2010
<b>Scan resolution, hardware</b>	Flatbed (Up to 1200 x 1200 dpi); ADF (Up to 300 x 300 dpi)
<b>Scan resolution, optical</b>	Up to 1200 x 1200 dpi
<b>Scan size (ADF), maximum</b>	8.5 x 14 in
<b>Scan size (ADF), maximum</b>	216 x 356 mm
<b>Scan size (ADF), minimum</b>	102 x 152 mm
<b>Scan size (ADF), minimum</b>	4 x 6 in
<b>Scan size, maximum</b>	8.5 x 11.7 in
<b>Scan size, maximum</b>	216 x 297 mm
<b>Scan speed footnote</b>	[11] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
<b>Security management</b>	Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers
<b>Segment (filter)</b>	Small medium business
<b>Software scan file format</b>	Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF;
<b>Standard media sizes (duplex)</b>	A4; Oficio; Letter; Legal
<b>Standard media sizes (duplex, imperial)</b>	Letter; Legal; Oficio; A4
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Storage</b>	Optional Job Storage via external rear host USB port (minimum 16 GB)
<b>Storage device and direct print support</b>	USB Printing; Optional job storage via external rear host USB port (Minimum 16GB)
<b>Storage temperature range</b>	-4 to 104°F
<b>Storage temperature range</b>	-20 to 40°C
<b>Target user and print volume</b>	For teams up to 10 users; Prints up to 4,000 pages/month

<b>Tariff numbers</b>	(AM) 8443310000; (EU) 8443310000
<b>Telecom compliance (fax capability)</b>	ETSI EN 301 489-1 V2.2.3; ETSI EN 301 489-17 V3.2.4
<b>Telephone handset supported</b>	No
<b>Top key features</b>	Wireless; Print from phone or tablet; Automatic document feeder; Two-sided printing
<b>Twain version</b>	Version 2.3
<b>Typical electricity consumption (TEC) footnote</b>	[10] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
<b>Typical electricity consumption (TEC) number</b>	0.40 kWh/Week (Blue Angel); 0.44 kWh/Week (Energy Star 3.0) <sup>[10]</sup>
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	196068199562
<b>Warm-up time</b>	As fast as 45 sec
<b>Waste electrical and electronic weight</b>	12.6 kg
<b>Web address for additional information</b>	hp.com/support/ljmf4101-4104
<b>What is in the box footnote</b>	[2] For yield information on the cartridge included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

---

[1] Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.

[2] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[4] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

[10] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

---

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Black and White Laser Toner Printer Cartridges

HP 148A Black Original LaserJet Toner Cartridge	W1480A
HP 148X High Yield Black Original LaserJet Toner Cartridge	W1480X
HP 149A Black Original LaserJet Toner Cartridge	W1490A
HP 149X High Yield Black Original LaserJet Toner Cartridge	W1490X
HP 151A Black LaserJet Toner Cartridge	W1510A
HP 151X Black LaserJet Toner Cartridge	W1510X
HP 152A Black LaserJet Toner Cartridge	W1520A
HP 152X Black LaserJet Toner Cartridge	W1520X

### HP Home & Office Papers

#### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

## Accessories

### Paper Handling

★ : Recommended

#### Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

D9P29A

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Feb 20, 2025 9:48 AM UTC+0000