

 **HP Smart Tank 7602 All-in-One (28B98A)**



## Specifications

<b>Print quality black (best)</b>	Up to 1200 x 1200 rendered dpi
<b>Print quality color (best)</b>	Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi
<b>Print speed black (ISO, A4)</b>	Up to 15 ppm
<b>Print Speed Color (ISO)</b>	Up to 9 ppm
<b>Print speed</b>	Print speed up to 15 ppm (black) and 9 ppm (color)
<b>Bottom margin (A4)</b>	3.3 mm
<b>Left margin (A4)</b>	3.3 mm
<b>Right margin (A4)</b>	3.3 mm
<b>Top margin (A4)</b>	3.3 mm
<b>Functions</b>	Print, Copy, Scan, Fax, ADF and Wireless
<b>Duplex printing</b>	Automatic
<b>Duty cycle (monthly, A4)</b>	Up to 6,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 6,000 pages
<b>Printer smart software features</b>	Duplex Printing
<b>Scanner advanced features</b>	No
<b>Fax smart software features</b>	Yes
<b>Replacement cartridges</b>	HP 32XL 135-ml Black bottle (~6000 pages), HP 31 70-ml Cyan bottle (~8000 pages), HP 31 70-ml Magenta bottle (~8000 pages), HP 31 70-ml Yellow bottle (~8000 pages); For more information about fill and yield see <a href="http://www.hp.com/go/learnaboutsupplies">www.hp.com/go/learnaboutsupplies</a> <sup>[6]</sup>
<b>Connectivity, standard</b>	1 Fax; 1 Gigabit Ethernet; 1 USB Host (print JPEG only); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11a/b/g/n; 1 Wi-Fi 802.11ac (dual band)
<b>Network capabilities</b>	Yes, via built-in Ethernet; Wi-Fi
<b>Wireless capability</b>	Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct
<b>Mobile printing capability</b>	HP Smart app; Apple AirPrint; HP Print Service Plugin (Android printing); Wi-Fi Direct Printing
<b>Software included</b>	HP Printer Software, available online
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma <i>(Windows 10, 7: 32-bit or 64-bit, macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB available hard disk space; Internet connection; Internet Explorer)</i>
<b>Sustainable impact specifications</b>	25% post-consumer recycled plastic; Recyclable through HP Planet Partners
<b>Fax Resolution Black (best)</b>	Up to 300 x 300 dpi
<b>Faxing</b>	Yes, color

<b>Scan speed (normal, A4)</b>	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)
<b>Scan speed (normal, letter)</b>	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)
<b>Scan file format</b>	JPG; PDF; PNG; TIFF
<b>Scan input modes</b>	Front Panel Scan; Copy; Fax; HP Software; EWS
<b>Scan technology</b>	Contact Image Sensor (CIS)
<b>Scanner type</b>	Flatbed and ADF
<b>Display</b>	3 in (76.2 mm) Touchscreen MGD (Mono Graphics Display)
<b>Minimum dimensions (W x D x H)</b>	42.75 x 36.40 x 24.03 cm
<b>Minimum dimensions (W x D x H)</b>	16.83 x 14.33 x 9.46 in
<b>Weight</b>	7.70 kg
<b>Weight</b>	16.98 lb
<b>Power consumption</b>	0.1 watts (off);1.10 watts (sleep) <sup>[2]</sup>
<b>Power supply type</b>	Internal

## Additional specifications

<b>Accessories</b>	None
<b>Acoustic power emissions (active copy)</b>	6.3 B(A) (copying at 9ppm with ADF running)
<b>Acoustic power emissions (active, printing)</b>	6.5 B(A) (printing at 10ppm)
<b>Acoustic pressure emissions</b>	59.4 dB(A) (printing at 10ppm)
<b>Auto fax reduction supported</b>	Yes
<b>Automatic document feeder capacity</b>	Standard, 35 sheets
<b>Automatic paper sensor</b>	Yes
<b>Bit depth</b>	24-bit
<b>Borderless printing</b>	Yes (up to 8.5 x 11 in, 210 x 297 mm)
<b>Cartons per layer</b>	8
<b>Color copy capability</b>	Yes
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Color(s) of printing supplies</b>	Black; Cyan; Magenta; Yellow
<b>Compatible Network Operating Systems</b>	Windows 11
<b>Connection type</b>	Wireless
<b>Control panel</b>	3 in (76.2 mm) Touchscreen MGD (Mono Graphics Display), touch button (cancel, help, back)
<b>Copier settings</b>	Number of Copies, Access copier settings of Resize, Quality, Lighter/Darker, Papersize, Papertype settings via HP Smart
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy Speed Black (maximum, A4)</b>	Up to 23 cpm
<b>Copy Speed Color (maximum, A4)</b>	Up to 22 cpm
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed black (ISO)</b>	Up to 13 cpm
<b>Copy speed color (ISO)</b>	Up to 6 cpm
<b>Count of layers in pallet</b>	6
<b>Country of origin</b>	Made in China

<b>Dimensions with trays up (W x D x H)</b>	427.54 x 364.00 x 240.25 mm
<b>Distinctive ring detection supported</b>	Yes
<b>Electromagnetic compatibility</b>	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2
<b>Enhanced scanning resolution</b>	Up to 1200 dpi
<b>Envelope Feeder</b>	No
<b>Exifprint supported</b>	No
<b>Fax Auto Redial</b>	Yes
<b>Fax Memory Note</b>	Varies based on content
<b>Fax Modem Speed</b>	Internal. Data transfer rate up to 33.6kbps
<b>Fax PC Interface Supported</b>	Yes, PC fax send and archive
<b>Fax Polling</b>	No
<b>Fax Remote Retrieval</b>	No
<b>Fax Speed Dials, Maximum Number</b>	Up to 99 numbers
<b>Fax Transmission Speed</b>	33.6 kbps
<b>Fax Transmission Speed Note</b>	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
<b>Fax delayed sending</b>	Yes
<b>Fax forwarding</b>	Yes
<b>Fax memory</b>	Up to 100 pages
<b>Fax memory</b>	Up to 100 pages
<b>Fax phone TAM interface supported</b>	No
<b>Fax phone features</b>	Yes
<b>Fax resolution black</b>	203 x 196 dpi
<b>Fax resolution color (fine)</b>	200 x 200 dpi
<b>Fax resolution color (standard)</b>	200 x 200 dpi
<b>Fax telephone mode supported</b>	Yes
<b>Fax transmission speed (letter)</b>	4 sec per page
<b>Faxing options (ADF)</b>	Single-sided
<b>File Format Supported</b>	PDF; BMP; PNG; TIF; JPG
<b>First page out black (A4, ready)</b>	As fast as 14 sec
<b>First page out color (A4, ready)</b>	As fast as 16 sec

<b>First page out footnote</b>	For details see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a>
<b>Image scaling or enlargement range</b>	25-400%.
<b>Ink types</b>	Pigment-based (black); Dye-based (color)
<b>Input capacity</b>	Up to 250 sheets
<b>Junk fax barrier</b>	Yes
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 30 envelopes
<b>Maximum Memory</b>	256 MB
<b>Maximum dimensions (W x D x H)</b>	17.86 x 17.35 x 9.83 in
<b>Maximum dimensions (W x D x H)</b>	453.55 x 440.73 x 249.63 mm
<b>Maximum input capacity (cards)</b>	Up to 30 cards
<b>Maximum input capacity (labels)</b>	Up to 20 sheets
<b>Maximum input capacity (photo paper)</b>	Up to 50 sheets
<b>Maximum input capacity (sheets)</b>	Up to 250 sheets
<b>Maximum output capacity (cards)</b>	Up to 30 cards
<b>Maximum output capacity (envelopes)</b>	Up to 30 envelopes
<b>Maximum output capacity (labels)</b>	Up to 20 sheets
<b>Maximum output capacity (photo paper)</b>	Up to 30 sheets
<b>Maximum output capacity (sheets)</b>	Up to 100 sheets
<b>Maximum print area</b>	215.9 x 355.6 mm
<b>Media sizes supported</b>	Letter; Legal; Government Legal; Executive; Statement; 4 x 6 in; 5 x 7 in; 8 x 10 in; L; Photo 2L; Envelope( #10, Monarch, 5.5 bar); Card (4 x 6 in, 5 x 8 in)
<b>Media sizes supported</b>	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)
<b>Media sizes supported, key</b>	Envelopes; Legal; Letter; 4 x 6 in
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	88.9 x 127 mm to 215.9 x 355.6 mm
<b>Media sizes, custom</b>	3.5 x 5 in to 8.5 x 14 in
<b>Media types</b>	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Light/Recycled
<b>Media weight, recommended</b>	60 to 105 g/m <sup>2</sup>

<b>Media weight, recommended</b>	16 to 28 lb
<b>Media weight, supported</b>	Plain paper: 60 to 105 g/m <sup>2</sup> ; Envelopes: 75 to 90 g/m <sup>2</sup> ; Cards: up to 200 g/m <sup>2</sup> ; Photo paper: up to 250 g/m <sup>2</sup>
<b>Media weight, supported</b>	Plain paper: 16 to 28 lb; Envelopes: 20 to 24 lb; Cards: up to 110 lb; Photo paper: up to 66 lb
<b>Memory</b>	256 MB
<b>Memory card compatibility</b>	No
<b>Minimum System Requirements</b>	Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
<b>Minimum System Requirements for Macintosh</b>	macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required
<b>Model number</b>	7602
<b>Multitasking supported</b>	No
<b>Non-Operating Humidity Range</b>	5 to 90% RH (non-condensing)
<b>Number of users</b>	1-3 Users
<b>Operating altitude</b>	Up to 10,000 ft
<b>Operating humidity range</b>	15 to 80% RH (non-condensing)
<b>Operating temperature range</b>	41 to 104°F
<b>Operating temperature range</b>	5 to 40°C
<b>Orderable supplies</b>	HP 32XL 135-ml Black Original Ink Bottle 1VV24AE; HP 31 70-ml Cyan Original Ink Bottle 1VU26AE; HP 31 70-ml Magenta Original Ink Bottle 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE
<b>Output capacity</b>	Up to 100 sheets
<b>Output file format</b>	BMP; JPEG; PDF; TIF
<b>Package dimensions (W x D x H)</b>	484 x 284 x 410 mm
<b>Package dimensions (W x D x H)</b>	19.06 x 11.18 x 16.14 in
<b>Package weight</b>	23.54 lb
<b>Package weight</b>	10.70 kg
<b>Pallet dimensions</b>	48 x 40 x 102 in
<b>Pallet dimensions (W x D x H)</b>	1220 x 1016 x 2590 mm
<b>Pallet weight</b>	942 lb
<b>Pallet weight</b>	428 kg
<b>Paper handling input, standard</b>	250-sheet input tray
<b>Paper handling output, standard</b>	100-sheet output tray
<b>Paper trays, maximum</b>	1
<b>Paper trays, standard</b>	1
<b>PictBridge description</b>	No
<b>PictBridge supported</b>	No

<b>Power</b>	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
<b>Print Speed (Draft, A4 Memo) Footnote Number</b>	[7]
<b>Print Speed Black (Draft, A4 Memo)</b>	Up to 30 ppm
<b>Print Speed Color (Draft, A4 Memo)</b>	Up to 28 ppm
<b>Print Technology</b>	Ink
<b>Print colors</b>	Yes
<b>Print colors maximum</b>	4
<b>Print head nozzles</b>	704 (Black), 588 (Tri-color)
<b>Print heads</b>	2 (1 each black, tri-color)
<b>Print languages</b>	HP PCL 3 GUI
<b>Print speed black (ISO)</b>	Up to 15 ppm
<b>Print speed black (draft, A4)</b>	Up to 23 ppm
<b>Print speed color (ISO)</b>	Up to 9 ppm
<b>Print speed color (draft, A4)</b>	Up to 22 ppm
<b>Print speed color (draft, letter)</b>	Up to 22 ppm
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer Management</b>	No
<b>Printer drivers included</b>	HP PCL 3 GUI
<b>Processor speed</b>	800 MHz
<b>Product long name specifications</b>	HP Smart Tank 7602 All-in-One, Color Printer for Home, Print, Copy, Scan, Fax, ADF and Wireless, Automatic document feeder; Two-sided printing; Scan to PDF
<b>Product name (back)</b>	HP Smart Tank 7600 series
<b>Product name (front)</b>	HP Smart Tank 7600 series
<b>Product name (primary)</b>	HP Smart Tank 7600 series
<b>Product name (secondary)</b>	HP Smart Tank 7600 series
<b>Product short name specifications</b>	HP Smart Tank 7602 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner
<b>Quantity per pallet</b>	48
<b>RMN number</b>	SNPRC-2102-05
<b>Recommended Macintosh system requirements</b>	macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required
<b>Recommended monthly page volume</b>	400 to 1200



**Recommended monthly page volume note**

HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

**Recommended operating humidity range**

20 to 80% RH

**Recommended operating temperature range**

15 to 30°C

**Recommended operating temperature range**

59 to 86°F

**Resolution (black and white, standard mode)**

203 x 98 dpi

**Safety**

IEC 60950-1 & IEC 62368-1 Ed. 2 compliant; Safety CSA NRTL; EU RED and EN 62368-1 Ed. 2 compliant; NEMKO GS approved; Mexico NOM-1-NYCE, Singapore "Safety Mark"; Russia EAC; China CCC

**Scan resolution, hardware**

Up to 1200 x 1200 dpi

**Scan resolution, optical**

Up to 1200 dpi

**Scan size (ADF), maximum**

8.5 x 14 in

**Scan size (ADF), maximum**

216 x 356 mm

**Scan size, maximum**

8.5 x 11.69 in

**Scan size, maximum**

216 x 297 mm

**Scanning options (ADF)**

Single-sided

**Segment (filter)**

Home

**Send to email capability**

Yes

**Service & support features**

With services, software, solutions and support from HP Total Care, you can use, protect and enjoy your HP technology; one-year technical support; one-year or 50,000 pages limited hardware warranty, whichever is earlier from the date of purchase; user replaceable parts have separate warranty periods; access to 24/7 world-class support services through <http://www.hp.com/support> ; to improve your product experience, please take the time to register at <http://www.register.hp.com> .

**Service & support options**

Protect your investment—HP Total Care offers a variety of extended warranties and services, go to <http://www.hp.com/support>

**Standard input capacity (cards)**

Up to 30 cards

**Standard input capacity (legal)**

Up to 250 sheets

**Standard media sizes (duplex)**

A4; B5; Not supported for borderless photo

**Standard media sizes (duplex, imperial)**

Letter; Executive; Not supported for borderless photo

**Standard memory note**

Not upgradeable

**Standard output capacity (cards)**

Up to 30 cards

**Standard output capacity (envelopes)**

Up to 30 envelopes

**Standard output capacity (labels)**

Up to 20 sheets

<b>Standard output capacity (legal)</b>	Up to 50 sheets
<b>Storage altitude</b>	15,000 ft
<b>Storage temperature range</b>	-40 to 60°C
<b>Storage temperature range</b>	-40 to 140°F
<b>Sub-brand name</b>	Smart Tank
<b>System requirements, recommended</b>	Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
<b>Target user and print volume</b>	For teams up to 3 users; Prints up to 1200 pages/month
<b>Tariff numbers</b>	National HTS: 8443310000; EU/AM Base HTS:8443310000; AP Base HTS: 84433111
<b>Telecom compliance (fax capability)</b>	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1
<b>Telephone handset supported</b>	No
<b>Top key features</b>	35-sheet ADF; Scan to PDF; Two-sided printing
<b>Twain version</b>	Version 2.1
<b>Typical electricity consumption (TEC) number</b>	0.20 kWh/Week
<b>UNSPSC code</b>	43212104
<b>UPC number</b>	195908302605
<b>Vertical alignment accuracy</b>	+/- 0.02 mm
<b>Vertical alignment accuracy</b>	+/- 0.0008 in
<b>Wireless technologies</b>	802.11a/b/g/n/ac; Wi-Fi®

---

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

*[6] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://hp.com/go/learnaboutesupplies>*

---

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Ink Bottles

HP 31 70-ml Cyan Original Ink Bottle	1VU26AE
HP 31 70-ml Cyan Original Ink Bottle	1VU26AN
HP 31 70-ml Magenta Original Ink Bottle	1VU27AE
HP 31 70-ml Magenta Original Ink Bottle	1VU27AN
HP 31 70-ml Yellow Original Ink Bottle	1VU28AE
HP 31 70-ml Yellow Original Ink Bottle	1VU28AN
HP 31 CMY/32XL Black Bottled Ink Cartridge	7E6X7AN
HP 32XL 135-ml Black Original Ink Bottle	1VV24AA
HP 32XL 135-ml Black Original Ink Bottle	1VV24AE
HP 32XL 135-ml Black Original Ink Bottle	1VV24AN
HP GT52 Cyan Original Ink Bottle	M0H54AE
HP GT52 Magenta Original Ink Bottle	M0H55AE
HP GT52 Yellow Original Ink Bottle	M0H56AE
HP GT53 90-ml Black Original Ink Bottle	1VV22AA
HP GT53 90-ml Black Original Ink Bottle	1VV22AL
HP GT53XL 135-ml Black Original Ink Bottle	1VV21AA
HP GT53XL 135-ml Black Original Ink Bottle	1VV21AE
HP GT53XL 135-ml Black Original Ink Bottle	1VV21AL

### HP Inkjet Printer Cartridges and Ink Supplies

HP 6ZA17AE Black Printhead	6ZA17AE
HP Inktank Tri-Color Printhead	3YP17AE
HP M0H50A Tri-color Replacement GT Printhead	M0H50AA
HP M0H50A Tri-color Replacement GT Printhead	M0H50AL
HP M0H51A Black Replacement GT Printhead	M0H51AA
HP X4E75A Black Ink tank Printhead	X4E75AL

## HP Photo Papers

### HP Photo Papers for inkjet

HP Advanced Photo Paper Glossy 65 lb 8 x 10 in. (203 x 254 mm) 25 sheets	6J777A
--	--------

HP Advanced Photo Paper, Glossy, 65 lb, 13 x 19 in. (329 x 483 mm), 20 sheets	CR696A
HP Advanced Photo Paper, Glossy, 65 lb, 4 x 12 in. (101 x 305 mm), 10 sheets	49V51A
HP Advanced Photo Paper, Glossy, 65 lb, 4 x 6 in. (101 x 152 mm), 100 sheets	Q6638A
HP Advanced Photo Paper, Glossy, 65 lb, 4 x 6 in. (101 x 152 mm), 50 sheets	F4T22A
HP Advanced Photo Paper, Glossy, 65 lb, 5 x 5 in. (127 x 127 mm), 20 sheets	49V50A
HP Advanced Photo Paper, Glossy, 65 lb, 5 x 7 in. (127 x 178 mm), 60 sheets	Q8690A
HP Advanced Photo Paper, Glossy, 65 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	Q7853A
HP Everyday Photo Paper, Glossy, 52 lb, 4 x 6 in. (101 x 152 mm), 100 sheets	CR759A
HP Everyday Photo Paper, Glossy, 52 lb, 4 x 6 in. (101 x 152 mm), 50 sheets	CR758A
HP Everyday Photo Paper, Glossy, 52 lb, 5 x 7 in. (127 x 178 mm), 60 sheets	CH097A
HP Everyday Photo Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 25 sheets	Q5498A
HP Everyday Photo Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	Q8723A
HP Matte Photo Paper, 180 g/m <sup>2</sup> , 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
HP Matte Photo Paper, 48 lb, 4 x 6 in. (101 x 152 mm), 25 sheets	6QH46A
HP Premium Plus Photo Paper, Glossy, 80 lb, 11 x 17 in. (279 x 432 mm), 25 sheets	CV065A
HP Premium Plus Photo Paper, Glossy, 80 lb, 4 x 6 in. (101 x 152 mm), 100 sheets	CR668A
HP Premium Plus Photo Paper, Glossy, 80 lb, 5 x 7 in. (127 x 178 mm), 60 sheets	CR669A
HP Premium Plus Photo Paper, Glossy, 80 lb, 8.5 x 11 in. (216 x 279 mm), 25 sheets	CR670A
HP Premium Plus Photo Paper, Glossy, 80 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	CR664A
HP Premium Plus Photo Paper, Satin, 80 lb, 4 x 6 in. (101 x 152 mm), 100 sheets	CR666A
HP Premium Plus Photo Paper, Satin, 80 lb, 8.5 x 11 in. (216 x 279 mm), 25 sheets	CR671A
HP Premium Plus Photo Paper, Satin, 80 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	CR667A

## HP Business Papers

### HP Business Papers for inkjet

HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in (216 x 279 mm), 150 sheets	9ZE20A
--	--------

### HP Business Papers for laser and inkjet

HP HeavyWeight Project Paper Matte 40 lb 8.5 x 11 in. (216 x 279 mm) 250 sheets	Z4R14A
---	--------

HP Professional Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets

Q1987A

HP Professional Tri-Fold Business Paper Glossy 48 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets

4WN12A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets

HPM1720P

HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets

HPM1120R

HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets

HPM1420P

---

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 19, 2024 5:14 AM UTC+0000