



Overview

Manage printing like a Pro.

The professional color inkjet printer for distributed offices and hybrid workforce from the World's #1 Printer Company, paired with our best technology to help manage it all. This seamlessly integrates into any network to streamline work.[1,2]

Deploy. Integrate. Customize with ease.

Easily deploy, integrate, and set up your fleet of printers across multiple locations.

Our best technology to help manage it all[2]

Stay connected with our most reliable Wi-Fi[®] - dual-band, self-healing - that automatically reconnects.[2]

Empower your business with a productivity powerhouse

Always ready for high volumes, get an HP OfficeJet Pro printer equipped with a 250page input tray.

Driving innovation with 40% recycled plastic[5]

Choose printers made with at least 40% recycled plastic.[5]

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] HP OfficeJet Pro 9100b printer series has dual-band, self-healing Wi-Fi, HP Wolf Pro Security and HP Web Jetadmin, HP's best technologies to seamlessly and securely support your IT business needs. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at www.hp.com/go/mobileprinting . HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[5] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print Resolution Technologies	HP Thermal Inkjet
Print quality black (best)	1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (ISO, letter)	Up to 22 ppm
Print Speed Color (ISO)	Up to 18 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed	Print speed up to 22 ppm (black) and 18 ppm (color)
Bottom margin (A4)	3.3mm
Left margin (A4)	3.3mm
Right margin (A4)	3.3mm
Top margin (A4)	3.3mm
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 25,000 pages
Duty cycle (monthly, letter)	Up to 25,000 pages ^[7]
Printer smart software features	Orientation: Portrait/Landscape/Rotate by 180 degrees; Print On Both Sides; None, Flip on Long Edge, Flip on Short Edge; Pages per sheet: 1 page per sheet/2 pages per sheet/4 pages per sheet/6 pages per sheet/9 pages per sheet/16 pages per sheet; Print Quality: HP Standard/Quick Draft/Premium/Detailed; RGB color: Printer Default/Office (sRGB)/Photo (sRGB)/Device RGB/Adobe RGB/Vivid (sRGB)/Custom RGB Printing Shortcuts; Factory Defaults; EcoSMART settings; Labels; CardStock/Heavy; Transparencies; Booklet Printing; General Everyday Printing; Page order: Front to Back/Back to Front/; Booklet Layout: Off/Left binding/Right binding;Print page borders; Special pages: Front cover/Back Cover/Print pages on different paper/Insert Blank Pages Resizing Options: Actual size/Print document on:/Scale manually Watermarks: None/Confidential/Draft/Sample/Custom; Collate; Reverse page order; Print all text as black; Control Panel Shortcuts; HP EasyColor: Off/Conservative/Automatic Wireless
Energy savings feature	HP Auto-On/Auto-Off Technology

Replacement cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. HP 937 Black Original Ink Cartridge (~1,250 pages) 4S6W5N; HP 937 Cyan Original Ink Cartridge (~800 pages) 4S6W2N; HP 937 Magenta Original Ink Cartridge (~800 pages) 4S6W3N; HP 937 Yellow Original Ink Cartridge (~800 pages) 4S6W4N. HP EvoMore planned to be available April 2024: HP 937e EvoMore Black Original Ink Cartridge (~1,650 pages) 4S6W9N; HP 937e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6W6N; HP 937e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6W8N. Actual yield varies considerably based on content of printed pages and other factors. HP 938 Black Original Ink Cartridge (~1,650 pages) 4S6W8N. Actual yield varies considerably based on content of printed pages and other factors. HP 938 Black Original Ink Cartridge (~1,250 pages) 4S6X8P; HP 938 Cyan Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Magenta Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Yellow Original Ink Cartridge (~800 pages) 4S6X5P; HP 938 Yellow Original Ink Cartridge (~800 pages) 4S6X7P. HP EvoMore planned to be available April 2024: HP 938e EvoMore Black Original Ink Cartridge (~1,650 pages) 4S6YP; HP 938e EvoMore Vellow Original Ink Cartridge (~1,650 pages) 4S6YP; HP 938e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6YP; HP 938e EvoMore Vellow Original Ink Cartridge (~1,650 pages) 4S6YP; HP 938
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
Network capabilities	Yes, via built-in Ethernet; Wireless 802.11 a/b/g/n/ac
Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Mobile printing capability	Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ certified
Network protocols, supported	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired
Software included	HP Printer Software
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS (Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, linux (for more information see http://developers.hp.com/hp-linux-imaging-and-printing))
Technical features	Borderless Printing; Automatic two-sided printing; Wireless; Wireless Direct; AirPrint; Touchscreen
Sustainable impact specifications	Recyclable through HP Planet Partners; Forest First product
Energy star certified	Yes

Ecolabels	IT ECO Declaration; EPEAT [®] registered	
Faxing	No	
Display	2.7" (6.86 cm) Capacitive Touchscreen CGD	
Minimum dimensions (W x D x H)	439 x 342.5 x 195.6 mm (Minimum Storage Mode)	
Minimum dimensions (W x D x H)	17.28 x 13.48 x 7.7 in (Minimum Storage Mode)	
Weight	~6.15 kg	
Weight	~13.56 lb	
Power consumption	3.49 watts (ready), 1.16 watts (sleep), 0.13 watts (manual-off) ^[3]	
Power supply type	Internal (Built-in) Universal Power Supply	
What's in the box	NA: HP OfficeJet Pro 9110b Printer; HP 936 Setup Black Ink Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]; EU/AP Developed Market: HP OfficeJet Pro 9110b Printer; HP 937 Setup Black Ink Cartridge; HP 937 Setup Cyan Ink Cartridge; HP 937 Setup Magenta Ink Cartridge; HP 937 Setup Vellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]; LAR/AP Emerging Market: HP OfficeJet Pro 9110b Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Black Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]	
Manufacturer Warranty	One-year limited warranty. For more information please visit us at http://support.hp.com [8]	

Additional specifications

Acoustic power emissions (active, printing)	6.8 B(A) (printing at 20ppm)
Acoustic pressure emissions	61 dB(A) (printing at 20ppm)
Automatic paper sensor	No
Borderless printing	Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)
Business filter	cMPS
Cable included	Yes, USB (AP - EM); No, please purchase USB separately (NA, EMEA, LAR, AP - DM(AU, NZ, SG, HK, TW)
Camera phone description	Print via HPX print app
Camera phone supported	Yes
Cartons per layer	8
Color or black	Color
Color(s) of printing supplies	Black, cyan, magenta, yellow
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Compliance alliances	Wi-Fi Alliance; BT Sig; Mopria.
Component type	Printer
Connection type	Wireless
Control panel	2.7" (6.86 cm) touchscreen control panel with CGD (color graphic display); 3 buttons: (home, help, back)
Count of layers in pallet	6
Country of origin	Made in Thailand
Dimensions with trays up (W x D x H)	439 x 382.5 x 195.6 mm
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 32:2015 / EN 55032:2015 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489- 1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B ICES-003, Issue 7; Class B VCCI V-3:2015
Engine life	25000
Envelope Feeder	No
Exifprint supported	yes
Fax Memory Note	NA
Fax Transmission Speed Note	NA

Finished output handling	Sheet Feed
First page out black (A4, ready)	As fast as 12 sec
First page out black (letter, ready)	As fast as 12 sec
First page out color (A4, ready)	As fast as 13 sec
First page out color (letter, ready)	As fast as 13 sec
Geographic availability	WW
HP Real Life technologies™	supported
Ink types	Pigment-based (black and color)
Input capacity	Up to 250 sheets
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 30 envelopes
Maximum Memory	512 MB DDR3
Maximum dimensions (W x D x H)	17.28 x 20.46 x 7.7 in (Output Tray Extend)
Maximum dimensions (W x D x H)	439 x 519.8 x 195.6 mm (Output Tray Extend)
Maximum input capacity (10x15cm photos)	Up to 50 sheets
Maximum input capacity (4x6 photo)	Up to 50 sheets
Maximum input capacity (cards)	Up to 50 cards
Maximum input capacity (labels)	Up to 50 sheets
Maximum input capacity (photo paper)	Up to 50 sheets
Maximum input capacity (sheets)	Up to 250 sheets
Maximum output capacity (cards)	Up to 30 cards
Maximum output capacity (envelopes)	Up to 10 envelopes
Maximum output capacity (labels)	Up to 30 sheets
Maximum output capacity (photo paper)	Up to 30 sheets
Maximum output capacity (sheets)	Up to 60 sheets
Maximum print area	216 x 356 mm (Legal)
Media sizes supported	A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL. Chou #3, Chou #4); 8.5 x 13 in
Media sizes supported	Letter; Legal; Government Legal; Executive; Statement; 3 x 5 in; 4 x 6 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card (3 x 5 in, 4 x 6 in, 5 x 8 in)
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes

Media sizes, custom	Tray 1: 3 x 5 in to 8.5 x 14 in
Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy
Media weight, recommended	60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)
Media weight, recommended	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Media weight, supported	60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)
Media weight, supported	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)
Memory	512 MB
Minimum System Requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge, macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; 2 GB HD, Internet required
Minimum System Requirements for Macintosh	macOS v11 Big Sur; macOS v12 Monterey; macOS v13 Ventura; 2 GB HD, Internet required
Model number	9110b
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	1-5 Users
Operating altitude	3000 m
Operating altitude	10000 ft
Operating humidity range	20 to 80% RH
Operating temperature range	5 to 40°C
Operating temperature range	41 to 104ºF
Orderable product number	5A0S1A#B1H
Orderable supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN
Output capacity	Up to 60 sheets
Output file format	PDF; TIFF; JPEG (scan to Thumbdrive)
Package dimensions (W x D x H)	19.17 x 11.14 x 16.10 in
Package dimensions (W x D x H)	487 x 283 x 409 mm
Package weight	18.7 lb

Package weight	8.50 kg
Page yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite
Pallet dimensions	48 x 40 x 101.73 in
Pallet dimensions (W x D x H)	1219 x 1016 x 2584 mm
Pallet weight	946 lb
Pallet weight	430 kg
Paper handling input, standard	250-sheet input tray
Paper handling output, standard	60-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz.
Print Technology	Ink
Print colors	Yes
Print colors maximum	4
Print head nozzles	Printhead nozzles=1568. Same for both Colours and Black. Total Print Head nozzles 6272
Print heads	4 (1 each black, cyan, magenta, yellow)
Print languages	HP PCL6, PCL5, native PDF, HP Postscript
Print speed black (ISO)	Up to 22 ppm
Print speed black (best, A4)	Up to 5ppm
Print speed black (best, letter)	Up to 5 ppm
Print speed black (draft, A4)	Up to 32 ppm
Print speed black (draft, letter)	Up to 32 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed color (draft, A4)	Up to 32 ppm
Print speed color (draft, letter)	Up to 32 ppm
Print speed color (normal, 10x15 photo)	As fast as 30 sec
Print speed color (normal, 4x6 photo)	As fast as 30 sec
Print speed duplex (A4)	Up to 14 ipm
Print speed duplex (A4)	Up to 8 ipm
Print speed duplex (letter)	Up to 8 ipm
Print speed duplex (letter)	Up to 14 ipm
Print technology	HP Thermal Inkjet
Printer Management	HP WebJet Admin, Embedded Web Server, HP Smart Universal Print Driver, HP JetAdvantage Manager, HP Security Manager

Printer black pages (MPV black)	480
Printer color pages (MPV color)	320
Printer drivers included	Windows HP SUPD (PCL6, PS) , Linux, UNIX, SAP
Processor speed	1.2GHz
Product color	Cement
Product logos	Energy Star; USB Hi-Speed Certified; "Works with Windows 10" logo; "Wireless; Print"; AirPrint™; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
Product long name specifications	HP OfficeJet Pro 9110b Printer, Color Printer for Small medium business, Print, Print from phone or tablet; Two-sided printing; Touchscreen; Wireless
Product name (back)	HP OfficeJet Pro 9110b Printer
Product name (front)	HP OfficeJet Pro 9110b Printer
Product name (primary)	HP OfficeJet Pro 9110b Printer
Product name (secondary)	HP OfficeJet Pro 9110b Printer
Product short name specifications	HP OfficeJet Pro 9110b Wireless Color Printer, Two-sided printing
Quantity per pallet	48
RMN number	SNPRC-2302-01
Recommended Macintosh system requirements	macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura, 2 GB HD, Internet required
Recommended monthly page volume	Up to 1500
Recommended operating humidity range	25 to 75% RH
Recommended operating temperature range	15 to 32℃
Recommended operating temperature range	59 to 90ºF
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014 EN 62368- 1:2014 +A11:2017; IEC 62368-1:2018; EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020; EN 62311:2008; EN 62479:2010
Security management	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware
Segment (filter)	Home and home office
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support.
Standard input capacity (cards)	Up to 50 cards
Standard input capacity (envelopes)	Up to 30
Standard input capacity (legal)	Up to 250 sheets

Standard media sizes (duplex)	A4; B5; Not supported for borderless photo
Standard media sizes (duplex, imperial)	Letter; executive; Not supported for borderless photo
Standard output capacity (cards)	Up to 30 cards
Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (labels)	Up to 30 sheets
Standard output capacity (legal)	Up to 60 sheets
Storage altitude	4500 m
Storage altitude	15000 ft
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 140ºF
Storage temperature range	-40 to 60ºC
System requirements, recommended	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge, macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; 2 GB HD, Internet required
Target user and print volume	For teams up to 5 users; Prints up to 1,500 pages/month
Tariff numbers	Will be available at a later time, after SKU classification is done
Telecom compliance (fax capability)	EN 301 893 V2.1.1; EN 300 440 V2.1.1; Radio Equipment Directive 2014/53/EU
Top key features	Wireless; Two-sided printing; Print from phone or tablet; Touchscreen; Front USB flash drive port
UNSPSC code	43212104
UPC number	196786114304
Wireless	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BT5.0
Wireless technologies	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

Ink/Toner/Paper/Printer Supplies

Ink Supplies

HP Inkjet Printer Cartridges and Ink Supplies

★ : Recommended

HP 936 Black Original Ink Cartridge	4S6V2LN
HP 936 CMYK Original Ink Cartridge 4-Pack	6C3Z5LN
HP 936 CMYK Original Ink Cartridge Club 5-Pack	6C3Z7BN
HP 936 Cyan Original Ink Cartridge	4S6U9LN
HP 936 Magenta Original Ink Cartridge	4S6V0LN
HP 936 Yellow Original Ink Cartridge	4S6V1LN
HP 936e EvoMore Black Original Ink Cartridge	456V6LN
HP 936e EvoMore Cyan Original Ink Cartridge	4S6V3LN
HP 936e EvoMore Magenta Original Ink Cartridge	4S6V4LN
HP 936e EvoMore Yellow Original Ink Cartridge	4S6V5LN
HP 937 Black Original Ink Cartridge	4S6W5NA
HP 937 Black Original Ink Cartridge	4S6W5NE
HP 937 CMYK Original Ink Cartridge 4-Pack	6C3Z9NA
HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 937 Cyan Original Ink Cartridge	456W2NA
HP 937 Cyan Original Ink Cartridge	4S6W2NE
HP 937 Magenta Original Ink Cartridge	456W3NA
HP 937 Magenta Original Ink Cartridge	4S6W3NE
HP 937 Yellow Original Ink Cartridge	456W4NA
HP 937 Yellow Original Ink Cartridge	4S6W4NE
HP 937e EvoMore Black Original Ink Cartridge	456W9NA
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NE
HP 937e EvoMore Cyan Original Ink Cartridge	456W6NA
HP 937e EvoMore Cyan Original Ink Cartridge	456W6NE
HP 937e EvoMore Magenta Original Ink Cartridge	
	4S6W7NA
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NA 4S6W7NE
HP 937e EvoMore Magenta Original Ink Cartridge HP 937e EvoMore Yellow Original Ink Cartridge	
	4S6W7NE
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W7NE 4S6W8NA

4S6X8PL
4S6X5PA
4S6X5PE
4S6X5PL
456X6PA
4S6X6PE
4S6X6PL
4S6X7PA
4S6X7PE
4S6X7PL
456Y2PA
4S6Y2PE
456X9PA
4S6X9PE
456Y0PA
4S6Y0PE
4S6Y1PA
4S6Y1PE

HP Business Papers

HP Business Papers for inkjet

HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in (216 x 279 mm), 150	9ZE20A
sheets	JZLZOA

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
HP Matte Photo Paper, 48 lb, 4 x 6 in. (101 x 152 mm), 25 sheets	6QH46A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 28, 2024 1:26 PM UTC+0000