

Overview

Print and scan in wide format like a Pro.

Say hello to the wide format professional color inkjet printer for your growing business from the World's #1 Printer Company, paired with the easiest-to-use print app. Print and scan up to A3 with extra performance features.[1,2]

Easily achieve vibrant, screen-accurate prints

Print true-to-screen with the world's first and only wide format printer with P3 for wider gamut vs. sRGB.[3]

Our best technology to stay connected and secure[4]

Stay connected with our most reliable Wi-Fi® - dual-band, self-healing - that automatically reconnects.[4]

Always be ready to print. Never run out of ink.[7]

With an Instant Ink subscription, you can get ink delivered directly to your door before you run out.[7]

Driving innovation with 30% recycled plastic[10]

Choose printers made with at least 30% recycled plastic.[10]

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced ≤\$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: keypointintelligence.com/HPSmartapp . Requires HP app download available at www.hp.com/go/mobileprinting . Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com .

[3] HP OfficeJet 9700 printers are the world's first and only Display P3 color gamut capable wide format printers delivering a wider color range than sRGB. Based on June 2023 internal research of

Expanded Color Gamut technology's comparison against comparable, top-selling competitive printers.

[4] HP OfficeJet Pro 9700 printer series has self-healing Wi-Fi and HP Wolf Pro Security, HP's best and most reliable technologies to stay connected and secure. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at www.hp.com/go/mobileprinting. HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[7] Based on plan usage, Internet connection to eligible HP printer, valid payment method, email address, and delivery service in your geographic area.

[10] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print Resolution Technologies	HP Thermal Inkjet
Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (ISO, letter)	Up to 22 ppm
Print Speed Color (ISO)	Up to 18 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed	Print speed up to 22 ppm (black) and 18 ppm (color)
Functions	Print, copy, scan
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 30,000 pages
Duty cycle (monthly, letter)	Up to 30,000 pages
Printer smart software features	Color mode: Color/Grayscale using black only/Grayscale using CMYK black, Two-sided Printing: none/Flip on long edge/Flip on short edge, Pages per sheet: 1,2,4,6,9,16, Pages per sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left, Page Borders: On/Off, Print Quality: Normal/Draft/Best/Maximum dpi, Copy count, Collate, Orientation: Portrait/Landscape, Paper Size, Paper Source, Media Type, Booklet printing: Off/Left Binding/Right Binding, Watermarks, Page order: Front to Back/Back to Front, HP EasyColor: Off/Conservative/Automatic, Borderless printing: Off/On, Presets
Scanner advanced features	Smart Task Shortcuts; Scan to Cloud destinations: Dropbox, Google Drive, OneDrive; OCR (Optical Character Recognition); Auto Correct; Smart File Naming; Save as Text File
Energy savings feature technology	Schedule On and Schedule Off
Replacement cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
Supplies feature	HP Instant Ink eligible
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
Modem	Not supported
Network capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac

Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution	
Mobile printing capability	Chrome OS; HP Smart app; Apple AirPrint™; Mobile Apps; Wi-Fi® Direct Printing; Mopria™ Certified	
Network protocols, supported	TCP/IP	
Software included	HP Printer Software	
Compatible Operating Systems	Windows 11; Windows 10; Android; iOS; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Linux; Chrome OS ^[4] (Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit; Linux (For more information see http://developers.hp.com/hp-linux-imaging-and-printing))	
Technical features	Borderless Printing; Wireless; Wireless Direct; AirPrint; Touchscreen; ADF; HP Printables; Automatic two-sided printing	
Sustainable impact specifications	Forest First product with HP+; FSC Certified Packaging; Contains ocean- bound recycled plastic; 30% post-consumer recycled plastic; Recyclable through HP Planet Partners	
Energy star certified	Yes	
Ecolabels	EPEAT® registered	
Blue Angel compliant	No, please refer to the ECI (Ecolabel Comparison Information) document	
Copy speed black (best, A4)	Up to 4 cpm	
Copy speed black (best, letter)	Up to 4 cpm	
Copy speed color (best, A4)	Up to 4 cpm	
Copy speed color (best, letter)	Up to 4 cpm	
Digital sending standard features	Scan to PC; Scan to Memory Device; Scan to email	
Scan speed (normal, A4)	Up to 8/6 ipm (B&W/Color 200 ppi)	
Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	
Scan input modes	Front-panel scan, copy or from software	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed, ADF	
Display	4.3" Capacitive Touchscreen CGD	
Minimum dimensions (W \times D \times H)	581 x 467 x 386 mm (Output Tray + Cleanout Door not extended)	
Minimum dimensions (W \times D \times H)	22.9 x 18.4 x 15.20 in (Output Tray + Cleanout Door not extended)	
Weight	19.5 kg	
Weight	42.9 lb	
Power consumption	0.11 watts (Manual-Off), 5.40 watts (Standby), 1.39 watts (Sleep) ^{None}	
Power supply type	Internal (Built-in) Universal Power Supply	

What's in the box

NA: HP OfficeJet Pro 9730e WF AiO Printer; HP 936 Setup Black Ink
Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink
Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution
Flyer; Power Cord; Setup Poster; Reference Guide; [For more information
about fill and yield, see http://www.hp.com/go/learnaboutsupplies] EU /
AP Developed Market: HP OfficeJet Pro 9730e WF AiO Printer; HP 937
Setup Black Ink Cartridge; HP 937 Setup Cyan Ink Cartridge; HP 937 Setup
Magenta Ink Cartridge; HP 937 Setup Yellow Ink Cartridge; Regulatory
Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For
more information about fill and yield, see
http://www.hp.com/go/learnaboutsupplies]

Manufacturer Warranty

One-year limited hardware warranty with option to extend to 2 years with HP+ Offer. For more info please visit us at http://support.hp.com.[9]

Additional specifications

Acoustic power emissions (active copy)	6.6 B(A)
Acoustic power emissions (active, printing)	6.8 B(A)
Acoustic pressure emissions	60 dBA
Automatic document feeder capacity	Standard, 35 sheets
Automatic paper sensor	No
Bit depth	24-bit
Borderless printing	Yes (up to A3/11 x 17-in)
Bottom margin (A4)	3.3 mm
Cable included	USB Cable: No
Camera phone supported	Yes
Cartons per layer	2
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Color(s) of printing supplies	Black, cyan, magenta, yellow
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; Linux; macOS 13 Ventura; macOS 12 Monterey; macOS 11 Big Sur; Chrome OS
Control panel	4.3" (10.92 cm) touchscreen control panel with color graphic display; LED indicator light (WiFi indicator)
Copier settings	Copies; Size; Quality; Tray Selection; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; binding Margin; Enhancement; Crop; Copy preview
Copies, maximum	Up to 99 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	Up to 600 dpi
Copy resolution (black text)	Up to 600 dpi
Copy resolution (color text and graphics)	Up to 600 dpi
Copy speed black (ISO)	Up to 18 cpm
Copy speed color (ISO)	Up to 13 cpm
Copy speed note	Copy speeds may vary depending on the type of document.
Count of layers in pallet	5
Country of origin	Made in China

Dimensions with trays up (W x D x	581 x 467 x 386 mm (Output Tray + Cleanout Door not extended); 581 x	
Н)	842 x 386 mm (Output Tray + Cleanout Door fully extended)	
Display	10.92 cm Capacitive Touchscreen CGD	
Duty cycle note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.	
Dynamic security	Dynamic security enabled printer	
Electromagnetic compatibility	CISPR 32:2015+A1:2019/EN 55032:2015+A11:2020 Class B; CISPR 24:2010+A1:2015/EN 55024:2010+A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013+A1:2019; FCC CFR 47, Part 15 Class B/ICES-003, Issue 7 Class B	
Envelope Feeder	No	
Fax Memory Note	Analog Fax not supported	
Fax Polling	No	
Fax Remote Retrieval	No	
Fax Transmission Speed Note	Analog Fax not supported	
File Format Supported	PDF; TIFF; JPEG	
Finished output handling	Sheetfed	
First page out black (A4, ready)	As fast as 12 sec	
First page out black (letter, ready)	As fast as 12 sec	
First page out color (A4, ready)	As fast as 13 sec	
First page out color (letter, ready)	As fast as 13 sec	
Geographic availability	EMEA, NA, AP	
Ink types	Pigment-based (black and color)	
Input capacity	Up to 500 sheets (Tray 1: up to 250 sheets, Tray 2: up to 250 sheets)	
Instant ink	HP Instant Ink eligible	
Internal Storage	None	
Junk fax barrier	No	
Left margin (A4)	3.3 mm	
Levels of grayscale	256	
Mac compatible	Yes	
Maximum Input Capacity (envelopes)	Up to 30 envelopes	
Maximum Memory	512 MB	
Maximum dimensions (W x D x H)	22.9 x 33.2 x 15.2 in (Output Tray + Cleanout Door fully extended)	
Maximum dimensions (W x D x H)	581 x 842 x 386 mm (Output Tray + Cleanout Door fully extended)	
Maximum input capacity (10x15cm photos)	Up to 50 sheets	

Maximum input capacity (4x6 photo)	Up to 50 sheets
Maximum input capacity (cards)	Up to 50 sheets
Maximum input capacity (labels)	Up to 50 sheets
Maximum input capacity (photo paper)	Up to 50 sheets
Maximum input capacity (sheets)	Up to 500 sheets
Maximum output capacity (cards)	Up to 35 cards
Maximum output capacity (envelopes)	Up to 25 envelopes
Maximum output capacity (photo paper)	Up to 25 Asize sheets, Up to 20 Bsize sheets
Maximum output capacity (sheets)	Up to 75 Asize sheets, Up to 50 Bsize sheets
Maximum print area	297 x 431.8 mm
Media sizes supported	Letter; Legal; Government Legal; Executive; Statement; 3×5 in; 4×6 in; 4×12 in; 5×5 in; 5×7 in; 8×10 in; L; Photo 2L; Envelope(#10, Monarch); Card $(3 \times 5$ in, 4×6 in, 5×8 in); Tabloid(11x17 in)
Media sizes supported	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki); A3
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes supported, key	10 x 15 cm; A4; A3; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 11.7 x 17 in; Tray 2: 8.5 x 11 to 11.7 x 17 in
Media sizes, custom	Tray 1: 76 x 127 to 297 x 420 mm; Tray 2: 210 x 297 to 297 x 420 mm
Media types	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g
Media weight, recommended	16 to 28 lb, bond
Media weight, recommended	60 to 105 g/m²
Memory	512 MB ^{None}
Memory Slots	Not Support
Minimum System Requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
Minimum System Requirements for Macintosh	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
Multitasking supported	Yes
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	1-5 Users
Operating altitude	3,000m
Operating altitude	15,000ft
Operating humidity range	20 to 80% RH

Operating temperature range	41 to 104ºF	
Operating temperature range	5 to 40°C	
Orderable product number	537P6A#B1H	
Orderable supplies	HP 936 Black Original Ink Cartridge 4S6V2LN, HP 936 Cyan Original Ink Cartridge 4S6U9LN; HP 936 Magenta Original Ink Cartridge 4S6V0LN; HP 936 Yellow Original Ink Cartridge 4S6V1LN; HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge 4S6V5LN	
Output capacity	Up to 75 sheets	
Package dimensions (W x D x H)	668 x 545 x 487 mm	
Package dimensions (W x D x H)	26.30 x 21.46 x 19.17 in	
Package weight	24.45 kg	
Package weight	53.79 lb	
Page yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite	
Pallet dimensions	48 x 40 x 101 in	
Pallet dimensions (W x D x H)	1220 x 1015 x 2562 mm	
Pallet weight	261 kg	
Pallet weight	573 lb	
Paper handling input, optional	No	
Paper handling input, standard	250-sheet input tray, 250-sheet plain paper tray,	
Paper handling output, standard	75-sheet output tray	
Paper trays, maximum	Up to 2	
Paper trays, standard	2	
Plug and play	Auto Wireless Connect; HP Smart Install	
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz	
Power consumption (active copy)	None	
Print Technology	Ink	
Print colors	Yes	
Print colors maximum	4	
Print head nozzles	Total nozzles = 1568/color * 4 = 6272	
Print heads	4 (1 each black, cyan, magenta, yellow)	
Print languages	HP PCL3 GUI, HP PCL 3 Enhanced	
Print speed black (ISO)	Up to 22 ppm	
Print speed black (best, A4)	Up to 5 ppm	
Print speed black (best, letter)	Up to 5 ppm	

Print speed black (draft, A4)	Up to 34 ppm
Print speed black (draft, letter)	Up to 34 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed color (draft, A4)	Up to 34 ppm
Print speed color (draft, letter)	Up to 34 ppm
Print technology	HP Thermal Inkjet
Printer drivers included	HP PCL3 GUI, HP PCL 3 Enhanced
Processor speed	1.2 GHz
Product color	Cement
Product logos	Energy Star; USB Hi-Speed Certified; "Works with Windows 10" logo; "Wireless; Print; Scan; Copy"; Airprint; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart
Product long name specifications	HP OfficeJet Pro 9730e Wide Format All-in-One Printer with Bonus 3 Months of Instant Ink with HP+
Product short name specifications	HP OfficeJet Pro 9730e Wide Format All-in-One Printer, Color, Printer for Small office, Print, copy, scan, HP+; HP Instant Ink eligible; Wireless; Two-sided printing; Print from phone or tablet; Automatic document feeder; Front USB flash drive port; Scan to email; Scan to pdf; Touchscreen; Quiet mode
Quantity per pallet	10
RMN number	SNPRC-2301-01
Recommended Macintosh system requirements	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
Recommended monthly page volume	250 to 1500 ^[5]
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended operating humidity range	25 to 75% RH
Recommended operating temperature range	15 to 32º
Recommended operating temperature range	59 to 90°F
Right margin (A4)	3.3 mm
Safety	IEC 62368-1:2014/EN 62368-1:2014+A11:2017/BS EN 62368-1:2014+A11:2017; IEC 62368-1:2018/EN IEC 62368-1:2020+A11:2020/BS EN IEC 62368-1:2020+A11:2020; ANSI/UL 62368-1: 3rd Edition; CAN/CSA C22.2 No. 62368-1-19: 3rd Edition; Germany GS (Safety)
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi

Scan size (ADF), maximum 8.5 x 14in Scan size, Madhum 21.6 x 356mm Scan size, maximum 297 x 432 mm Scan speed duplex (normal, A4) Duplex: Up to 14/11 ipm(B&W/Color 200 ppi) Security management Siz/ILS (HTTPS): IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel lock, Password protect EWS; Syslog; Signed firmware; Administrator settings Segment (filter) Small office Send to email capability Yes Service & support options With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through interpretated and input capacity (cards) Up to 50 sheets Standard input capacity (eards) Up to 250 sheets Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) Acj. B.; A3 Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard output capacity (cards) Up to 35 cards Standard output capacity (legal) Up to 35 cards Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 35 sheets Standard output		
Scan size, maximum Scan size, maximum Scan speed duplex (normal, A4) Duplex: Up to 14/11 ipm(B&W/Color 200 ppi) Scurity management SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewalt: certificates configuration; Control panel lock Password protect EWS; Syslog; Signed firmware; Administrator settings Segment (filter) Small office Send to email capability Yes Service & support options Wifth services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 30 envelopes Standard input capacity (legal) Up to 250 sheets Standard and input capacity (legal) Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard output capacity (legal) Up to 35 cards Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 25 envelopes Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Standard output capacity (legal) Up to 75 sheets Standard output capacity (legal) Storage abiticude 15,000ft Storage device and direct print support Storage device and direct print support Storage device and direct print support Storage temperature range 40 to 140°F Storage temperature range 40 to 140°F Storage temperature range Finage tuser and print volume Prints up to 1,500 pages/month Tariff numbers S37P6ABB1H-B443310000; Telecom compliance (fax Finage tuser and print volume Prints up to 1,500 pages/month	Scan size (ADF), maximum	8.5 x 14in
Scan size, maximum Scan speed duplex (normal, A4) Duplex: Up to 14/11 ipm(B&W/Color 200 ppi) SEL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings Segment (filter) Small office Send to email capability Yes With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 250 sheets Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) (secondary tray) Standard media sizes (duplex) In protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (legal) Up to 30 envelopes Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) In protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard media sizes (duplex) Up to 30 envelopes Standard media sizes (duplex) Up to 250 sheets Standard media sizes (duplex) Up to 35 cards Standard memory note None Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Storage altitude 15,000ft Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 160°C System requirements, reference internet connection; Microsoft® Internet Explore or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers SaryF6A#BHH-8443310000;	Scan size (ADF), maximum	216 x 356mm
Scan speed duplex (normal, A4) Duplex: Up to 14/11 ipm(B&W/Color 200 ppi) SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings Segment (filter) Small office Send to email capability Ves Vint services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 30 envelopes Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard memory note None Standard output capacity (lades) Standard output capacity (lades) Up to 25 envelopes Standard output capacity (lades) Up to 25 envelopes Standard output capacity (lades) Up to 25 envelopes Standard output capacity (lades) Standard output capacity (lades) Storage altitude 15,000ft Storage device and direct print support Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, frecommended First up to 1,500 pages/month Tariff numbers S3796A#BIH-B443310000; Telecom compliance (fax	Scan size, maximum	11.69 x 17 in
SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK), Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings Segment (filter) Small office Send to email capability Yes With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 30 envelopes Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard media sizes (duplex, Inperial) Up to 35 cards Standard output capacity (cards) Up to 35 sheets Standard output capacity (lagel) Up to 25 envelopes Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 160°C System requirements, recommended space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#BIH-B443310000;	Scan size, maximum	297 x 432 mm
Security management Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings Semant (filter) Small office Send to email capability Yes With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 30 envelopes Standard input capacity (legal) Up to 250 sheets Standard mput capacity (legal) Up to 250 sheets Standard media sizes (duplex, imperial) Up to 250 sheets Standard memory note None Standard output capacity (cards) Up to 35 cards Standard output capacity (cards) Up to 35 cards Standard output capacity (labels) Up to 25 envelopes Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Storage altitude 15,000ft Storage device and direct print support Storage devices not supported Storage temperature range -40 to 140°F	Scan speed duplex (normal, A4)	Duplex: Up to 14/11 ipm(B&W/Color 200 ppi)
Send to email capability Yes With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 250 sheets Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard memory note None Standard output capacity (cards) Up to 35 cards Standard output capacity (labels) Up to 25 envelopes Standard output capacity (labels) Up to 25 envelopes Standard output capacity (labels) Up to 25 envelopes Standard output capacity (labels) Storage attitude 15,000ft Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax	Security management	Wireless (PSK); Firewall; certificates configuration; Control panel lock;
Service & support options With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 250 sheets Standard input capacity (legal) Standard media sizes (duplex) Legal, Letter; executive, Ledger Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Up to 25 envelopes Standard output capacity (labels) Up to 25 envelopes Standard output capacity (legal) Up to 25 envelopes Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage device and direct print support Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers S37P6A#BHH-8443310000; Telecom compliance (fax	Segment (filter)	Small office
Service & support options protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support. Standard input capacity (cards) Up to 50 sheets Standard input capacity (legal) Up to 250 sheets Standard input capacity (legal) Up to 250 sheets Standard input capacity (legal) Up to 250 sheets Standard media sizes (duplex) A4; B5; A3 Standard media sizes (duplex, imperial) Legal, Letter; executive, Ledger Standard memory note None Standard output capacity (cards) Up to 25 envelopes Standard output capacity (legal) Up to 25 envelopes Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#BHH-8443310000; Telecom compliance (fax	Send to email capability	Yes
Standard input capacity (legal) Standard input capacity (legal) Up to 250 sheets Standard input capacity (secondary tray) Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Standard output capacity (cards) Up to 25 envelopes Standard output capacity (labels) Up to 35 sheets Standard output capacity (labels) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Standard output capacity (legal) Storage altitude 15,000ft Storage altitude Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers Telecom compliance (fax EN 300 328 V2 2 2 EN 301 893 V2 11 EN 300 440 V2 11	Service & support options	protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through
(envelopes) Standard input capacity (legal) Up to 250 sheets Standard input capacity (secondary tray) Standard media sizes (duplex) Imperial) Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Up to 35 cards Standard output capacity (cards) Up to 35 cards Standard output capacity (labels) Standard output capacity (labels) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 11: EN 300 440 V2 11	Standard input capacity (cards)	Up to 50 sheets
Standard input capacity (secondary tray) Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Standard output capacity (cards) Up to 35 cards Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers Telecom compliance (fax FN 300 328 N/2 2 2: FN 301 893 N/2 1 1: FN 300 440 N/2 1 1		Up to 30 envelopes
Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Standard output capacity (cards) Up to 35 cards Standard output capacity (labels) Standard output capacity (labels) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Telecom compliance (fax EN 300 328 N2 2 2: EN 301 893 N2 11: EN 300 440 N2 1 1	Standard input capacity (legal)	Up to 250 sheets
Standard media sizes (duplex, imperial) Standard memory note None Standard output capacity (cards) Standard output capacity (envelopes) Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 N 2 2 2: EN 301 893 N 2 11: EN 300 440 N 2 11		Up to 250 sheets
Standard memory note Standard output capacity (cards) Standard output capacity (up to 35 cards Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Standard media sizes (duplex)	A4; B5; A3
Standard output capacity (cards) Standard output capacity (envelopes) Standard output capacity (labels) Standard output capacity (labels) Standard output capacity (legal) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 11		Legal, Letter; executive, Ledger
Standard output capacity (envelopes) Standard output capacity (labels) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Standard memory note	None
(envelopes) Standard output capacity (labels) Up to 35 sheets Standard output capacity (legal) Up to 75 sheets Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Standard output capacity (cards)	Up to 35 cards
Storage altitude 15,000ft Storage altitude 4,500m Storage device and direct print support Storage devices not supported Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax FN 300 328 V2 2 2: FN 301 893 V2 1 1: FN 300 440 V2 1 1		Up to 25 envelopes
Storage altitude 4,500m Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 22: EN 301 893 V2 11: EN 300 440 V2 11	Standard output capacity (labels)	Up to 35 sheets
Storage device and direct print support Storage devices not supported Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, recommended Target user and print volume Tariff numbers Telecom compliance (fax FN 300 328 V2 2 2: FN 301 893 V2 1 1: FN 300 440 V2 1 1	Standard output capacity (legal)	Up to 75 sheets
Storage device and direct print support Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Storage altitude	15,000ft
Storage temperature range -40 to 140°F Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk recommended space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Storage altitude	4,500m
Storage temperature range -40 to 60°C System requirements, Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax FN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1		Storage devices not supported
System requirements, recommended Space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax FN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Storage temperature range	-40 to 140ºF
recommended space; Internet connection; Microsoft® Internet Explorer or Edge Target user and print volume Prints up to 1,500 pages/month Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	Storage temperature range	-40 to 60°C
Tariff numbers 537P6A#B1H-8443310000; Telecom compliance (fax EN 300 328 V2 2 2: EN 301 893 V2 1 1: EN 300 440 V2 1 1	•	
Telecom compliance (fax FN 300 328 V2 2 2: FN 301 893 V2 1 1: FN 300 440 V2 1 1	Target user and print volume	Prints up to 1,500 pages/month
EN 3111 378 77 7 EN 3111 893 77 1 1 EN 3111 441 77 1 1	Tariff numbers	537P6A#B1H-8443310000;
		EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1

Top key features	HP+; HP Instant Ink eligible; Wireless; Two-sided printing; Print from phone or tablet; Automatic document feeder; Front USB flash drive port; Scan to email; Scan to pdf; Touchscreen; Quiet mode
Top margin (A4)	3.3 mm
Twain version	Version 2.4
UNSPSC code	43212104
UPC number	196337487925
Wireless technologies	802.11 a/b/g/n/ac 1x1 (2.4/5 GHz) with (BLE)

[4] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit)

[5] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

Ink Supplies ★: Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 936 Black Original Ink Cartridge	4S6V2LN
HP 936 CMYK Original Ink Cartridge 4-Pack	6C3Z5LN
HP 936 Cyan Original Ink Cartridge	4S6U9LN
HP 936 Magenta Original Ink Cartridge	4S6V0LN
HP 936 Yellow Original Ink Cartridge	4S6V1LN
HP 936e EvoMore Black Original Ink Cartridge	4S6V6LN
HP 936e EvoMore Cyan Original Ink Cartridge	4S6V3LN
HP 936e EvoMore Magenta Original Ink Cartridge	4S6V4LN
HP 936e EvoMore Yellow Original Ink Cartridge	4S6V5LN
HP 937 Black Original Ink Cartridge	4S6W5NA
HP 937 Black Original Ink Cartridge	4S6W5NE
HP 937 CMYK Original Ink Cartridge 4-Pack	6C3Z9NA
HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 937 Cyan Original Ink Cartridge	4S6W2NA
HP 937 Cyan Original Ink Cartridge	4S6W2NE
HP 937 Magenta Original Ink Cartridge	4S6W3NA
HP 937 Magenta Original Ink Cartridge	4S6W3NE
HP 937 Yellow Original Ink Cartridge	4S6W4NA
HP 937 Yellow Original Ink Cartridge	4S6W4NE
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NA
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NE
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NA
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NE
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NA
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NE
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NA
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NE
HP 938 Black Original Ink Cartridge	4S6X8PA
HP 938 Black Original Ink Cartridge	4S6X8PE
HP 938 Black Original Ink Cartridge	4S6X8PL

HP 938 Cyan Original Ink Cartridge	4S6X5PA
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Cyan Original Ink Cartridge	4S6X5PL
HP 938 Magenta Original Ink Cartridge	4S6X6PA
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Magenta Original Ink Cartridge	4S6X6PL
HP 938 Yellow Original Ink Cartridge	4S6X7PA
HP 938 Yellow Original Ink Cartridge	4S6X7PE
HP 938 Yellow Original Ink Cartridge	4S6X7PL
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PA
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PE
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PA
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PE
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PA
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PE
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PA
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PE

HP Business Papers

HP Business Papers for inkjet

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
HP Matte Photo Paper, 48 lb, 4×6 in. (101 \times 152 mm), 25 sheets	6QH46A

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.