



HP Color LaserJet Pro 4201dn Printer (4RA85F)



Overview

Fast color printing and easy set up.

Get a blazing fast color printer and easy set up with LaserJet Pro.

Maximum productivity in full color

Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.

Simple set up.

Quickly set up your printers so you can focus more on your business.

Advance your security with HP Wolf Pro

Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.

Sustainable printing [4,6,13]

Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. [13,15]

Features

Business team solution

Blazing fast speed

True-to-life colors [14]^[14]

HP Web Jetadmin. [3]^[3]

[3] HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

[4] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

[6] Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

[13] Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/plasticreductions.

[14] Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJet/colors.

[15] HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/energysaving.

Specifications

Print Resolution Technologies	HP ImageREt 2400, PANTONE® calibrated
Print quality black (best)	Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi
Print quality color (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 33 ppm
Print speed black (ISO, letter)	Up to 35 ppm
Print Speed Color (ISO)	Up to 33 ppm
Print speed color (ISO)	Up to 35 ppm
Print speed	Print speed up to 35/33 ppm black & color (Letter/A4)
Functions	Print
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 50,000 pages
Duty cycle (monthly, letter)	Up to 50,000 pages
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print quality mode, accepts a variety of paper sizes and types
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 210A Black Original LaserJet Toner Cartridge (~2,000 pages) W2100A; HP 210A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2101A; HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2102A; HP 210A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2103A; HP 210X Black Original LaserJet Toner Cartridge (~7,500 pages) W2100X; HP 210X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2101X; HP 210X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2102X; HP 210X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2103X ^[2]
Supplies feature	TerraJet Cartridge
Connectivity, standard	1 Gigabit Ethernet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.3az; Authentication via 802.1x; Auto-crossover Ethernet
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x
Mobile printing capability	HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified
Network protocols, supported	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Software included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com

Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Linux; Citrix; Chrome OS

(Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6; Linux- For more information see <http://developers.hp.com/hp-linux> imaging-and-printing; Novell iPrint server; Unix- For more information see <http://hp.com/go/unixmodelscripts>; Windows Server 2008 R2 64-bit ; Windows Server 2012 64-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; (All operating systems with the latest updates); Android; iOS; macOS Big Sur v11.0; macOS Catalina v10.15; macOS Monterey v12.0; macOS's-; Mobile OS's-; Win10; Win11; Windows Client OS (32/64 bit)-; (All operating systems with the latest updates))

Compatible Operating Systems

Technical features

Automatic 2-sided printing; Cloud-based fleet management; Compact size; ENERGY STAR®; Network printing; HP Auto-on/Auto-off; TerraJet Toner; Private Print via PIN; Professional print quality; Made with recycled plastic

Sustainable impact specifications

ENERGY STAR® certified; EPEAT® registered; Contains post-consumer recycled plastic

Energy star certified

Yes

Ecolabels

IT ECO Declaration; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US; ENERGY STAR® certified

Blue Angel compliant

No, please refer to the ECI (Ecolabel Comparison Information) document

Faxing

No

Display area (imperial)

2.0 x 1.3 inch

Display area (metric)

51.6(W) X 30.1(H) mm

Display

4-line back lit LCD

Minimum dimensions (W x D x H)

421 x 427 x 288 mm

Minimum dimensions (W x D x H)

16.6 x 16.8 x 11.3 in

Weight

~16.33 kg

Weight

~36 lb

Power consumption

580 watts (active printing), 17 watts (ready), 0.7 watts (sleep), 0.7watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual-on), 0.07 watts (off) [5]

([5] Values based on 115V test results based on Energy Star test method.)

Power supply type

Internal (built-in) Power Supply

What's in the box

HP Color LaserJet Pro 4201dn; 4 preinstalled introductory HP LaserJet Toner Cartridges (Black: ~1,200 pages; Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference guide; Setup Card; Regulatory flyer); HP printer software is available at www.hp.com/support; Power cord.^[1]

Manufacturer Warranty

One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

Additional specifications

Accessories	HP Color LaserJet Pro 550 Sheet Paper Tray 28N93A
Acoustic power emissions (active scan)	N/A
Acoustic power emissions (active, printing)	6.2 B(A)
Acoustic power emissions (ready)	Inaudible
Acoustic power note	[6] Configuration tested: base model, simplex printing, A4 paper at an average of 34 ppm.
Acoustic pressure emissions bystander (active scan)	N/A
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	http://www.hp.com/uk
Automatic paper sensor	No
Bottom margin (A4)	4.23 mm
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Cartons per layer	6
Certifications and compliances	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
Color or black	Color
Compatible Network Operating Systems	Windows Server; SAP; Novell; UNIX; Citrix; Linux
Component type	Printer
Connection type	Wireless
Control panel	4-line LCD with rotational dial with push button for menu selection
Count of layers in pallet	4 (NA/APJ), 3 (EMEA)
Country of origin	Made in Vietnam
Datasheet photo 1	AHID/d77b7475ad98f374e13ec7978a0bc07e211defe6
Datasheet photo 3	Ulysses_4203dn_walkaround_sy

Downloadable software

From <http://123.hp.com>- HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS- Full-solution software and drivers; Basic-solution software and drivers; HP PCL6 XPS Discrete Print Driver; Product Documentation and Support; From <http://hp.com> for Mac OS-; HP Mac OS Print Driver; HP Easy Admin; HP Universal Fax Driver; HP Universal Scan Solution; For Mobile OS-; iOS For more information see <http://hp.com/go/businessmobileprinting>; Android For more information see: <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators-; Printer Administrator Resource Kit (Driver Configuration; Utility - Driver Deployment Utility - Managed Printing Administrator); HP Universal Print Drivers PCL6 GDI & PS GDI for Windows For more information on the supported operating systems go to <http://support.hp.com>; SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>; HP Web JetAdmin; HP JetAdvantage Security Manager; HPLIP Linux; Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>; Unix Model Script Printer Driver; For more information on the supported operating systems go to <http://support.hp.com>; Enter your product name and search; Click on User Guides and enter your product name and search for User Guide; Search for your (Product Name) - User Guide; Search for the Supported Operating Systems section; Supported Operating systems; For more information on the supported operating systems also see www.hp.com/go/upd; HP Smart Suite- Basic (Only supported on Windows 10 and above); HP Smart Suite- Advanced (Only supported on Windows 10 and above); HP SmartApp (Only supported on Windows 10 and above); HP SmartDriver; HP PrintScanDr; HP WebJetAdmin + Workpath; HP Command Center; Chrome Extension; Android Plug-in

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <http://www.hp.com/support/> (country/region may need to be selected) Select "Support"; Select "Software and Drivers", Select "Printer", Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select "Download" for the software desired

Dynamic security

Dynamic security enabled printer

Ecolabels footnote

[3] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

Electromagnetic compatibility

CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.

End of Life CO2e (kg)

22

Energy Usage CO2e (kg)

78

Engine life

100000

Envelope Feeder

No

Finished output handling

Sheet feed

First page out black (A4, ready)

As fast as 9.5 sec

First page out black (A4, sleep)

As fast as 10.2 sec

First page out black (letter, ready)

As fast as 9.1 sec

First page out black (letter, sleep)

As fast as 10.0 sec

First page out color (A4, ready)	As fast as 10.5 sec
First page out color (A4, sleep)	As fast as 10.5 sec
First page out color (letter, ready)	As fast as 10 sec
First page out color (letter, sleep)	As fast as 10.3 sec
Fonts and typefaces	111 scalable TrueType fonts
Input capacity	Up to 300 sheets
Left margin (A4)	4.23 mm
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 15 envelopes
Maximum Memory	512 MB NAND Flash, 512 MB DRAM
Maximum dimensions (W x D x H)	16.6 x 25 x 16.5 in (with optional 550-sheet tray 3)
Maximum dimensions (W x D x H)	421 x 636 x 420mm
Maximum input capacity (sheets)	Up to 850 sheets (with Optional 550-sheet tray)
Maximum output capacity (sheets)	Up to 150 sheets
Maximum print area	212 x 352 mm
Media size, tray 1	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
Media size, tray 2	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5)
Media size, tray 3	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.93 x 5.82 to 8.5 x 14 in; Duplex (all trays): 5.82 x 5.82 in to 8.5 x 14 in
Media sizes, custom	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Media type and capacity, tray 1	Sheets: 50; envelopes: 5
Media type and capacity, tray 2	Sheets: 250; envelopes: 10
Media type and capacity, tray 3	Sheets: 550
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media weight (tray 1)	60 to 176 g/m ² (up to 200 g/m ² with postcards and HP Color laser glossy photo papers)
Media weight (tray 2)	60 to 163 g/m ² paper (up to 176 g/m ² with postcard, up to 200 g/m ² HP Color laser glossy photo papers)

Media weight (tray 3)	Optional Tray 3: 60 to 163 g/m ² (up to 176 g/m ² postcards, up to 200 g/m ² HP Color laser glossy photo papers)
Media weight, supported	60 to 163 g/m ² (up to 176 g/m ² postcards, up to 200 g/m ² HP Color laser glossy photo papers)
Memory	512 MB NAND Flash, 512 MB DRAM
Memory upgrade	Not available
Minimum System Requirements	2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Model number	4201dn
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	3-10 Users
Operating humidity range	10 to 80% RH (non-condensing)
Operating temperature range	50 to 90.5°F
Operating temperature range	10 to 32.5°C
Output capacity	Up to 150 sheets
Package dimensions (W x D x H)	497 x 379 x 583 mm
Package dimensions (W x D x H)	19.57 x 14.92 x 22.95 in
Package weight	19.0 kg
Package weight	42.0 lb
Page yield (set-up/inbox cartridges)	~1,200 pages black, ~1,000 pages cyan, magenta, yellow composite yield
Pallet dimensions	47.24 x 39.37 x 97.76 in (AMS/APJ), 47.24 x 39.37 x 74.8 in (EMEA)
Pallet dimensions (W x D x H)	1200 x 1000 x 2483 mm (NA/APJ), 1200 x 1000 x 1900 mm (EMEA)
Pallet weight	486 kg (NA/APJ), 370 (EMEA)
Pallet weight	1072 lb (NA/APJ), 815 lb (EMEA)
Paper handling input, optional	Optional 550-sheet tray
Paper handling input, standard	50-sheet multipurpose tray, 250-sheet input tray
Paper handling output, standard	150-sheet output bin
Paper trays, maximum	3
Paper trays, standard	2
Photo (product photo, jpg, 70x100)	Printing and Digital Imaging/CB504A_70x100.jpg
Plug and play	HP Smart App; Auto Wireless Connect
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)

Print Technology	Laser
Print colors	Yes
Print languages	HP PCL 6, HP PCL 5e, HP PCL 5c, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Print quality black (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print resolution color (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print speed black (Portrait, A5)	Up to 44 ppm
Print speed color (Portrait, A5)	Up to 44 ppm
Print speed duplex (A4)	Up to 29 ipm
Print speed duplex (A4)	Up to 29 ipm
Print speed duplex (letter)	Up to 31 ipm
Print speed duplex (letter)	Up to 31 ipm
Print speed footnote (A5)	[7] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
Print speed footnote number (A5)	[7]
Print technology	Laser
Printer Management	HP Web JetAdmin Software; Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration; Utility - Driver; Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	326
Printer color pages (MPV color)	217
Processor speed	1200 MHz
Product long name specifications	HP Color LaserJet Pro 4201dn Printer, Color Printer for Small medium business, Print, Print from phone or tablet; Two-sided printing; Optional high-capacity trays; TerraJet cartridge
Product short name specifications	HP LaserJet Pro 4201dn Wireless Color Printer, Duplex
Production CO2e (kg)	143
Quantity per pallet	24 (NA/APJ), 18 (EMEA)
RMN number	BOISB-2000-00
Recommended media weight (duplex)	60-163g/m ² plain paper, 105-200g/m ² glossy
Recommended monthly page volume	750 to 4,000
Recommended operating humidity range	30 to 70% RH (non-condensing)
Recommended operating temperature range	59 to 80.6°F
Recommended operating temperature range	15 to 27°C

Replacement cartridges footnote

[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

Right margin (A4)	4.23 mm
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
Segment (filter)	Small medium business
Standard media sizes (duplex)	A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5 (JIS); Oficio; Oficio (216 x 340 mm); A5R
Standard media sizes (duplex, imperial)	Letter; Legal; Executive; Oficio; Oficio (8.5 x 13 in); 16k; A4; A5; A5-R; B5(JIS)
Standard output capacity (envelopes)	Up to 20 envelopes
Storage	Optional Job Storage via external rear host USB port (minimum 16 GB)
Storage device and direct print support	USB Printing; Optional job storage via external rear host USB port (Minimum 16GB)
Storage temperature range	-20 to 40°C
Storage temperature range	-4 to 104°F
Target user and print volume	For teams up to 10 users; Prints up to 4,000 pages/month
Tariff numbers	AM Base / National HTS Code 8443321010; EU Base HTS Code 8443321000; AP Base HTS Code 84433239
Technology logo 1	AHID/b7ee4586826a4c96374afca409a761e8ad01e1eb
Technology logo 2	Publication logos/MacOS wyh.jpg
Technology logo 3	Publication logos/WorksWithAirPrint_AMS.jpg
Technology logo 4	Publication logos/Mopria wyh.jpg
Technology logo 5	Publication logos/USB v2 wyh.jpg
Technology logo 6	Publication logos/Energy Star Logo wyh.jpg
Top key features	Print from phone or tablet; Two-sided printing; Optional high-capacity trays; TerraJet cartridge
Top margin (A4)	4.23 mm
Total CO2e (kg)	260 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i>
Transportation CO2e (kg)	13

Typical electricity consumption (TEC) footnote	[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Energy Star TEC based on 115V test result; Blue Angel TEC based on 230V test result.
Typical electricity consumption (TEC) number	0.395 kWh/Week (Energy Star 3.0)
UNSPSC code	43212105
UPC number	(B1H) 196548688869; (BGJ) 196068698461; (BGM) 196068698478
Warm-up time	As fast as 50 sec
Web address for additional information	hp.com/support/colorlj4201-4203
What is in the box footnote	[1] For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[1] For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

[5] Values based on 115V test results based on Energy Star test method.

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day Onsite Service for Color LaserJet Pro 420x	U51Y5E ★
HP 1 year Post Warranty 4 hour 9x5 Onsite Service for Color LaserJet Pro 420x	U51YHPE
HP 2 year 4 hour 9x5 Onsite Service for Color LaserJet Pro 420x	U51Y8E
HP 2 year Next Business Day Onsite Service for Color LaserJet Pro 420x	U51Y4E
HP 3 year 4 hour 9x5 Onsite Service for Color LaserJet Pro 420x	U51Y9E

Imaging and Printing Commercial Care Pack Services

HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E ★
HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro 420x	U51YGPE

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP 210A Black Original LaserJet Toner Cartridge	W2100A
HP 210A Cyan Original LaserJet Toner Cartridge	W2101A
HP 210A Magenta Original LaserJet Toner Cartridge	W2103A
HP 210A Yellow Original LaserJet Toner Cartridge	W2102A
HP 210X Black Original LaserJet Toner Cartridge	W2100X
HP 210X Cyan Original LaserJet Toner Cartridge	W2101X
HP 210X Magenta Original LaserJet Toner Cartridge	W2103X
HP 210X Yellow Original LaserJet Toner Cartridge	W2102X

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

Accessories

Printer Accessories

★ : Recommended

LaserJet Options

HP Color LaserJet 550 Sheet Grey Paper Tray	632J6A
HP Color LaserJet 550 Sheet Paper Tray	28N93A

Disclaimer — Copyright

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (au-en) – Aug 11, 2024 11:17 AM UTC+0000