



# LATITUDE 5340/5440/5540

Work anywhere on  
our most scalable and  
sustainable Latitude.



## LATITUDE

# 5340/5440/5540

Work anywhere on our most scalable<sup>1</sup> and sustainable Latitude.

World's smallest<sup>14</sup> and most secure<sup>14</sup> mainstream business laptop offering scalable performance options, enterprise-level security and the world's most innovative use of sustainable materials<sup>14</sup>.

Ideal for those in specialized and complex fields who aim to produce results and strive for efficiency. They need the highest security and scalable performance offerings for desk productivity with the flexibility to work remotely.



### The world's smallest commercial mainstream PC<sup>14</sup>

Small and versatile with even more features that you expect from our most scalable Latitude.

### Intelligent privacy features:

**Onlooker Detection** – alerts you of onlookers and protects data on screen.

**Look-away Detect** – knows when you're not looking at screen & dims for privacy and battery savings.

**More scalable performance options** Latest Intel vPro with 13<sup>th</sup> Gen U and P series processors. Offering a vast array of memory options with LPDDR5 (13"), optional DDR5 on 14"/15", and discrete graphic card options (14"/15").

### USB Type C & Thunderbolt 4

Dual USB Type C with Thunderbolt 4 ports are standard, HDMI 2.0, RJ45 (14"/15") and more.

### Premium clickpad

Upgraded clickpad with an improved feel for better productivity.

### Enhanced audio

Experience improved audio quality for optimal collaboration.

### Wi-Fi 6E<sup>17</sup> and 5G available on all sizes.

Stay connected at your desk or on-the-go.

### Optimal Versatility

13" available as laptop or 2-in-1.

• **ExpressSign-in** Wake your system when you approach and lock it when you step away.

• **Intelligent Audio with neural noise cancellation**  
Collaborate confidently with AI-based background noise elimination.

• **Displays for every user**  
Improved entry-level screen and camera to FHD, and choose from ComfortView Plus/Low Blue Light options. Maximize your productivity with battery life saving panels and experience Gorilla Glass screen on 13" 2-in-1.

• **Superior Thermals**  
Improved temperature and acoustic performance across the series<sup>14</sup>, plus Dual Opposite Outlet fans on 14"/15".

• Utilize 2 or more networks at once with **ExpressConnect**, world's 1st simultaneous multi-network connection for faster data and video downloads.

### Outstanding run-time plus charge faster with ExpressCharge


Multiple battery options up to 54Whr and next generation battery life saving panels.

### Our most sustainable Latitude Series

Latitude 5000 has increased its use of recycled and renewable plastics by 64% (by weight)<sup>14</sup>, with an expansion of Bio-based/PCR content into B/C/D covers, speaker housing, palm-rest and inner frame.

### Most security options of any mainstream business laptop<sup>14</sup>

Featuring options such as contacted/contactless smart card, TPM, Control Vault 3, fingerprint reader, wedge lock slot, privacy shutter, Windows Hello/IR camera and intelligent privacy.



Uses 100% recycled and renewable packaging<sup>18</sup>, including more sustainable multipack packaging.




# 5000






## Sustainability on Dell Latitude 5000 series

Delivering innovative technology and solutions to reduce our environmental impact, for ourselves and our customers.

### Sustainable Materials

Our use of sustainable materials helps reduce the environmental impact of making and recycling them.+



-  · 20% recycled carbon fiber in the lid and bottom cover\*\*
-  · Recycled plastics in multiple locations of the product\*\*
-  · 28% ocean bound plastic in the fan-housing
-  · 42-46% bio-based rubber in the feet on the bottom of the product and 21% in the lid\*\*
-  · 50% recycled copper in AC adapter cable

++90% recycled plastics in AC adapter exterior, 50% PCR [battery housing, palm rest, inner frame, bezel (not applicable to 2-in-1 products)], 30% PCR [speaker housing, lid, bottom door (not applicable to 2-in-1 products)].

++Recycled carbon fiber in bottom cover (not applicable to 5340 2-in-1).

++Bio-based material in bottom cover (not applicable to Latitude 5340 2-in-1).

### Packaging Innovation

Ships in new enhanced **100% recycled or renewable packaging that is also 100% recyclable.**+++ Multipack shipping available on eligible products.



### Ecolabels

Eco-labeling standards drive sustainability further by helping customers understand electronic products and the companies that make them. This product meets the following standards:



### Recycle

Securely and responsibly retire your IT equipment with Dell regardless of brand, in support of a circular economy. Learn more at [Dell.com/Recycle](https://Dell.com/Recycle)

See how we are reducing the impact of our products and solutions [Dell.com/Sustainable-Devices](https://Dell.com/Sustainable-Devices)

# 5340/5440/5540

## Dell Optimizer

We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent business PCs<sup>15</sup> is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Elevate everyday work with personalized performance extending from your Latitude to the devices within your workspace.



### An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the **integration of Dell Display Manager and Dell Peripheral Manager**.



### Unmatched connectivity

**ExpressConnect** provides the world's first simultaneous multinet network connection<sup>16</sup> that joins the best network available.



### Intelligent privacy anywhere

This technology lets you texturize your screen when an intruder is detected and dims your PC when you look away. It also wakes your PC when your approach and locks it when you walk away.



### Extended power

**ExpressCharge** analyzes your power usage habits to improve PC battery utilization and extends run times by charging your system faster when you need a boost in power.

With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

[Click here to learn more about Dell Optimizer.](#)



### Up level audio

**Intelligent Audio** delivers sound and mic enhancements reducing background noise using neural noise cancellation and voice isolation technology.



### Improved app performance

**ExpressResponse** analyzes how you use your preferred apps to boost performance.

# 5340/5440/5540

Make yourself more resilient to cyberattacks with Dell Trusted Devices.

Attacks are inevitable. In fact, 69% of organizations report a cyber-attack due to a poorly managed internet-facing asset in the prior 12 months.\* Dell Technologies understands that today's security challenges include managing an evolving threat landscape with a modern work environment in mind. With Dell commercial devices, catch and repel malicious activity before it compromises your system. Latitude, one of the industry's most secure commercial PCs\*\*, offers layers of security features to keep you protected and give you visibility to threats for swift action.



Secure anywhere-work with hardware and firmware defenses built for our hyper-distributed world.



### Stay protected from evolving threats

Our unique BIOS and firmware verification provides greater security than other PCs. Assess a corrupt BIOS, repair it and gain insights that reduce exposure to future threats.



### Spot ticking timebombs

Indicators of Attack, an early-alert feature offered only by Dell, scans for behavior-based threats before they can do damage.



### Detect chassis tampering

Detect unauthorized access, e.g., malicious implanted hardware or software, data/component theft inside system chassis.



### Secure end user credentials

SafelD, a dedicated FIPS Level 3 certified security chip, keeps user credentials hidden from malware.



### Be safe from first boot

Rigorous, state-of-the-art supply chain controls reduce the risk of product tampering. Optional additions like the Dell-unique Secured Component Verification provide additional assurance of device integrity.



### Protect data everywhere

Stay protected against advanced threats with optional software-based protections from our ecosystem of best-of-breed partners (CrowdStrike, VMware Carbon Black, Secureworks, Netskope and Absolute).

\*ESG Survey: Security, Hygiene and Posture Management, Jan. 2022

\*\*Dell internal analysis, September 2022. Not all features available with all PCs. Additional purchase required for some features



## RECOMMENDED SOLUTIONS

OFFICE



**27 USB-C HUB Monitor - P2723DE**

Stay productive no matter where you work with this sleek 27" QHD hub monitor with ComfortView Plus.



**Dell Thunderbolt 4 Dock - WD22TB4**

Experience lightning fast charging and Thunderbolt 4 connectivity with this flexible and powerful modular dock.



**Dell Pro Wireless Headset - WL5022**

Enjoy wireless freedom with this Teams certified headset with Bluetooth. Switch seamlessly to your PC or smartphone and enjoy crystal clear audio on the go.



**Dell Pro Webcam – WB5023**

Experience industry leading video quality and picture clarity in any lighting with this intelligent 2K QHD webcam.

HOME



**Dell 24 Video Conferencing Monitor - C2422HE**

**Streamline virtual meetings:** with an integrated pop-up IR camera, dual 5W speakers and noise-canceling mic, this display delivers simplified collaboration wherever you work.



**Dell Dual Dock - HD22Q**

Powerfully productive, this compact dock is the world's first laptop docking station with a wireless charging stand for Qi-enabled smartphone or earbuds.



**Dell Speakerphone - SP3022**

Experience rich and clear audio with the intelligent Microsoft Teams certified speakerphone.



**Dell Pro Wireless Keyboard and Mouse - KM5221W**

Enhance your everyday productivity with a quiet full-size keyboard and mouse combo that offers programmable shortcuts and 36 months battery life.

ROAM



**Dell 7-in-1 USB-C Multiport Adapter - DA310**

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.



**Dell EcoLoop Pro Backpack - CP5723**

An eco-conscious backpack for protection on-the-go.



**Dell Mobile Pro Wireless Mouse - MS5120W Black**

Connect your mouse conveniently via 2.4GHz wireless or Bluetooth and enhance your productivity with programmable shortcut buttons.



**Dell Notebook Power Bank Plus USB C, 65Wh - PW7018LC**

World's first notebook power bank to charge the widest range of USB-C laptops, as well as mobile devices.

# 5340/5440/5540

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
<b>MODEL NUMBER<sup>1</sup></b>	Latitude 5340 (Laptop or 2-in-1)	Latitude 5440 (Laptop)	Latitude 5540 (Laptop)
<b>PROCESSOR OPTIONS<sup>1</sup></b>	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro®	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® 13 <sup>th</sup> Gen Intel® Core™ processors up to i7 P28 vPro® 12 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® (n-1)	13 <sup>th</sup> Gen Intel® Core™ processors up to i7 U15 vPro® 13 <sup>th</sup> Gen Intel® Core™ processors up to i7 P28 vPro®
<b>OPERATING SYSTEM<sup>1</sup></b>	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit (Laptop only)	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit	Microsoft® Windows 10 Pro 64-bit (11 License) Microsoft® Windows 11 Home 64-bit Microsoft® Windows 11 Pro 64-bit Ubuntu® 20.04 LTS, 64-bit
<b>MEMORY OPTIONS<sup>1,2,3,2</sup></b>	Up to 32GB LPDDR5 (on board) 4800 MT/s	Up to 64GB DDR4 (socketed) 3200 MT/s - paired w/ U15 CPU Up to 64GB DDR5 (socketed) 4800 MT/s - paired w/ P28 CPU	Up to 64GB DDR4 (socketed) 3200 MT/s - paired w/ U15 CPU Up to 64GB DDR5 (socketed) 4800 MT/s - paired w/ P28 CPU
<b>CHIPSET<sup>1</sup></b>	Integrated with the processor	Integrated with the processor	Integrated with the processor
<b>INTEL RESPONSIVENESS TECHNOLOGIES<sup>15</sup></b>	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
<b>GRAPHICS<sup>1,2</sup></b>	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors Intel UHD Graphics with Intel® Core™ i3 processor	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory Optional NVIDIA® GeForce® MX550 (2 GB GDDR6 dedicated)	Intel® Iris® Xe Graphics with Intel® Core™ i5/i7 processors and dual-channel memory configuration Intel UHD Graphics with Intel® Core™ i3 processor or single channel memory Optional NVIDIA® GeForce® MX550 (2 GB GDDR6 dedicated)
<b>DISPLAY<sup>1</sup></b>	<b>2-in-1</b> 13.3" FHD (1920 x 1080) Anti Reflection/Anti Smudge, 16x9, 300 nits, Gorilla Glass 6 DXC, Active Pen Support, IPS, 72% NTSC  <b>Laptop</b> 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Touch, IPS, 300 nits, 72% NTSC 13.3" FHD (1920x1080) Anti-Glare,16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100%	<b>Laptop</b> 14" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 14.0" FHD (1920x1080) Anti-Glare,16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, IPS, 300 nits, 72%, NTSC	<b>Laptop</b> 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare,16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 15.6" FHD (1920x1080) Anti-Glare, 16x9, Touch, IPS, 250nits, 45% NTSC
<b>STORAGE OPTIONS<sup>1, 3, 12</sup></b>	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35	Up to 1 TB, M.2 2230, PCIe, SSD, Class 35 2 TB, M.2 2230, PCIe NVMe, SSD, Class 25 256 GB, M.2 2230, PCIe NVMe, SED, Class 35 Up to 1 TB, M.2 2280, PCIe NVMe, Class 40
<b>SECURITY<sup>1</sup></b>	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter <b>Dell Security Features</b> Dell SafeBIOS - Verifies that BIOS is good using a secure off-host source, and if the test fails, captures and stores a copy in a secure area on the PC Dell SafeBIOS - Indicators of Attack - Alerts when malicious activity is detected Dell SafeID - Dedicated FIPS Level 3 security chip secures end user credentials <sup>1</sup> - TCG Certified Dell SafeSupply Chain - Optional tamper evident packing and pre-imaging HDD wipes to NIST standards from a secure Dell facility. Dell SafeShutter™ - Automatically closes the camera shutter when not in use, so user privacy is ensured	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter <b>Dell Security Features</b> Dell SafeBIOS - Verifies that BIOS is good using a secure off-host source, and if the test fails, captures and stores a copy in a secure area on the PC Dell SafeBIOS - Indicators of Attack - Alerts when malicious activity is detected Dell SafeID - Dedicated FIPS Level 3 security chip secures end user credentials <sup>1</sup> - TCG Certified Dell SafeSupply Chain - Optional tamper evident packing and pre-imaging HDD wipes to NIST standards from a secure Dell facility. Dell SafeShutter™ - Automatically closes the camera shutter when not in use, so user privacy is ensured	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 6: FIPS Fingerprint Reader (on Palmrest) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional Face IR camera (Windows Hello compliant) with ExpressSign-in (Camera Sensing) Optional Intelligent Privacy (onlooker detection with screen texturizing and adaptive dimming) Camera Shutter <b>Dell Security Features</b> Dell SafeBIOS - Verifies that BIOS is good using a secure off-host source, and if the test fails, captures and stores a copy in a secure area on the PC Dell SafeBIOS - Indicators of Attack - Alerts when malicious activity is detected Dell SafeID - Dedicated FIPS Level 3 security chip secures end user credentials <sup>1</sup> - TCG Certified Dell SafeSupply Chain - Optional tamper evident packing and pre-imaging HDD wipes to NIST standards from a secure Dell facility.

See important information on last page

# 5340/5440/5540

**FEATURE TECHNICAL SPECIFICATION**

**TECHNICAL SPECIFICATION**

**TECHNICAL SPECIFICATION**

**MODEL NUMBER<sup>1</sup>** Latitude 5340 (laptop or 2-in-1)

**SECURITY<sup>1</sup> (CONT)** Dell Intelligent Privacy powered by Dell Optimizer 4.0 - Texturizes the screen when a shoulder surfer tries to peek, dims the screen when user is disengaged. Intel ME Firmware Authentication (with Intel vPro) – Verifies that critical firmware is good using a secure off-host source  
Face IR camera (Windows Hello compliant) with ExpressSign-in 1.0 (Proximity Sensor), ExpressSign-in 2.0 (Camera Sensing)  
Optional Windows Hello compliant fingerprint reader in power button  
Optional Security Hardware Authentication Bundle:  
Optional Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 2 Certification  
Dell Client Command Suite  
Dell Support Assist for Home PCs  
Dell Support Assist OS Recovery  
**Additional Software Security Features**  
Netskope™ Cloud Access Security Broker (CASB)  
Netskope™ Secure Web Gateway  
Netskope™ Zero Trust Private Access  
Vmware® Carbon Black Endpoint Standard  
Vmware® Carbon Black Endpoint Standard + Secureworks® Taegis™ XDR Bundle  
Vmware® Carbon Black Endpoint Advanced  
Vmware® Carbon Black Endpoint Enterprise  
Secureworks® Taegis™ XDR  
VMware® Workspace ONE Standard  
VMware® Workspace ONE Advanced  
VMware® Workspace ONE Enterprise  
Absolute® Endpoint - Visibility  
Absolute® Endpoint - Control  
Absolute® Endpoint - Resilience

Latitude 5440 (laptop)

Dell Intelligent Privacy powered by Dell Optimizer 4.0 - Texturizes the screen when a shoulder surfer tries to peek, dims the screen when user is disengaged. Intel ME Firmware Authentication (with Intel vPro) – Verifies that critical firmware is good using a secure off-host source  
Face IR camera (Windows Hello compliant) with ExpressSign-in 1.0 (Proximity Sensor), ExpressSign-in 2.0 (Camera Sensing)  
Optional Windows Hello compliant fingerprint reader in power button  
Optional Security Hardware Authentication Bundle:  
Optional Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 2 Certification  
Dell Client Command Suite  
Dell Support Assist for Home PCs  
Dell Support Assist OS Recovery  
**Additional Software Security Features**  
Netskope™ Cloud Access Security Broker (CASB)  
Netskope™ Secure Web Gateway  
Netskope™ Zero Trust Private Access  
Vmware® Carbon Black Endpoint Standard  
Vmware® Carbon Black Endpoint Standard + Secureworks® Taegis™ XDR Bundle  
Vmware® Carbon Black Endpoint Advanced  
Vmware® Carbon Black Endpoint Enterprise  
Secureworks® Taegis™ XDR  
VMware® Workspace ONE Standard  
VMware® Workspace ONE Advanced  
VMware® Workspace ONE Enterprise  
Absolute® Endpoint - Visibility  
Absolute® Endpoint - Control  
Absolute® Endpoint - Resilience

Latitude 5540 (laptop)

Dell SafeShutter™ - Automatically closes the camera shutter when not in use, so user privacy is ensured\*  
Dell Intelligent Privacy powered by Dell Optimizer 4.0 - Texturizes the screen when a shoulder surfer tries to peek, dims the screen when user is disengaged. Intel ME Firmware Authentication (with Intel vPro) – Verifies that critical firmware is good using a secure off-host source  
Face IR camera (Windows Hello compliant) with ExpressSign-in 1.0 (Proximity Sensor), ExpressSign-in 2.0 (Camera Sensing)  
Optional Windows Hello compliant fingerprint reader in power button  
Optional Security Hardware Authentication Bundle:  
Optional Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 2 Certification  
Dell Client Command Suite  
Dell Support Assist for Home PCs  
Dell Support Assist OS Recovery  
**Additional Software Security Features**  
Netskope™ Cloud Access Security Broker (CASB)  
Netskope™ Secure Web Gateway  
Netskope™ Zero Trust Private Access  
Vmware® Carbon Black Endpoint Standard  
Vmware® Carbon Black Endpoint Standard + Secureworks® Taegis™ XDR Bundle  
Vmware® Carbon Black Endpoint Advanced  
Vmware® Carbon Black Endpoint Enterprise  
Secureworks® Taegis™ XDR  
VMware® Workspace ONE Standard  
VMware® Workspace ONE Advanced  
VMware® Workspace ONE Enterprise  
Absolute® Endpoint - Visibility  
Absolute® Endpoint - Control  
Absolute® Endpoint - Resilience

**DOCKING<sup>1</sup>** *(Docks are optional, sold separately)*  
Dell Thunderbolt™ Dock - WD22TB4  
Dell Performance Dock - WD19DCS  
Dell USB-C Dock - WD19S  
Dell Universal Dock - UD22  
Dell Dual Charge Dock - HD22Q

*(Docks are optional, sold separately)*  
Dell Thunderbolt™ Dock - WD22TB4  
Dell Performance Dock - WD19DCS  
Dell USB-C Dock - WD19S  
Dell Universal Dock - UD22  
Dell Dual Charge Dock - HD22Q

*(Docks are optional, sold separately)*  
Dell Thunderbolt™ Dock - WD22TB4  
Dell Performance Dock - WD19DCS  
Dell USB-C Dock - WD19S  
Dell Universal Dock - UD22  
Dell Dual Charge Dock - HD22Q

**MULTIMEDIA<sup>1</sup>** FHD Camera, Temporal Noise Reduction, Camera Shutter  
FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™  
FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient Light sensor  
2 x High Quality Speakers  
2 x Noise Canceling Microphones  
Waves MaxxAudio Pro  
Intelligent Audio with Neural Noise Cancellation  
Universal Audio jack  
No Camera / No Microphone Options Available

FHD Camera, Temporal Noise Reduction, Camera Shutter  
FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™  
FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient Light sensor  
2 x High Quality Speakers  
2 x Noise Canceling Microphones  
Waves MaxxAudio Pro  
Intelligent Audio with Neural Noise Cancellation  
Universal Audio jack  
No Camera / No Microphone Options Available

FHD Camera, Temporal Noise Reduction, Camera Shutter  
FHD + IR Camera, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™  
FHD + IR Camera + Proximity Sensor, Temporal Noise Reduction, Camera Shutter, ExpressSign-in™, Intelligent Privacy, Ambient Light sensor  
2 x High Quality Speakers  
2 x Noise Canceling Microphones  
Waves MaxxAudio Pro  
Intelligent Audio with Neural Noise Cancellation  
Universal Audio jack  
No Camera / No Microphone Options Available

**BATTERY OPTIONS<sup>1,4</sup>** 3 cell 42 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable  
3 cell 54 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable

3 cell 42 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable  
3 cell 54 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable

3 cell 42 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable  
3 cell 54 WHr Li Ion , ExpressCharge 1.0™, ExpressCharge Boost™ & Long Life Cycle capable

**POWER OPTIONS<sup>1</sup>** 60W adapter, Type-C  
65W adapter, Type-C  
100W adapter, Type-C  
60W adapter Type-C, 2-pin (Japan only)

60W adapter, Type-C  
65W adapter, Type-C  
100W adapter, Type-C  
60W adapter Type-C, 2-pin (Japan only)

60W adapter, Type-C  
65W adapter, Type-C  
100W adapter, Type-C  
60W adapter Type-C, 2-pin (Japan only)



# 5340/5440/5540

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
<b>MODEL NUMBER<sup>1</sup></b>	Latitude 5340 (laptop or 2-in-1)	Latitude 5440 (laptop)	Latitude 5540 (laptop)
<b>CONNECTIVITY OPTIONS<sup>2</sup></b>	<p>Microsoft Modern Standby Compliant</p> <p><b>Wireless LAN Options<sup>3</sup>:</b> Realtek RTL 8852BE 2x2 Wi-Fi 6</p> <p>WiFi 6E (6 if 6E Unavailable) - Intel Garfield Peak 2(AX211) 6GHz 2x2 AC+BT<sup>®</sup> vPro</p> <p>No wireless card installed option available</p> <p><b>Mobile Broadband Options<sup>4</sup>:</b> Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ Global LTE-Advanced Cat 16 WWAN (DW5823e) (eSIM and non-eSIM capable) Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e) China, Turkey - no eSIM option Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e, eSIM capable) AT&amp;T, Verizon, T-Mobile, US only Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e), WW (eSIM and non-eSIM capable) Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e) China, Turkey - no eSIM option Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e; eSIM capable) AT&amp;T, Verizon, T-Mobile, US only</p>	<p>Microsoft Modern Standby Compliant</p> <p><b>Wireless LAN Options<sup>3</sup>:</b> Realtek RTL 8852BE 2x2 Wi-Fi 6</p> <p>WiFi 6E (6 if 6E Unavailable) - Intel Garfield Peak 2(AX211) 6GHz 2x2 AC+BT<sup>®</sup> vPro</p> <p>No wireless card installed option available</p> <p><b>Mobile Broadband Options<sup>4</sup>:</b> Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ Global LTE-Advanced Cat 16 WWAN (DW5823e) (eSIM and non-eSIM capable) Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e) China, Turkey - no eSIM option Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e, eSIM capable) AT&amp;T, Verizon, T-Mobile, US only Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e), WW (eSIM and non-eSIM capable) Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e) China, Turkey - no eSIM option Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e; eSIM capable) AT&amp;T, Verizon, T-Mobile, US only</p>	<p>Microsoft Modern Standby Compliant</p> <p><b>Wireless LAN Options<sup>3</sup>:</b> Realtek RTL 8852BE 2x2 Wi-Fi 6</p> <p>WiFi 6E (6 if 6E Unavailable) - Intel Garfield Peak 2(AX211) 6GHz 2x2 AC+BT<sup>®</sup> vPro</p> <p>No wireless card installed option available</p> <p><b>Mobile Broadband Options<sup>4</sup>:</b> Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ Global LTE-Advanced Cat 16 WWAN (DW5823e) (eSIM and non-eSIM capable) Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e) China, Turkey - no eSIM option Intel<sup>®</sup> XMM<sup>™</sup> 7560R+ LTE-Advanced Cat 16 WWAN (DW5823e, eSIM capable) AT&amp;T, Verizon, T-Mobile, US only Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e), WW (eSIM and non-eSIM capable) Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e) China, Turkey - no eSIM option Intel<sup>®</sup> 5000 Advanced 5G WWAN (DW5931e; eSIM capable) AT&amp;T, Verizon, T-Mobile, US only</p>
<b>PORTS, SLOTS &amp; CHASSIS<sup>5</sup></b>	<p>2x USB Type C Thunderbolt™ 4.0 with Power Delivery &amp; DisplayPort</p> <p>2x USB 3.2 Gen1 (1 with Power share)</p> <p>1x HDMI 2.0</p> <p>1x external uSIM card tray (optional) - eSim capable</p> <p>1x Contacted SmartCard Reader (optional)</p> <p>1x Touch Fingerprint Reader in Power Button (optional)</p> <p>Universal Audio Jack</p> <p>Wedge Shaped Lock slot</p>	<p>2x USB Type C Thunderbolt™ 4.0 with Power Delivery &amp; DisplayPort</p> <p>2x USB 3.2 Gen1 (1 with Power share)</p> <p>1x HDMI 2.0</p> <p>1x external uSIM card tray (optional) - eSim capable</p> <p>1x Contacted SmartCard Reader (optional)</p> <p>1x Touch Fingerprint Reader in Power Button (optional)</p> <p>Universal Audio Jack</p> <p>Wedge Shaped Lock slot</p> <p>RJ45</p>	<p>2x USB Type C Thunderbolt™ 4.0 with Power Delivery &amp; DisplayPort</p> <p>2x USB 3.2 Gen1 (1 with Power share)</p> <p>1x HDMI 2.0</p> <p>1x external uSIM card tray (optional) - eSim capable</p> <p>1x uSD 4.0 Memory card reader</p> <p>1x Contacted SmartCard Reader (optional)</p> <p>1x Touch Fingerprint Reader in Power Button (optional)</p> <p>1x Touch FIPS Fingerprint Reader in Palmrest (optional)</p> <p>Universal Audio Jack</p> <p>Wedge Shaped Lock slot</p> <p>RJ45</p>
<b>DIMENSIONS &amp; WEIGHT<sup>14S</sup></b>	<p>Width: 12.04" / 305.7 mm</p> <p>Height: 0.66" / 16.79 mm</p> <p>Depth: 8.17" / 207.5 mm</p> <p>Screen to Body: 79.8% (STB1)</p> <p>Laptop Starting Weight: 2.71 lbs / 1.23 kg</p> <p>2-in-1 Starting Weight: 2.97 lbs / 1.35 kg</p>	<p>Width: 12.65" / 321.4 mm</p> <p>Height: 0.75" / 19.1 mm</p> <p>Depth: 8.35" / 212 mm</p> <p>Screen to Body: 82.9% (STB1)</p> <p>Starting Weight: 3.06 lbs / 1.39 kg</p>	<p>Width: 14.1" / 357.8 mm</p> <p>Height: 0.82" / 20.8 mm</p> <p>Depth: 9.19" / 233.3 mm</p> <p>Screen to Body: 83.1% (STB1)</p> <p>Starting weight: 3.56 lbs / 1.613 kg</p>
<b>REGULATORY AND ENVIRONMENTAL COMPLIANCE<sup>1</sup></b>	<p>Regulatory Model Number: Laptop P181G; 2-in-1 P182G</p> <p>Regulatory Type Number: Laptop P181G001; 2-in-1 P182G001</p> <p>ENERGY STAR compliant configurations available</p> <p>EPEAT Gold Registered. For specific country participation and rating, please see <a href="http://www.epeat.net">www.epeat.net</a></p> <p>TCO compliant configurations available</p> <p>Trade Agreements Acts (TAA) configurations available</p> <p>Halogen-Free / Arsenic-Free</p> <p>BFR / PVC free<sup>9</sup></p>	<p>Regulatory Model Number: P165G</p> <p>Regulatory Type Numbers (RTNs): P165G001: RPL UMA U15 + N-1 ADL UMA + RPL UMA U15 2nd PCB</p> <p>P165G002(RTN) - RPL UMA P28</p> <p>P165G003(RTN) - RPL DSC P28</p> <p>ENERGY STAR compliant configurations available</p> <p>EPEAT Gold Registered. For specific country participation and rating, please see <a href="http://www.epeat.net">www.epeat.net</a></p> <p>TCO compliant configurations available</p> <p>Trade Agreements Acts (TAA) configurations available</p> <p>Halogen-Free / Arsenic-Free</p> <p>BFR / PVC free<sup>9</sup></p>	<p>Regulatory Model Number: P127F</p> <p>Regulatory Type Number: P127F001</p> <p>ENERGY STAR compliant configurations available</p> <p>EPEAT Gold Registered. For specific country participation and rating, please see <a href="http://www.epeat.net">www.epeat.net</a></p> <p>TCO compliant configurations available</p> <p>Trade Agreements Acts (TAA) configurations available</p> <p>Halogen-Free / Arsenic-Free</p> <p>BFR / PVC free<sup>9</sup></p>
<b>INPUT<sup>1</sup></b>	<p>Optional 10-Finger Touch Display</p> <p>Microsoft® Precision Clickpad</p> <p>Spill Resistant Non-Backlit Keyboard</p> <p>Spill Resistant Backlit Keyboard</p> <p>Dell Premier Rechargeable Active Pen - PN7522W (optional, sold separately, 2-in-1 only)</p> <p>Dell Active Pen - PN5122W (optional, sold separately, 2-in-1 only)</p>	<p>Optional 10-Finger Touch Display</p> <p>Microsoft® Precision Clickpad</p> <p>Spill Resistant Non-Backlit Keyboard</p> <p>Spill Resistant Backlit Keyboard</p>	<p>Optional 10-Finger Touch Display</p> <p>Microsoft® Precision Clickpad</p> <p>Spill Resistant Non-Backlit Keyboard</p> <p>Spill Resistant Backlit Keyboard</p>
<b>SENSORS<sup>1</sup></b>	<p>All: Hall Effect Sensor, Sensor Hub.</p> <p>Gyroscope + Accelerometer on Laptops with Proximity Camera and on all 2-in-1s; Adaptive Thermal Performance (when Gyroscope/Accelerometer present).</p> <p>Added with Proximity Camera: Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.</p> <p>Added with 2-in-1: Digital Compass (Magnetometer), Screen Rotation support, Proximity for SAR compliance (with WWAN module) Near Field Proximity Sensor.</p>	<p>All: Hall Effect Sensor, Sensor Hub.</p> <p>Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.</p> <p>Adaptive Thermal Performance (when Gyroscope/Accelerometer present).</p>	<p>All: Hall Effect Sensor, Sensor Hub.</p> <p>Added with Proximity Camera: Gyroscope + Accelerometer, Ambient Light Sensor, Windows Auto Brightness, IR User Proximity Detection.</p> <p>Adaptive Thermal Performance (when Gyroscope/Accelerometer present).</p>

# 5340/5440/5540

**FEATURE TECHNICAL SPECIFICATION**

**SYSTEMS MANAGEMENT<sup>1</sup>** Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

**WARRANTY AND SERVICE<sup>2</sup>** Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

**PERIPHERAL ECOSYSTEM<sup>1</sup>** Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

**SUSTAINABILITY** Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics (clamshell formfactor only)  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable

**TECHNICAL SPECIFICATION**

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable

**TECHNICAL SPECIFICATION**

Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command | Update, Dell Command | Power Manager | Dell Optimizer

Limited Hardware Warranty<sup>4</sup>, Standard 3 year Mail-in Service after Remote Diagnosis<sup>11</sup>, optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available<sup>12</sup>

Wide range of accessories designed and tested for the Latitude 5x40 enable productivity when working remote, on the go or in the office.

Panel Lid Cover: 71% recycled/bio-based material used in the lid cover (20% recycled carbon fiber, 30% PCR, 21% bio-based)  
 Panel Antenna Cover: 30% PCR plastics  
 Panel Bezel: 50% PCR plastics  
 Palm-Rest, Inner Frame, Battery Housing: 50% PCR plastics  
 Battery Filler: 35% PCR plastics  
 Speaker Enclosure: 35% PCR plastics  
 Fan Housing Enclosure: 28% Ocean-Bound Plastic  
 Bottom Door: 20% recycled carbon fiber, 30% PCR, 21% bio-based  
 Rubber feet: 42% bio-based material  
 Packaging made from 100% recycled or renewable materials  
 60W Type-C Blackchin Adapter, 65W Type-C Pecos Rugged Adapter: 50% PCR resin  
 100W Type-C adapter: 90% recycled plastics (PCR resin) in AC adapter exterior; 50% recycled copper wire for DC adapter cable

**Product Disclosures:**

- 1 Offering may vary by country and by configuration and operating system.
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 4The stated Watt Hour (Whr) is not an indication of battery life.
- 5 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required
- 6 Wireless antenna available only at time of system purchase.
- 7 Dell Latitude 5330/5430/5530 are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the INEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).
- 8 4G LTE antenna and 5G available only at time of system purchase. Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.
- 9 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 10 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
- 11 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicesdescriptions](http://www.dell.com/servicesdescriptions).
- 12 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.
- 13 Weights vary depending on configuration and manufacturing variability; 0.990 kg configurability: up to i7 vPro (U15), FHD NT Ultralight LCD, WLAN, 41Whr battery, M.2 2230 class 35 SSD, No security, non-backlit KB.
- 14 Based on Dell Internal Analysis, October 2022
- 15 Based on Dell analysis, October 2022. Dell Optimizer not available in OptiPlex 3000 series, Latitude Chromebook Enterprise, and Linux-based devices. Feature availability and functionality may vary by model. For more details visit: <https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/technical-support/dell-optimizer-features-availability-matrix.pdf>.external
- 16 Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Simultaneous multi-network connection works with wired and wireless networks. For select Dell platforms, a USB Wi-Fi adapter is required to connect a second Wi-Fi network. Based on Dell internal analysis, September 2021.
- 17 WiFi 6E compatible router required. Router requires separate purchase. WiFi 6E connectivity only available in select countries. Check availability with your service provider.
- 18 New packaging is made with up to 39.5% recycled content and up to 64.4% renewable content in the form of renewable paper fibers. Material makeup varies by product and size. Excludes optional items added to order and included in box. Paper packaging materials can be recycled via municipal recycling, where available. System bag is made from recycled plastic and can be recycled along with other thin plastics.
- 19 The Bluetooth wireless card version may vary depending on the operating system that is installed on your computer.