

Overview

The ultimate workflow experience—HP's most advanced tech for easy management.[1]

Boost office productivity with fast print speeds and effortless management.

Rely on exceptional performance

Stay productive and always ready for what's next with upgradeable HP FutureSmart features.[2]

Simplify print management

Receive an easy-to-install printer at your office. No third-party technician needed.

Secure what matters[1]

Your work is secure with HP Wolf Security[4], silently detecting and repairing your printer from cyber attacks.

Reduce your impact with sustainably designed tech

Our energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star and Blue Angel.[6]

[1] The HP LaserJet Enterprise 8801/8601/8501 printer series is the top-tier model in our HP Enterprise portfolio, featuring the highest print and scan speeds, along with advanced printing solutions for easy print management.

[2] Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

[4] HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2024 published features of competitive in-class printers. Only HP offers multiple security features that automatically detect, stop, and recover from attacks with a self-healing reboot in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims. HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager. Post Quantum Cryptography (PQC): Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, and BIOS-level protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS as of 2025. PQC will be available in Fall'25 with Firmware 25.9.2.2+.

[6] HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Specifications

Print Resolution Technologies	1,200 x 1,200 dpi (Fine lines); 600 x 600 dpi (Normal); 300 x 300 dpi (Quick view)
Print speed black (ISO, A4)	Up to 70 ppm
Print speed black (ISO, letter)	Up to 70 ppm
Print speed	Print speed up to 70 ppm (black)
Bottom margin (A4)	4.23 mm
Left margin (A4)	4.23 mm
Right margin (A4)	4.23 mm
Top margin (A4)	4.23 mm
Duplex printing	Automatic
Duty cycle (monthly, A4)	Up to 250,000 pages
Duty cycle (monthly, letter)	Up to 250,000 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Energy savings feature technology	Power save
Replacement cartridges	HP 176A Black LJ Toner Cartridge W1760A (ISO Yield 45,000) ^[5]
Connectivity, standard	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)
Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; PrinterOn Print
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, LLMNR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services
Software included	No software solutions are included in the Box only on http://hp.com , https://support.hp.com/
Compatible Operating Systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Windows 8.1
Technical features	Automatic two-sided printing; Color Touchscreen with Apps; ENERGY STAR®; Ethernet
Sustainable impact specifications	FSC Certified Packaging; 10% post-consumer recycled plastic
Energy star certified	Yes
Ecolabels	Blue Angel; EPEAT® registered; ENERGY STAR® certified
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies

Display area (imperial)	3.74 x 2.13 in
Display area (metric)	9.5 x 5.4 cm
Dimensions (W x D x H)	585 x 695 x 970 mm
Dimensions (W x D x H)	23 x 27.4 x 38.2 in
Weight	93.72 kg ^[2] <i>([2] Including Starter toner cartridge weight)</i>
Weight	206.62 lb <i>([2] Including Starter toner cartridge weight)</i>
Power consumption	1,024.37 watts (printing), 40.08 watts (ready), 0.86 watts (sleep), 0.11 watts (auto-off), 0.11 watts (manual-off)
Power supply type	Internal (Built-in) power supply
What's in the box	Installation guide; regulatory flyer; power cords; manual
Manufacturer Warranty	One-year, onsite warranty. Warranty and support options vary by product, country and local legal requirements.

Additional specifications

Acoustic power emissions (active, printing)	7.1 B(A) (printing mono simplex A4 at 70 ppm)
Acoustic power emissions (ready)	Inaudible
Acoustic power note	[1] Acoustic values are subject to change. For current information see http://www.hp.com/support
Acoustic pressure emissions bystander (active, printing)	55 dB(A) (printing mono simplex A4 at 70 ppm)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Automatic paper sensor	No
Business filter	cMPS
Cable included	No, please purchase USB cable separately (EMEA, APJ, AMS, LATAM)
Capacity	256 GB SSD
Cartons per layer	1
Certifications and compliances	UL/cUL (US/Canada), ACA (Australia), TUV and GS Mark (Germany), Department of Industrial Standards of Cambodia, Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan), Certificate for China Compulsory Product Certification - CCC (China), Bureau of Indian Standards - BIS Registration (India), PSB Singapore, Eastern European country approvals, CE Marking and other Safety & EMC certification approvals as required by individual countries.
Color or black	Black and white
Compatible Network Operating Systems	Windows Server; Linux; Citrix
Component type	Printer
Consumables CO2e (kg)	139
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Count of layers in pallet	1
Datasheet photo 1	Publication photos/Gemstones_Moonstone_SF_8501x_AJ7J3A.png
Datasheet photo 4	Publication photos/Gemstones_Moonstone_SF_8501x_walkaround_.png

Downloadable software

From <http://hp.com> for Windows OS - Full-solution software and drivers, Basic-solution software and drivers, Product Documentation and Support; From <http://hp.com> for Mac OS-, HP Mac OS Print Driver, HP Easy Admin; From <http://hp.com> for printer administrators-, Printer Administrator Resource Kit (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; For more information on the supported operating systems go to <http://support.hp.com>; HP Web JetAdmin, HPLIP Linux, Printer Driver for more information see <https://developers.hp.com/hp-linux-imaging-and-printing/install>; For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, Supported Operating systems; For more information on the supported operating systems also see <https://support.hp.com/us-en/drivers/hp-universal-print-driver-series-for-windows/503548>, HP WebJetAdmin + Workpath, HP Command Center, Android Plug-in

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <https://support.hp.com/> (country/region may need to be selected), Select “Software and Drivers”, Select “Printer”, Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select “Download” for the software desired

Dynamic security

Dynamic security enabled printer

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries

End of Life CO2e (kg)

26

Energy Usage CO2e (kg)

105

Engine life

3600000

Envelope Feeder

No

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Finished output handling

Stacking; stapling; booklet making

First page out black (A4, ready)

As fast as 5.6 sec

First page out black (A4, sleep)

As fast as 12.9 sec (15 min)

First page out black (letter, ready)

As fast as 5.6 sec

First page out black (letter, sleep)

As fast as 12.9 sec (15 min)

First page out footnote

[4] Based on HP internal evaluation measuring the time from print initiation to page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Page Out measured using ISO/IEC 17629, see hp.com/go/printer claims.

Fonts and typefaces

84 scalable TrueType fonts

Input capacity	Up to 2,180 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets; Tray 4: up to 520 sheets; Tray 5: up to 520 sheets)
Internal Storage	FIPS/CCC 500GB HDD as standard for 201/202 SKUs instead of 256GB SSD
Mac compatible	Yes
Maximum Memory	6 GB
Maximum dimensions (W x D x H)	1083.5 x 1197.6 x 993.2 mm
Maximum dimensions (W x D x H)	42.66 x 47.15 x 39.1 in
Maximum input capacity (sheets)	Up to 2,180 sheets
Maximum output capacity (sheets)	Up to 500 sheets
Maximum print area	311.5 x 448.7 mm
Media size, tray 1	A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL
Media size, tray 2	A4, A5, A5R, A6, B6 (JIS), 10x15cm, Envelope C5, Envelope C6, Envelope DL
Media size, tray 3	A3, A4, A4R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 4: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 5: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Tray 4: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Tray 5: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes supported, key	A4; A3; Envelopes; 10 x 15 cm
Media sizes, custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 297 x 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm; Tray 4: 140 x 182 to 320 x 457.2 mm; Tray 5: 140 x 182 to 320 x 457.2 mm
Media sizes, custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in; Tray 4: 5.5 x 7.17 to 12.59 x 18 in; Tray 5: 5.5 x 7.17 to 12.59 x 18 in
Media type and capacity, tray 1	Sheets: 100; transparencies: 20; envelopes: 10
Media type and capacity, tray 2	Sheets: 520; transparencies: 100; envelopes: 40
Media type and capacity, tray 3	Sheets: 520; transparencies: 100

Media types	Plain, HP EcoEFICIENT, HP Matte 90 g, Light 60-74 g, Bond, Recycled, HP Matte 105 g, HP Matte 120 g, HP Soft Gloss 120 g, Mid-Weight 96-110 g, Heavy 111-130 g, HP Matte 150 g, Extra Heavy 131-175 g, HP Matte 200 g, Card-stock 176-220 g, Light Paperboard 221-255 g, Paperboard 256-300 g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight (tray 1)	60 to 325 g/m ²
Media weight (tray 2)	60 to 325 g/m ²
Media weight (tray 3)	60 to 325 g/m ²
Media weight, supported	Tray 1, 2, 3: 60 to 325 g/m ² ; Tray 4, 5: 60 to 300 g/m ²
Media weight, supported	Tray 1, 2, 3: 16 to 86.5 lb (bond); Tray 4, 5: 16 to 80 lb
Memory	6 GB
Minimum System Requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com
Model number	8501x
Number of users	Over 25 Users
Operating humidity range	20 to 80% RH
Operating temperature range	59 to 86°F
Operating temperature range	15 to 30°C
Orderable supplies	HP 176A Black Original LaserJet Toner Cartridge W1760A, HP 176A LaserJet Black Original Imaging Drum W1766A, HP LaserJet Toner Collection Unit 9U1Q5A
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	35 x 38.3 x 46.6 in
Package dimensions (W x D x H)	890 x 972 x 1184 mm
Package weight	133.22 kg
Package weight	293.7 lb
Page yield (set-up/inbox cartridges)	HP 176A Black LJ Starter Toner Cartridge (ISO Yield 25,000) W1760AS
Pallet dimensions	35 x 38.3 x 46.6 in
Pallet dimensions (W x D x H)	890 x 972 x 1184 mm
Pallet weight	293.7 lb
Pallet weight	133.22 kg
Paper handling input, standard	100-sheet multi-purpose tray, 4 x 520-sheet input tray
Paper handling output, standard	500 sheet
Paper trays, maximum	Up to 5
Paper trays, standard	5

Power	Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Cartridges/Bottle, Number	1 (black)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1,200 x 1,200 dpi
Print speed black (normal, A3)	Up to 35 ppm
Print speed black (normal, tabloid)	Up to 35 ppm
Print speed duplex (A4)	Up to 70 ipm
Print speed duplex (letter)	Up to 70 ipm
Print speed footnote (A3/Tabloid)	[3] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print technology	Laser
Printer Management	HP Web JetAdmin Software, HP Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	4340
Printer color pages (MPV color)	2894
Processor speed	1.6 GHz (Quad Core), 1.4 GHz (Dual Core)
Product long name specifications	HP LaserJet Ent 8501x Prntr, Black and white Printer for Enterprise, Print, Automatic document feeder; Front USB flash drive port; Scan to email; Two-sided printing; Touchscreen
Product short name specifications	HP LaserJet Enterprise 8501x Black and white Printer
Production CO2e (kg)	416
Quantity per pallet	1
RMN number	SEOLA-1905-02 / SEOLA-1905-02A (dn model only in India)
Recommended media weight (duplex)	60 to 300 g/m ²
Recommended media weight (duplex)	16 to 79.5 lb
Recommended monthly page volume	Up to 60,000
Recommended operating humidity range	20 to 80% RH

Recommended operating temperature range	15 to 30°C
Recommended operating temperature range	59 to 86°F
Replacement cartridges footnote	[5] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013; IEC 62368-1:2018; EN 62368-1:2020+A11:2020 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; EN 62471:2008 / IEC 62471:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2014-10; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007 Other safety approvals as required by individual countries
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Segment (filter)	Enterprise
Standard input capacity (envelopes)	Up to 50 envelopes
Standard media sizes (duplex)	A3; A4; A5; 8K; RA4; SRA3; B4 (JIS); B5 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm); B4; B5; RA3; SRA4; A4R; A5R
Standard media sizes (duplex, imperial)	Letter; Letter-R; Legal; Statement; Executive; 11x17; 8K; 16k; Tabloid Extra; Oficio (8.5 x 13 in)
Standard output capacity (envelopes)	Up to 40 envelopes
Standard output capacity (transparencies)	Up to 100 sheets
Storage	256 GB SSD
Storage temperature range	14 to 104°F
Storage temperature range	-10 to 40°C
Target user and print volume	Prints up to 60,000 pages/month; For teams over 25 users
Tariff numbers	8443321010
Technology logo 1	AHID/7bee122a508ac102778a2545b78ae391a84fc2ec

Technology logo 2	Publication logos/Win11 Comp Logo.png
Technology logo 3	Publication logos/AMS_mac_hires.jpg
Technology logo 4	Publication logos/epeat_gold_logo.png
Technology logo 5	Publication logos/AMS_Mopria.jpg
Technology logo 6	AHID/92e74a15218e3d0766f7f42cd3434c98bbcd3e3b
Top key features	Two-sided printing; Strong Security
Total CO2e (kg)	720 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.)</i>
Transportation CO2e (kg)	30
Typical electricity consumption (TEC) number	1.027 kWh/Week
UNSPSC code	43212105
UPC number	(201) 198828506597; (202) 198828506603; (ABJ) 198828506610; (ABT) 198828506627; (ACJ) 198828506634; (ACQ) 198828506641; (B09) 198828506658; (B13) 198828506665; (B19) 198828506672; (BBU) 198828506696; (BGJ) 198828506702; (BGM) 198828506719
Warm-up time	100 sec
Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.
Waste electrical and electronic weight	71,790 g
Web address for additional information	http://www8.hp.com/us/en/printers/a3-multifunction.html

[2] Including Starter toner cartridge weight

[5] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP LaserJet Black Imaging Drum	W1766A ★
HP LaserJet Black Toner Crtg	W1760A ★
HP LaserJet Black Toner Crtg	W1760AC ★

HP Laser Printer Supply Kits

HP LaserJet Toner Collection Unit	9U1Q5A ★
-----------------------------------	----------

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R
HP Multipurpose Paper-500 sht/Tabloid/11 x 17 in	HPM1720P

Services

Document & Printing

★ : Recommended

Support Services (for Document & Printing)

HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501	UF8K1E ★
HP 3 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G2E ★
HP 1 year Post Warranty 4 hour Onsite with DMR Service for LaserJet Enterprise 8501	UF8L2PE
HP 1 year Post Warranty 4 hour Onsite with Preferred Access and DMR Service for LaserJet Ent 8501	UJ1G9PE
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for LaserJet Ent 8501	UJ1G5PE
HP 1 year Post Warranty Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501	UF8K4PE
HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise 8501	UF8K8PE
HP 3 year 4 hour Onsite with DMR Service for LaserJet Enterprise 8501	UF8K9E
HP 3 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G6E
HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise 8501	UF8K5E
HP 4 year 4 hour Onsite with DMR Service for LaserJet Enterprise 8501	UF8L0E
HP 4 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G7E
HP 4 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G3E
HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501	UF8K2E
HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise 8501	UF8K6E
HP 5 year 4 hour Onsite with DMR Service for LaserJet Enterprise 8501	UF8L1E
HP 5 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G8E
HP 5 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise 8501	UJ1G4E
HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 8501	UF8K3E
HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise 8501	UF8K7E
HP Installation Service with network configuration for Department Printer (1 unit)	U9JT3E

HP Maintenance Kit Replacement Service for LaserJet Enterprise 8501 Fuser Kit 110v	UF8L4E
--	--------

HP Maintenance Kit Replacement Service for LaserJet Enterprise 8501 Fuser Kit 220v	UF8L5E
--	--------

Print Security Solutions

HP HID Mob Access BLE MIFARE Card Reader	35H11B ★
--	----------

HP Keystroke Card Reader	Y7C05B ★
--------------------------	----------

HP SIM for Secure HID for Card Reader	Y7C07B ★
---------------------------------------	----------

HP USB Universal Card Reader	X3D03B ★
------------------------------	----------

HP SIM for HID iClass for HIP2 Reader	Y7C07A
---------------------------------------	--------

Print Management Software Solutions - Security

HP Legic Secure USB Reader	4QL32A ★
----------------------------	----------

HP HIP2 Keystroke Reader	Y7C05A
--------------------------	--------

HP Universal USB Proximity Card Reader	X3D03A
--	--------

Accessories

Accessory Bundles

★ : Recommended

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★
HP Printing Voice Assistant	478C2A ★

Data Security Accessories

HP Removable Hard Drive Enclosure	2NR12A ★
-----------------------------------	----------

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	B5L31A ★
------------------------------	----------

Printer Accessories

LaserJet Options

HP JetDirect 3200w Wifi 6 BLE/WL Accy	9R1U0A ★
---------------------------------------	----------

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless	3JN69A ★
-------------------------------------	----------

Internal Print Servers

HP Jetdirect LAN Accessory	8FP31A ★
----------------------------	----------

Security and Protection

Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government	CC543B ★
HP SmartCard SIPRNet Solution for US Government	F8B30A ★

Paper Handling

Output Trays and Stackers

HP LaserJet Stapler/Stacker Finisher Staples	Y1G14A
--	--------

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Jul 04, 2025 2:00 PM UTC+0000