



HP LaserJet Pro 4006n Printer (8X3D2A)

Overview



Experience powerful printing performance for your business. This HP LaserJet Pro offers ultra-fast print speeds, AI-enabled solutions, effortless setup & management, & easy mobile printing. Plus, leading-edge security to help protect your network.

Get speed, reliability, and quality in one

Deliver all your print projects quickly with fast print speed up to 47 letter pages per minute.[9]

Protect your business with leading-edge security

Out-of-the-box protection with the world's first printers to protect against quantum computer attacks.[3]

Work smarter - AI & simple management solutions

Print with precision - HP AI easily removes unwanted content, so your prints are just the way you want.[11]

Save energy and help reduce waste

Less wasteful by design - this printer is made with at least 5% recycled plastic content to help reduce waste.[6]

Features



Black & White Printing^[9]



Mobile Printing^[1,2]



USB & Ethernet Connectivity



Wolf Pro Security^[3]



Control Panel



Compact Design

[1] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced $\leq$ \$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2024. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2024. For details, please see: keypointintelligence.com/HPapp.

[2] HP Smart and myHP are now the HP app, available for download on Windows 10 or 11 PCs; macOS computers; and for Apple and Android mobile phones and tablets. Windows PCs do not support print features at launch. Android not supported in China at launch. The HP app requires download available at www.hp.com/hp-app. Not all HP devices, services, apps are available in the HP app. Certain features are available in English language only, and may vary by printer and PC model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of select HP app functionality. Internet access required. HP account required for full functionality. Fax sending capability only. Live chat and phone support are available during business hours and varies by country. Chat service is localized in supported regions, and where not supported, will default to English. Supported conferencing features vary by device and device configuration. For complete Terms of Service see: www.hp.com/hp-app-terms-of-use.

[3] Based on HP's internal analysis of business printers with preinstalled encryption, authentication, malware protection, post-quantum digital signature, and initial BIOS firmware integrity protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS and firmware as of March 2025.

[6] HP LaserJet Pro 4006/4007/4008/4112/4113/4114 printers are made with at least 5% recycled plastic content. Recycled plastic is expressed as a percentage of the total weight of the plastic. Post-consumer recycling is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2.

[9] Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printer-claims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[11] Requires Windows 11. Availability of features varies by countries and supported printers. Requires HP AI-enabled printer, and the HP app/HP Easy Start. Internet access is required and must be purchased separately. Wireless operations are compatible with 2.4GHz and 5.0GHz operations only. Learn more at hp.com/go/mobileprinting. To learn more about HP AI features and capabilities, visit hp.com/HP_AI.

Specifications

Print Resolution Technologies	Standard (600 dpi), Detailed (1200 dpi), Economode (600 dpi)
Print Resolution Black (best)	Up to 1,200 x 1,200 dpi
Print Speed Black (normal, A4)	Up to 45 ppm
Print Speed Black (normal, letter)	Up to 47 ppm
Print Speed	Prints up to 47/45 ppm (Letter/A4)
Print Margin Bottom (A4)	5 mm
Print Margin Left (A4)	4 mm
Print Margin Right (A4)	4 mm
Print Margin Top (A4)	5 mm
AIO Functions	Print
Duplex Print Options	Manual (driver support provided)
Duty Cycle (monthly, A4)	Up to 80,000 pages
Duty Cycle (monthly, letter)	Up to 80,000 pages ^[9]
Printer Smart Software Features	Manual duplex for n bundle and auto duplex for all other bundles and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Energy Savings Feature Technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Power save; TerraJet Toner
Replacement Cartridges	HP 161A Black Original LaserJet Toner Cartridge (~3,000 pages) W1610A; HP 161X Black Original LaserJet Toner Cartridge (~10,000 pages) W1610X ^[14]
Supplies Feature	HP TerraJet Cartridge
Connectivity, Std	1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host)
Network Capabilities	Ethernet
Wireless Capability	No
Mobile Printing Capability	HP app
Supported Network Protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Software Included	No software solutions are included in the Box only on http://support.hp.com

Compatible Operating Systems

Android; iOS; Chrome OS; Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: ManjaroLinux 20.2; Linux: ManjaroLinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: RHEL 6; Linux: RHEL 7; Linux: RHEL 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; macOS 15 Sequoia; macOS Tahoe v26^[15]

([15] Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers.)

Energy Star Certified	Yes
Ecolabels (fixed)	IT ECO Declaration; EPEAT® Silver US; EPEAT® Silver Canada ^[2]
Blue Angel Compliance	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Display Area (imperial)	1.80 x 1.03 in
Display Area (metric)	4.58 x 2.61 cm
Display Description	2.1" Mono-Graphic LCD (200 x 114px)
Product Dimensions (metric)	369 x 375 x 193 mm <i>([3] Without trays and covers not extended)</i>
Product Dimensions (imperial)	14.53 x 14.76 x 7.60 in <i>([3] Without trays and covers not extended)</i>
Weight (metric)	~7.4 kg ^[5] <i>([5] with cartridge)</i>
Weight (imperial)	~16.31 lb <i>([5] with cartridge)</i>
Power Consumption Description	536 watts (active printing), 6.3 watts (ready), 0.92 watts (sleep), 0.92 (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off) ^[11] <i>([11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
Power Supply Type	Internal (built-in) Power Supply
What Is In The Box	HP LaserJet Pro 4006n Printer; Preinstalled HP Black Original LaserJet Toner Cartridge (1,400 page yield); Hardware Install Guide; Regulatory Flyer; HP printer software is available at www.hp.com/support ; Power cord; USB cable (AP & Wireless Only) ^[4]
Manufacturer Warranty	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

Additional specifications

Acoustic Power Emissions (active, printing)	6.5 B(A)
Acoustic Power Emissions (ready)	3.2 B(A)
Acoustic Power Note	[1] Configuration tested: base model, simplex printing, A4 paper at an average of 45 ipm
Acoustic Pressure Emissions Bystander (active, printing)	54 dB(A)
Acoustic Pressure Emissions Bystander (ready)	Inaudible
Automatic Paper Sensor	No
Blue Angel Footnote	[13] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device and 230 V for Blue Angel.
Cartons Per Layer	9
Certifications and Compliances	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc.
Color or Black (filter)	Black and white
Compatible Network Operating Systems	Linux; Citrix; Windows Server 2025 64-bit; Windows Server 2022 64-bit; Windows Server 2019 64-bit; Windows Server 2016 64-bit
Control Panel	2.1" (5.3 cm) Mono-graphic display with navigation buttons (Left, Right, Up, Down, OK, Back, Home, Cancel)
Count of Layers In Pallet	AMS: 6, EMEA/APJ: 5
Downloadable Software	HP Command Center; HP JetAdvantage Security Manager; HP PSA (Print Support Application); HP WebJetAdmin; HPX; Available on https://support.hp.com unless noted; HP Mac OS Print Drivers; SAP Print Drivers; Chrome Extension; Printer Administrator Resource Kit (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator); HP Easy Admin; HP Easy Start (Guided Software Install for Windows); HP Easy Start Pro (Guided Software Install for Mac); HP Universal Print Drivers PCL6 & PostScript for Windows; HPLIP Linux; Printer Driver for more information see http://hplipopensource.com/hplip-web/index.html ; Product Documentation and Support;
Driver Updates	Latest supported operating systems and Print drivers available at HTTP://www.hp.com/support/
Duty Cycle Note	[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer

Ecolabels Footnote

[2] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

Electromagnetic Emission Standard

CISPR 22:2008 Class B, CISPR 32:2015 Class B, EN 55032:2015+A11:2020 Class B, CISPR 35:2016, EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019 +A1:2021, EN 61000-3-3:2013+A1:2019+A2:2021, FCC CFR 47 Part 15 Class B, ICES-003, Issue 7 Class B, ETSI EN 301 489-1 V2.2.3, ETSI EN 301 489-17 V3.2.4

Envelope Feeder

No

First Page Out Black (A4, ready)

As fast as 3.8 sec

First Page Out Black (A4, sleep)

As fast as 6.1 sec

First Page Out Black (letter, ready)

As fast as 3.7 sec

First Page Out Black (letter, sleep)

As fast as 5.9 sec

First Page Out, Footnote

Device first page out time based on HP internal measurement of printer activation until page exit. Measurement based on industry-standard ISO/IEC 17629 can be found at <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Fonts and Typefaces

110 scalable TrueType fonts

Hard Disk

None

In Box Cable

Yes, 1 USB cable (Asia Pacific and all Wireless printers); No, please purchase USB cable separately (Europe, Middle-East, Africa, & Americas Non Wireless)

Input Capacity, Envelopes (primary)

Up to 10

Input Capacity, Max

Up to 900 sheets

Input Capacity, Std

Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)

Key Media Sizes Supported (imperial)

4 x 6 in; Letter; Legal; Envelopes

Key Media Sizes Supported (metric)

10 x 15 cm; A4; Envelopes

Mac Compatible

Yes

Max Dimensions (imperial)

14.53 x 21.93 x 11.89 in

Max Dimensions (metric)

369 x 557 x 302 mm

Maximum Memory

512 MB

Media Handling, Document Finishing

Sheetfed

Media Size, Tray 1 (metric)

Letter; Legal; Executive; Officio (8.5x13); 4 x 6, 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10x15cm; Oficio (216x340 mm); 16K (195x270mm); 16K (184x260mm); 16K (197x273mm); Postcard (JIS); Double Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom; Statement; 3 x 5; 5 x 7; L 9x13 cm; Envelope C6; Japanese Envelope Chou #3; Japanese Envelope Chou #4

Media Size, Tray 2 (metric)

Letter, Legal, Executive, Officio 8.5x13, 5 x 8, A4, A5, A6, B5 (JIS), B6 (JIS), Oficio 216x340 mm, 16K 195x270mm, 16K 184x260mm, 16K 197x273mm, Double Postcard (JIS), A5-R, Custom, 5x7

Media Size, Tray 3 (metric)	Letter, Legal, Executive, Oficio 8.5x13, 5 x 8, A4, A5, A6, B5 (JIS), B6 (JIS), Oficio 216x340 mm, 16K 195x270mm, 16K 184x260mm, 16K 197x273mm, Double Postcard (JIS), A5-R, Custom, 5x7
Media Sizes Custom (imperial)	Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2/3: 4.12 x 5.83 to 8.5 x 14 in
Media Sizes Custom (metric)	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 105 x 148 to 216 x 355 mm
Media Type and Capacity Tray 1	Sheets: 100; Envelopes: 10; Labels: 40
Media Type and Capacity Tray 2	Sheets: 250
Media Type and Capacity Tray 3	Sheets: 550
Media Types	Bond, Card Glossy 176-220g, Cardstock 176-220g, Colored, Extra Heavy 131-175g, Extra Heavy Glossy 131-175, Heavy 111-130g, Heavy Glossy 111-130g, Heavy Rough, HP Advanced Photo Papers, HP Brochure Glossy, HP Brochure Glossy 150g, HP Brochure Glossy 200g, HP Brochure Matte 150g, HP Brochure Matte 180g, HP Color Laser Matte 105g, HP EcoFFICIEN, HP Everyday Photo Papers, HP Glossy Brochure or Professional Paper, HP Iron-on Transfe, HP LaserJet 90g, HP Matte 200g, HP Matte Brochure or Professional Paper, HP Matte Photo Paper, HP Matte Presentation Paper, HP Photo Papers, HP Premium Choice Matte 120g, HP Premium Plus Photo Papers , HP Premium Presentation Glossy 120g , HP Premium Presentation Matte 120g, HP Professional Soft Gloss 120g , HP Tri-fold Brochure Glossy 150g, HP Tri-fold Brochure paper, Glossy, Inkjet Hagaki, Intermediate 85-95g , Letterhead , Light 60-74g , Light Bond , Light Rough , Mid-Weight 96-110g , Mid-Weight Glossy 96-110g, Opaque Film , Other Glossy Inkjet Papers, Other Matte Inkjet Papers, Other Photo Inkjet Papers, Paperboard 221-255g , Paperboard 256-300g , Paperboard 301g+ , Plain , Plain Paper, Light/Recycled , Plain Paper, Thick, Preprinted , Prepunched , Recycled , Rough , Tab , Vellum , 10x15cm, 11x17, 12x18, 16K 184x260 mm, 16K 195x270 mm, 16K 197x273 mm, 3x5, 4x6, 5x7, 5x8, 8K 260x368 mm, 8K 270x390 mm, 8K 273x394 mm, A3, A4, A5, A6, B4 (JIS), B5 (JIS), B6 (JIS), Envelope #10, Envelope #9, Envelope B5, Envelope C5, Envelope C6, Envelope DL, Envelope Monarch, Executive, L 9x13 cm, Legal, Letter, Oficio 216x340 mm, Oficio 8.5x13, RA3, SRA3, SRA4, Statement, Windows: Double Japan Postcard Rotated/ Ofuku Hagaki, Mac/Linux: Double Postcard (JIS), Windows: Japanese Postcar, Mac/Linux: Postcard (JIS)
Media Weights Supported, By Paper Path (Imperial)	Tray 1: 16 to 53 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb
Media Weights Supported, By Paper Path (metric)	Tray 1: 60 to 200 g/m ² ; Tray 2 and Optional 550-sheet Tray 3: 60 to 120 g/m ²
Media Weights Supported, Tray 1 (metric)	60 to 200 g/m ²
Media Weights Supported, Tray 2 (metric)	60 to 120 g/m ²
Media Weights Supported, Tray 3 (metric)	60 to 120 g/m ²
Memory Slots	No DIMM slot
Memory Upgrade	Not available

**Mobile Printing Capability
Footnote**

[6] HP Smart and myHP are now the HP app, available for download on Windows 10 or 11 PCs; macOS computers; and for Apple and Android mobile phones and tablets. Windows PCs do not support print features at launch. Android not supported in China at launch. The HP app requires download available at www.hp.com/hp-app . Not all HP devices, services, apps are available in the HP app. Certain features are available in English language only, and may vary by printer and PC model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of select HP app functionality. Internet access required. HP account required for full functionality. Fax sending capability only. Live chat and phone support are available during business hours and varies by country. Chat service is localized in supported regions, and where not supported, will default to English. Supported conferencing features vary by device and device configuration. For complete Terms of Service see: www.hp.com/hp-app-terms-of-use .^[6]

Model Number

4006n

**Number of Simultaneous Users
(local + network)**

3-10 Users

Operating Humidity Range

10 to 80% RH

**Operating Humidity Range
(recommended)**

30 to 70% RH

**Operating Temperature Range
(celsius)**

10 to 32.5°C

**Operating Temperature Range
(fahrenheit)**

50 to 90.5°F

**Operating Temperature Range
(recommended celsius)**

15 to 27°C

**Operating Temperature Range
(recommended fahrenheit)**

59 to 80.6°F

Orderable Supplies

W1610A - HP 161A Black Original LaserJet Toner Cartridge; W1610X - HP 161X High Yield Black Original LaserJet Toner Cartridge; W1610XC - HP W1610XC Black Original Contract LaserJet Toner Cartridge

Output Capacity, Max

Up to 150 sheets

Output Capacity, Std

Up to 150 sheets

Output Capacity, Std, Envelopes

Up to 10 envelopes

Package Dimensions (imperial)

17.4 x 10.8 x 16.0 in

Package Dimensions (metric)

442 x 274 x 407 mm

Package Weight (imperial)

23.4 lb

Package Weight (metric)

10.6 kg

**Page Yield (set-up/inbox
cartridges)**

~1400 black pages

Pallet Dimensions (imperial)

AMS: 47.2 x 39.4 x 97.3 in, EMEA/APJ: 47.2 x 39.4 x 79.0 in

Pallet Dimensions (metric)

AMS: 1200 x 1000 x 2471 mm, EMEA/APJ: 1200 x 1000 x 2007 mm

Pallet Weight (imperial)

AMS: 1297 lb, EMEA/APJ: 1087 lb

Pallet Weight (metric)

AMS: 588kg, EMEA/APJ: 493 kg

Paper Handling Optional/input	Optional 1x550-sheet tray
Paper Handling Standard/input	100-sheet multipurpose Tray 1, 250-sheet input Tray 2
Paper Handling Standard/output	150-sheet output bin
Paper Trays, Maximum	3
Paper Trays, Standard	2
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, product varies by part number with # Option code identifier)
Print Cartridges/Bottle, Number	1 (black)
Print Colors	No
Print Languages, Standard	pwgRaster, urf, jpeg, tiff, pcl, pclxl, postScript, pdf, nativeOffice, pclm
Print Resolution Black (normal)	Standard (600 x 600 dpi)
Print Speed Black (Landscape, A5)	Up to 80 ppm
Print Speed Black (Portrait, A5)	Up to 9 ppm
Print Speed Footnote (A5)	[8] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Print Speed Footnote Number (A5)	[8]
Print Technology	Laser
Printable Area Maximum (metric)	215.9 x 355.6 mm
Printer Management	HP Printer Administrator Resource Kit for the HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility -Managed Printing Administrator); HP Embedded Web Server; HP Insights/ WXP; HP Security Manager; HP Advanced; HP Command Center; HP Web JetAdmin
Processor Speed	Dual Core (1.4 GHz)
Product Long Name Specifications	HP LaserJet Pro 4006n Printer, Black and white Printer for Small medium business, Print, Optional high-capacity trays; TerraJet cartridge
Product Short Name Specifications	HP LaserJet Pro 4006n Black and white Printer, Ethernet Only
Product-specific Additional Information Pointer	hp.com/support/ljpro4000
Quantity Per Pallet	AMS: 54, EMEA/APJ: 45
RMN Number	BOISB-2300-00
Recommended Media Weight (duplex, imperial)	16 to 32 lb
Recommended Media Weight (duplex, metric)	60 to 120 g/m ²
Recommended Monthly Page Volume	Up to 4,200 ^[10]

Recommended Monthly Page Volume Note	[10] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Replacement Cartridges Footnote	[14] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
Safety Approvals and Requirements	IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN IEC 62368-1:2020 +A11:2020; IEC 60825-1:2014; EN 60825-1:2014 +A11:2021; IEC 62479:2010; EN 62479:2010; IEC 62311:2007; EN 62311:2008;
Security Management	Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers
Segment (filter)	Small medium business
Standard Media Sizes (duplex, Imperial)	Letter; Legal; Oficio (8.5 x 13 in); A4; A5; Executive; 16K
Standard Media Sizes (duplex, metric)	Letter; Legal; Oficio; Oficio (216 x 340 mm); A4; A5; B5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm)
Standard Media Sizes Supported (imperial)	Tray 1: Letter; Legal; Executive; Oficio (8.5x13); 4 x 6, 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10x15cm; Oficio (216x340 mm); 16K (195x270mm); 16K (184x260mm); 16K (197x273mm); Postcard (JIS); Double Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom; Statement; 3 x 5; 5 x 7; L 9x13 cm; Envelope C6; Japanese Envelope Chou #3; Japanese Envelope Chou #4 Tray 2 & 3: Letter, Legal, Executive, Oficio 8.5x13, 5 x 8, A4, A5, A6, B5 (JIS), B6 (JIS), Oficio 216x340 mm, 16K 195x270mm, 16K 184x260mm, 16K 197x273mm, Double Postcard (JIS), A5-R, Custom, 5x7
Standard Media Sizes Supported (metric)	Tray 1: Letter; Legal; Executive; Oficio (8.5x13); 4 x 6, 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10x15cm; Oficio (216x340 mm); 16K (195x270mm); 16K (184x260mm); 16K (197x273mm); Postcard (JIS); Double Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R; Custom; Statement; 3 x 5; 5 x 7; L 9x13 cm; Envelope C6; Japanese Envelope Chou #3; Japanese Envelope Chou #4 Tray 2 & 3: Letter, Legal, Executive, Oficio 8.5x13, 5 x 8, A4, A5, A6, B5 (JIS), B6 (JIS), Oficio 216x340 mm, 16K 195x270mm, 16K 184x260mm, 16K 197x273mm, Double Postcard (JIS), A5-R, Custom, 5x7
Standard Memory	512 MB
Storage Temperature Range (celsius)	-20 to 40°C
Storage Temperature Range (fahrenheit)	-4 to 104°F
Target Number of Users and Print Volume	For teams up to 10 users; Prints up to 4,000 pages/month
Tariff Numbers	8443321010; 8433129; 84433221; 84433231; 84433239
Technology	Laser
Telecom Compliance Certifications	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1;
Top Key Features	Optional high-capacity trays; TerraJet cartridge

Typical Electricity Consumption (TEC) Footnote	[12] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
Typical Electricity Consumption (TEC) number	0.44 kWh/Week (Blue Angel); 0.35kWh/Week (Energy Star 3.0) ^[12]
UNSPSC Code	43212105
UPC Number	198122876044
WEEE Net Weight (metric)	7.2 kg
Warm-up Time	As fast as 55 sec
What Is In The Box Footnote	[4] For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[2] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

[4] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield> . Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[5] with cartridge

[6] HP Smart and myHP are now the HP app, available for download on Windows 10 or 11 PCs; macOS computers; and for Apple and Android mobile phones and tablets. Windows PCs do not support print features at launch. Android not supported in China at launch. The HP app requires download available at www.hp.com/hp-app . Not all HP devices, services, apps are available in the HP app. Certain features are available in English language only, and may vary by printer and PC model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of select HP app functionality. Internet access required. HP account required for full functionality. Fax sending capability only. Live chat and phone support are available during business hours and varies by country. Chat service is localized in supported regions, and where not supported, will default to English. Supported conferencing features vary by device and device configuration. For complete Terms of Service see: www.hp.com/hp-app-terms-of-use .

[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[10] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[12] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[14] Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

[15] Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers.

HP Laser Toner Cartridges and Kits

★ : Recommended

HP TerraJet Toner Cartridges

HP 161A Black LaserJet Toner Cartridge	W1610A
HP 161X Black LaserJet Toner Cartridge	W1610X
HP 164X Black LaserJet Toner Cartridge	W1640X

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.