

#CONNECTBETTER

2026 Product Catalog

Table of Contents

04 About AVer

06 Why AVer

08 Room Types

12 Auto Tracking Cameras

20 PTZ Cameras

26 Video Conferencing Cameras

32 Video Bars

38 Medical Grade PTZ Cameras

44 Tracking Boxes & BYOM Switch

50 Room Controller & Scheduler

54 Conference Audio

58 Room Solutions

64 Controllers

68 USB Extenders

72 NDI Converters

76 Document Cameras

86 Classroom Audio Solutions

92 Charging Carts

102 Softwares

110 Compatibility

112 Specifications



About AVer

AVer is an award-winning provider of visual collaboration solutions that enhance productivity and enrich lives. Our diverse portfolio includes Video Conference Cameras, Video Bars, Video Collaboration Systems, Auto Tracking Cameras, PTZ Cameras, Camera Controllers, and Tracking Boxes—empowering businesses, educators, government agencies, and presenters with seamless communication and engagement. Designed for performance and reliability, AVer solutions integrate with leading platforms like Microsoft Teams, Zoom, and Google Meet, ensuring industry-leading quality and ease of use. All AVer products are TAA/NDAA compliant, meeting the highest security and regulatory standards. Committed to excellence, we provide exceptional service and support while upholding stringent environmental and community-focused initiatives.














Why AVer

At AVer, we're committed to delivering solutions that empower seamless communication and collaboration. Backed by decades of manufacturing experience, we've earned a reputation as a trusted partner across industries by producing high-quality, reliable products and exceptional customer support.

Our award-winning cameras are designed to elevate your video experiences—whether you're connecting teams, broadcasting events, or enhancing remote collaboration. We understand that selecting the right solution is a big decision, which is why we offer a no-risk 30-Day Evaluation Program. Experience the performance of AVer products firsthand with zero commitment—if it's not the right fit, we cover return shipping at no cost.

To ensure complete peace of mind, AVer products are protected by AVerCare, our industry-leading warranty program that includes a 3 or 5-year warranty* and a first-year Advanced Replacement Service with a 24-hour turnaround time. This means if an issue arises, we'll send you a replacement unit fast—so you're never left waiting.

When you choose AVer, you're not just buying a product—you're gaining a partner. From sales and operations to technical support and training, our U.S.-based teams are here to support you every step of the way. We offer free phone, email, and live chat support, as well as complimentary product training to help you get the most out of your investment.

Additionally, our solutions are TAA and NDAA compliant, ensuring they meet the standards required for government and enterprise deployments.


Let AVer show you how easy, enjoyable, and dependable our technology can be.

AVerCare Pro AV Guarantee 24 Hour Replacement 5 Year Warranty

TAA NDAA COMPLIANT

Room Types

Our ecosystem of collaboration solutions includes cameras for any size meeting space from the huddle room to the boardroom and beyond.



Specialty Rooms

Spaces designed for unique environments that fall outside traditional meeting rooms. This includes classrooms, surgical suites, worship spaces, live event areas, and any purpose-built room with specialized AV needs.



Huddle Room

A huddle room is a small and private meeting area seating 1-4 people. Depending on its size and needs, an organization may have several huddle rooms.



Small Conference

Small sized collaboration spaces are larger than huddle spaces and can accommodate 4-7 people. These are corner offices, study spaces, meeting rooms or larger home offices.



Medium Conference

Medium sized conference rooms are your standard conference room size built to accommodate 7-12 people. This is your typical executive conference room.


Camera Selector Configure the perfect video collaboration setup

Configure Now




Large Room

Large rooms are spacious collaboration areas designed for mid-sized groups. Support 12–14 people. Typically used as executive meeting rooms, sizable conference rooms, or multi-purpose team spaces.



Training Room

Training rooms are large learning spaces designed for 200–500 people, ideal for seminars, workshops, corporate training, and other structured educational events.



Conference Hall

Conference halls are large-scale venues suitable for 250+ people, used for presentations, keynotes, exhibitions, and large corporate or community events.

Camera Selector Configure the perfect video collaboration setup

Configure Now

AUTO TRACKING CAMERAS

AVer Professional Auto Tracking Cameras support IP streaming and deliver professional video broadcasts without the need for a videographer to track your target!



TR615

4K AI Auto Tracking PTZ Camera

Windows, Mac OS

Tracking Modes

Total Zoom

1" Sony Sensor

Supports Free-D

Genlock

12G-SDI





AVer SKU: PATR615V1

TR535N

30X 4K NDI® dual lens auto tracking camera

Windows, Mac OS

Tracking Modes

Optical Zoom

105° FOV

Outputs

3G-SDI
IP USB

Supports PoE+

Installation





AVer SKU: PTR535NV1

TR322

Dual Lens Auto Tracking Camera

Dual Lens

Optical Zoom

22X+ OPTICAL

Resolution

Full HD 1080p60

Tracking Modes

3

NDI Installed

NDI

5 Year Warranty

TAA NDAA COMPLIANT





AVer SKU: PATR322V1

TR335

30X 4K PTZ Streaming Camera

Windows, Mac OS

Tracking Modes

3

Optical Zoom

30X+ OPTICAL

Outputs

HDMI 3G-SDI IP USB

Resolution

Ultra HD 4K

8MP Picture

8 MP

WDR





AVer SKU: PATR335V3 | PTR335NV3

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

NDI|HX3

HETMA

TR315

12X 4K PTZ Streaming Camera

Windows, Mac OS

Tracking Modes: 3

Optical Zoom: 12X Optical +

Outputs: HDMI, 3G-SDI, IP, USB

Resolution: Ultra HD 4K

8MP Picture: 8 MP

WDR

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

NDI|HX3



AVer SKU: PATR315V3 PTR315NV3

TR211

12X HD PTZ Streaming Camera

Windows, Mac OS

Tracking Modes: 3

Optical Zoom: 12X Optical +

Outputs: HDMI, 3G-SDI, IP, USB

Resolution: Full HD 1080p60

Supports PoE+

WDR

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

NDI|HX3



AVer SKU: PATR211V3

PTZ CAMERAS

AVer Professional PTZ Cameras support IP streaming and empower users to easily create excellent quality video from setup to showtime.



PTZ330UV2

30X 4K AI PTZ camera

Windows, Mac OS

Auto Framing

Resolution

Ultra HD 4K

Outputs

4 Output

Supports PoE+

8MP Picture

8 MP

Optical Zoom

30X + OPTICAL

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

SRT READY

NDI|HX3



AVer SKU: PTZ330UV2



AVer SKU: PTZ310UV2

PTZ310UV2

12X 4K AI PTZ camera

Windows, Mac OS

Auto Framing

Resolution

Ultra HD 4K

Outputs

4 Output

Supports PoE+

8MP Picture

8 MP

Optical Zoom

30X + OPTICAL

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

SRT READY

HETMA

PTZ231

30X HD AI PTZ camera

Windows, Mac OS

Auto Framing

Resolution

Full HD 1080p60

Outputs

4 Output

Supports PoE+

8MP Picture

2 MP

Optical Zoom

30X+ Optical



AVer SKU: PAPTZ231W

PTZ211

12X HD AI PTZ camera

Windows, Mac OS

Auto Framing

Resolution

Full HD 1080p60

Outputs

4 Output

Supports PoE+

8MP Picture

2 MP

Optical Zoom

12X+ Optical



AVer SKU: PTPTZ211W

VIDEO CONFERENCE CAMERAS

Connect anywhere, anytime with AVer's Plug and Play devices. Collaborate with your team face-to-face.



CAM520 Pro3

Enterprise Grade Conferencing Camera for Mid-to-Large Rooms

Optical Zoom	SmartComposition	1080P
12X +		HD
Plug-N-Play	**Supports PoE+**	**3 Year Warranty**

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams

Certified for RingCentral





AVer SKU: COM520PR3



CAM550

Enterprise-Grade 4K Dual Lens Camera with AI Technology

Optical Zoom: 12X + Optical

Dual Lens

Resolution: 4K

Plug-N-Play

Supports PoE+

3 Year Warranty

TAA Compliant

Zoom Certified

Certified for Microsoft Teams

Certified for RingCentral





AVer SKU: COMCAM550





AVer SKU: COMCAM570

CAM570

4K Dual Lens Audio Tracking Camera for Mid & Large Rooms

Optical Zoom: 12X + Optical

Voice-Tracking

Resolution: 4K

Plug-N-Play

Supports PoE+

3 Year Warranty

TAA Compliant

Zoom Certified

Certified for Microsoft Teams

Unified

Certified for RingCentral

VIDEO BARS

AVer video bars combine a high-quality camera, microphone, and speaker in one sleek device—ideal for small to medium meeting spaces. Now available in both USB and Android models, they offer simple, flexible collaboration without the need for a PC.



VB150

All-In-One 4K Video Bar

Optical Zoom 18X

Resolution 4K

FOV 120°

USB 3.1

SmartComposition

3 Year Warranty



AVer SKU: COMMVB150

VB342 Pro

Enterprise-Grade 4K PTZ Video Bar

Optical Zoom 12X

Resolution 4K

Plug-N-Play

USB 3.1

3 Year Warranty



AVer SKU: COMVB342P

VB350

Enterprise-Grade 4K PTZ Video Bar

Plug-N-Play

Resolution
4K

SmartComposition

USB 3.1

3 Year Warranty





AVer SKU: COMMVB350

VB370A

Enterprise-Grade PTZ Video Bar

FOV 120°

SmartComposition

Resolution
4K

Optical Zoom
18X+ OPTICAL

Dual Lens

3 Year Warranty






AVer SKU: COMVB370A

MEDICAL GRADE PTZ CAMERAS

AVer provides cutting-edge solutions for healthcare for Telemedicine, Telesitting, Tele-ICU, live surgery broadcast, procedure recording for teaching hospitals and more.



MD331UI

30X 4K Medical PTZ Camera

Optical Zoom	Two 10W Speakers	Resolution
30X OPTICAL		4K
Two-Way Audio	**Medical Certifications**	**IR Night View**

TAA NDAA COMPLIANT





AVer SKU: PAMD331UI



MD330U/UI

20X 4K Medical PTZ Camera

Optical Zoom: 20X Optical

Resolution: 4K

IR Night View

AI Tracking

Medical Grade

Anti-UV Housing





AVer SKU: PAMD330U2/PAMD330UI

MD120UI

30X 4K Medical PTZ Camera

Optical Zoom: 30X Optical

Handheld Camera Head

Pan-Tilt

Snapshot

Medical Certifications

IR Night View





AVer SKU: PAMD120UI

TRACKING BOXES & BYOM SWITCH

Integrates seamlessly with video conferencing systems or BYOM setups, providing versatile, high-quality video capture for any space.



MT500

NDI® Matrix Tracking Box

Multi-Source Mix

Multi-Cam VoiceTrack

NDI HX3

Dual I/O

USB Output

Resolution

4K

Dante AV-H Ready



AVer SKU: PATMT500N

MT300N

NDI® Matrix Tracking Box

Windows, Mac OS

Voice Tracking

Supports NDI HX2

Built-in

PTZ Link Premium

Switching

Supports PoE+

Outputs

4 Output



AVer SKU: PATMT300N

HUB30

4x2 USB/HDMI BYOM Switch

Resolution	AI Auto Multicam Switch	MCP
4K		
Dual Screen	**USB-C PD Powering**	**3 Year Warranty**



AVer SKU: PAT0HUB30



ROOM CONTROLLER SCHEDULER

Streamline meetings with an intuitive touchscreen, AI powered features, and simple single-cable setup. Built for modern spaces, it's always ready and easy to use.



CP10 G2

10” Collaboration Touch Panel

Plug-N-Play

Supports PoE+

3 Year Warranty

zoom Certified





AVer SKU: COMCP10G2



CONFERENCE AUDIO

Premium audio solutions delivering crystal-clear sound for every meeting room.



FONE700

Ceiling Speakerphone System

Ceiling Mic

Voice-Tracking

USB 3.1

Plug-N-Play

3 Year Warranty

Certified for RingCentral

Certified for Microsoft Teams

Unified Communications Awards 2024



AVer SKU: COMFON700

FONE540

Adaptive Audio For Any Meeting Space

Daisy-chain microphones

Plug-N-Play

3.5 mm Line-in Jack

1 Year Warranty

zoom Certified

Certified for Microsoft Teams



AVer SKU: COMFON540

ROOM SOLUTIONS

Complete, high-performance solutions for seamless video collaboration in medium to large meeting spaces.



VB370A CP10G2 Bundle

Elevate Collaboration with Smarter Technology

Auto Framing	SmartComposition	Resolution
AI		4K

Plug-N-Play	3 Year Warranty

zoom Certified





VC520 Pro3

Enterprise Grade Conference System for Mid-to-Large Rooms

Plug-N-Play

SmartComposition

1080P

HD

Daisy Chain

3 Year Warranty

TAA NDAA COMPLIANT

zoom Certified

Certified for Microsoft Teams





AVer SKU: COMVCPRO3

CONTROLLERS

Centralize your production setup. Control dozens of PTZ and auto-tracking cameras from a single, intuitive interface.



CL01

PTZ Professional Camera Controller

Speed Control	Quick Access	Rotation Knobs
1 Year Warranty	Control Interfaces	VISCA Pelco-D/P
	RS-232 RS-422 RS-485 IP	VISCA Pelco-D Pelco-P



AVer SKU: PTCAMCTRL





USB EXTENDERS

Leveraging your existing cabling. Perfect for environments with high-bandwidth connectivity.



UE1

USB 3.0 Extension for PTZ Cameras

Resolution	Supports PoE+	USB 3.0 Protocol
4K		

5 Year Warranty



AVer SKU: PATUSBUE1



NDI CONVERTERS

Easy to extend NDI workflows without replacing existing camera hardware.



NC30

NDI Converter

Bi-directional NDI

HDMI & USB-C Output

4K 60fps

Unified Routing

Supports PoE+

5 Year Warranty




AVer SKU: PAT00NC30



DOCUMENT CAMERAS

AVer offers a wide variety of high quality and crystal-clear document cameras to fit virtually any budget to enhance the visuals in your curriculum.



F50+

4K Versatile FlexArm Document Camera

Optical Zoom	1080P	Resolution
10X+ OPTICAL	HD	4K
USB 3.1	**3 Year Warranty**	**HDMI In/Out**

TAA NDAA COMPLIANT

Google for Education Partner

Google Cloud Partner



AVer SKU: VISU50PLS



AVer SKU: VISF17PLS

F17+

Portable FlexArm Document Camera

Resolution	1080P	5 Year Warranty
4K	HD	
HDMI In/Out		

TAA NDAA COMPLIANT

TECH & LEARNING EXCELLENCE AWARD BACK TO SCHOOL PRIMARY EDUCATION WINNER

Google Cloud Partner

Google for Education Partner

U50+

USB FlexArm Document Camera

Optical Zoom

24X+ OPTICAL

Plug-N-Play

USB-A

13MP Picture

13 MP

2 Year Warranty

TAA NDAA COMPLIANT

Google for Education Partner

Google Cloud Partner





AVer SKU: VISU50PLS

M11-8M

HDMI Document Camera

8MP Picture	1080P	3 Year Warranty
8 MP	HD	

USB 3	HDMI In/Out

TAA NDAA COMPLIANT

Google for Education Partner

Google Cloud Partner



AVer SKU: VISIONM118M



M11WB

Wireless Document Camera

Optical Zoom: 29X+ Optical

Wireless

Budget Friendly

USB 3

Resolution: 4K

TAA NDAA COMPLIANT

TECH & LEARNING EXCELLENCE 2025 BACK TO SCHOOL

TECH & LEARNING EXCELLENCE 2025 PRIMARY EDUCATION WINNER



AVer SKU: VISIM11WB



AVer SKU: VISIONM15W

M15W

Wireless Document Camera

Optical Zoom: 23X+ Optical

Resolution: 4K

3 Year Warranty

HDMI In/Out

TAA NDAA COMPLIANT

Google Cloud Partner

2019 WINNER AWARDS EXCELLENCE TECH & LEARNING

Google for Education Partner



CLASSROOM AUDIO SOLUTIONS

Changing the Way Students Listen and Learn in the Classroom.



AmpliWave

Classroom Audio System

Quick Charge

Two 15W Speakers

Anti-Howling

Plug-N-Play

Talk Time 8-10hr

5 Year Warranty





AVer SKU: AMPLISAA5

AmpliWave Lite

Portable Classroom Audio System

Quick Charge

Amplification

Anti-Howling

Plug-N-Play

Talk Time 8-10hr

5 Year Warranty



AVer SKU: AMPLILITE



AVer AMPLIWGOB

AmpliWave Go

Portable Classroom Audio System

Quick Charge

Budget Friendly

Bluetooth

Plug-N-Play

8-10hr Battery Life

Wireless

CHARGING CARTS

Intelligent Classroom Device Charging and Storage Solutions.



E30p

4K Versatile FlexArm Document Camera

Smart Charging

Pre-Wired

Secure Locking

10 Year Warranty

65W Adapters



AVer SKU: CHRGEE30p

Smart Cycle Charging

Charges devices on the first power strip and alternates every 20 minutes to charge each power strip



C36i+

36 Device Intelligent Charging Cart

Smart Charging

Flexible Dividers

Secure Locking

Cable Management

Exterior Outlets

10 Year Warranty



AVer SKU: CHRGC36i+

Adaptive Intelligent Charging

Monitors devices and determines the best charging sequence, sends additional power to external outlets once devices are fully charged



E36cv

36 Device Economy Charging Cart

Smart Charging

Cable Management

Secure Locking

10 Year Warranty

TAA COMPLIANT



AVer SKU: CHRGE36CV

Smart Cycle Charging

Charges devices on the first power strip and alternates every 20 minutes to charge each power strip



B30

30 Device Charging Cart

Smart Charging

Cable Management

Secure Locking

10 Year Warranty



AVer SKU: CHRGEB030

Standard Charging

Charges all devices at once



X16

16 Device B.Y.O.C.™ Charging Cabinet

Smart Charging

Cable Management

Secure Locking

Flexible Dividers

10 Year Warranty



AVer SKU: CHRGEX016



Standard Charging

Charges all devices at once

X30i

30 Device Intelligent Charging Cart

Smart Charging

Cable Management

Secure Locking

Flexible Dividers

10 Year Warranty



AVer SKU: CHRGEX30i



Adaptive Intelligent Charging

Monitors devices and determines the best charging sequence, sends additional power to external outlets once devices are fully charged

X42i

42 Device Intelligent Charging Cart

Smart Charging

Cable Management

Secure Locking

Flexible Dividers

10 Year Warranty

Adaptive Intelligent Charging

Monitors devices and determines the best charging sequence, sends additional power to external outlets once devices are fully charged



AVer SKU: CHRGEX42i



SOFTWARE


AVer software makes managing and collaborating easy, delivering seamless, reliable, and high-quality experiences.



Cloud Management

Centralized Control. Intelligent Operations.

Windows 10, Windows 11



ViewCare

Centralized, real-time medical camera management

Windows & MAC

Premium Version Available!



PTZ Control Panel

Use iPad or iPhone to Control AVer PTZ Cameras Through the Network

iOS® v9 or above, iPadOS® v11 or above



PTZ Link


Easily Add Voice Tracking Functionality

Windows & MAC

Premium Version Available!

SENNHEISER SHURE nureva biamp. YAMAHA ClearOne audio-technica always listening.


Combine AVer Pro AV cameras, PTZ Link software and select audio systems from these leading brands for voice tracking!



Room Management

Upgraded USB CAM Central Management Software

Windows 10, Windows 11



EZManager 2

Upgraded Interface for Controlling AVer USB Cameras

Windows 7, Windows 10



AVerTouch

Interactive Document Camera
Control, Recording, Annotation


Windows & MAC

*Google Lens feature is compatible with M11WB, F17+, F50+



Sphere2

Visual engagement with interactive, collaborative content



Compatible With

CRESTRON

Extron

telestream

vMix

Microsoft Teams

Google Meet

zoom

echo 360

KALTURA

Panopto

OBS Studio

YuJa

LIVE

NDI®

Q-SYS

BARCO



Comparison Chart






	VC520 Pro3	CAM550	CAM520 Pro3	CAM570
Part Number	COMVCPRO3	COMCAM550	COM520PR3	COMCAM570
Room Type	Medium/Large	Medium/Large	Medium/Large	Medium/Large
Zoom	36X Total (12X Optical)	24X Total (12X Optical, 2X Digital)	18X Total (12X Optical)	36X Total (12X Optical, 3X Digital)
FOV	80.5°	85°(Optical lens); 95°(AI lens)	80.5°	90°(Optical); 95°(AI lens)
Pan	±170°	±170°	±170°	±170°
Tilt	90° (up) / 30° (down)	120°	90° (up) / 30° (down)	120°
Display Resolution	1080p	4K	1080p	4K
SmartFrame	✓	✓ (Auto Framing, Preset Tracking)	✓	✓ (Auto Framing, Preset Tracking)
SmartComposition	✓	✗	✓	✗
SmartSpeaker	✗	✗	✗	✓
Preset Framing	✓	✓	✓	✓
Presets	10	10 on remote (128 via RS232)	10 on remote (128 vis RS232)	10 on remote (128 via RS232)
Microphone	2	✗	✗	✗
Speaker	✓	✗	✗	✗
Audio Fencing	✗	✗	✗	✗
WDR	✓	✓	✓	✓
HDMI	✓	HDMI Out (1080p/60)	✓	HDMI Out (1080p/60)
Bluetooth	✗	✗	✗	✗
Ethernet	✓	✓	✓	✓
PoE+	✓	✓	✓	✓
RS232	✓	✓	✓	✓
IP Streaming	✓	✓	✓	✓
Gesture Control	✓	✓	✗	✓
Fill Light	✗	✗	✗	✗
Remote	✓	✓	✓	✓
Privacy Shutter	✗	✗	✗	✗
Warranty	3 year	3 year	3 year	3 year
Advanced Replacement	1 year	1 year	1 year	1 year






	VB370A	VB350	VB150	VB342 Pro
	COMVB370A	COMMVB350	COMMVB150	COMVB342P
	Medium/Large	Medium/Large	Home Office/Huddle/Small	Huddle/Medium
	18X Hybrid Zoom	18X Hybrid Zoom	5X Digital	15X Total (3X Optical, 5X Digital)
	120°	113°	110°	92°
	170°	165°	ePTZ	Mechanical Pan 180°
	103°	101°	ePTZ	Mechanical Tilt 105°
	4K	4K	4K	4K
	✓	✓	✓	✓
	✓	✗	✓	✗
	✓	✓	✓	✓
	✓	✓	✗	✓
	✓	10	10	10
	✓	14	5	10
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	1	✓
	✗	✗	✓ (optional dongle)	✓ (optional dongle)
	✓	✓	✓	✓
	✗	✗	✗	✗
	✓	✓	✗	✓
	✓	✓	✓	✗
	✓	✓	✗	✓
	✗	✗	✓	✗
	✓	✓	✓	✓
	✗	✗	✓	✗
	3 year	3 year	3 year	3 year
	1 year	1 year	1 year	1 year

○ Video Conference Cameras ● Enterprise Video Collaboration Bar

Comparison Chart



	CP10 G2
Part Number	COMCP10G2
Room Type	Zoom Rooms Controller, Room Management, meeting scheduling, room control, easy Zoom Rooms integration
Display	10.1" capacitive touch; anti-fingerprint/antibacterial glass; 1920×1200, 16:10
Touch / Input	Capacitive 10-point touch; screen rotation (G-sensor)
Power / Consumption	PoE+ (single-cable power/data) or 12 V/2 A adapter; ~24 W consumption
Network / I-O	RJ-45 ×1 (PoE+), USB 2.0 Type-A ×1 (diagnostics / Wi-Fi)
Mount / Installation	Adjustable stand (tabletop); optional wall-mount kit; Kensington lock security slot
Operating Environment	Temp: 0°C–40°C; Storage: –20°C–60°C; Humidity: 20%–80%
Capabilities	Zoom Rooms Controller, Room Management, meeting scheduling, room control, easy Zoom Rooms integration
Dimensions	257.4 × 48.8 × 176.3 mm
Package Weight	~2.43 kg
Warranty	3 year
Advanced Replacement	1 year










	FONE540	FONE700
Part Number	COMFON540	COMFON700
Room Type	All Sizes	Small/Medium/Large
Microphone	2 Omnidirectional Microphones	3 units directional + 18 units omnidirectional microphones
Pickup Distance	✓	3.5m* (*depending upon speakerphone height)
Speakerphone	✗	✓
Acoustic Echo Cancellation (AEC)	✗	✓
Advanced Noise Reduction (NR)	✗	✓
Automatic Gain Control (AGC)	✗	✓
Double-Talk Detection	✗	✓
De-Reverberation	✗	✓
AI Noise Supparession	✗	✓
Voice Fencing	✗	✓
Audio Tracking	✗	Enabled with AVer USB camera
Bluetooth	✓	✓ (optional dongle)
Warranty	2 year	✗
Advanced Replacement	1 year	✗







Comparison Chart






		● MD331UI	● MD120UI	● MD330/MD330UI	● TR211
	Part Number	PAMD331UI	PAMD120UI	PAMD330U2	PATR211V3
PTZ Camera	Effective Picture Elements	8 Megapixels	8Megapixels	8 Megapixels	2 Megapixels
	Output Resolution	Resolution: 4K / 1080p / 720p; Frame Rates: 60 / 59.94 / 50 / 30 / 29.97 / 25	Resolutions: 4K / 1080p / 720p Frame Rates: 60 / 59.94 / 50 / 30 / 29.97 / 25	Resolution: 4K*/1080P/720P 60/59.94/50/30/29.97/25	Up to Full HD 1080P at 60fps
	Optical Zoom	30X	20X	30X	12X
	HFOV (Wide)~(Tele)	68.0° ~ 2.7°	62.3° ~ 3.6°	65.1° ~ 2.34°	70° ~ 6°
Camera	Pan/Tilt Rotation	Pan: ±170° Tilt: ±90°	Pan: ±170°, Tilt: +90° / -30°	Pan: ±170°, Tilt: +90° / -35°	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1° ~ 100°/sec	Pan: 0.1° ~ 100°/sec, Tilt: 0.1° ~100°/sec	Pan: 0.1° ~ 100°/sec, Tilt: 0.1° ~ 100°/ sec	0.1° ~ 100°/Sec
	Preset Speed	Pan: 200° / sec, Tilt: 200° / sec	Pan: 200° / sec, Tilt: 200° / sec	Pan: 200° / sec, Tilt: 200° / sec	200° / Sec
	Output Interface	HDMI, IP, USB	HDMI, IP, USB	HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG, YUY2	HDMI, IP, USB	HDMI, IP, USB	MJPEG
	UVC	UVC1.1	MJPEG	MJPEG, YUY2	UVC1.1
	UAC	UAC1.0	UVC1.1	UVC1.1	UAC1.0
	Control Interface	USB, IP	RS-232 / RS-422 / Ethernet	RS-232	RS232, RS-422, Ethernet
	Network Protocol	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP / RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP,VISCA over IP
	Control Protocol	USB, VISCA, CGI (IP)	VISCA (RS-232 / RS-422 / IP), CGI (IP)	VISCA (RS-232 / IP), PELCO-D & PELCO-P (RS-232), CGI (IP)	VISCA/PELCO-D (RS232/RS422/IP), CGI (IP)
Auto Tracking Functions		SmartFrame, Zone Tracking, Voice Tracking	AI Eye Tracking	Smart AI – SmartFrame	Wide Area, Stage, Segment, Voice Tracking
Package Contents		Camera, Remote Control, Power Adapter, Power Cord, USB 3.0 Type-A to B Cable, Quick Start Guide, L-Type Wall Mount, Ceiling Mount Bracket, AVer CL01 PTZ Camera Controller, AVer Wi-Fi Dongle	Camera, Drilling Paper, Mount, Guide, Cable Fixing Plate, M2 x 4 mm Screw(x3), Power Adapter&Cord, 1/4"-20 L=6.5 mm Screw(x2), Remote Control, M3 x 6 mm Screw(x3), USB Cable(Type-B)	Camera, Remote Control, Power Adapter, Power Cord, Screws (x2), USB Cable, Quick Start Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to DP9 Cable, RS232 In/Out Cable, Ceiling Mount(x2), Guide
Software		ViewCare Room Management	PTZ Management, PTZ Control Panel	PTZ Management	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+		PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	✗	PoE+(IEEE 802.3at)
NDI Protocol		✓	✗	✗	✓
SRT Protocol		✓	✗	✗	✗

○ Auto Tracking Cameras ● PTZ Cameras ● Medical PTZ Cameras







● TR615	● TR535N	● TR322	● TR315	● TR335
PATR615V1	PAT535NV3	PATR322V1	PATR315V3	PATR335V3/PTR335NV3
17.25 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels	8 Megapixels
Resolution: 4K*/1080P/1080i/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Up to Full HD 1080P at 60fps (4K via license, planned end of Q4 2026)	Resolution: 4K*/1080P/720P 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
19X	30X	22X	12X	30X
69.5° ~ 3.5°	62.3° ~ 2.5°	70.4° ~ 2.86°	70° ~ 6°	62.3° ~ 2.5°
Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
0.05° ~ 100°/Sec	0.1° ~ 100°/Sec	Pan: 0.1° ~ 100°/sec; Tilt: 0.05° ~ 100°/sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
200° / Sec	200° / Sec	Pan: 200° / sec, Tilt: 200° / sec	200° / Sec	200° / Sec
12G-SDI x2, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
MJPEG, YUY2	MJPEG	MJPG, YUY2	MJPEG	MJPEG
UVC 1.1	UVC1.1	UVC1.1	UVC1.1	UVC1.1
UAC 1.0	UAC1.0	UAC1.0	UAC1.0	UAC1.0
RS232, RS422, IP, USB	RS232, RS422, IP, USB	RS232, RS-422, Ethernet	RS232, RS422, Ethernet	RS232, RS422, Ethernet
IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP/RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP, ONVIF	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, HTTPS, DHCP, RTP/RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP/RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP, Onvif	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP	IPv4, TCP, UDP, ARP, IMCP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP
VISCA (RS-232 / RS-422 / IP), PELCO-D & PELCO-P (RS232 / RS-422), CGI (IP), USB, ONVIF	VISCA/Pelco-D(RS232/RS422), CGI(IP), USB, ONVIF	VISCA/ PELCO-P /PELCO-D (RS232/RS422/ IP), CGI (IP), USB	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Presenter, Zone, Voice, Hybrid Tracking	Presenter, Zone, Voice, Hybrid Tracking	Presenter, Zone, Hybrid, Framing	Presenter, Zone, Hybrid, Gesture Control	Presenter, Zone, Hybrid, Gesture Control
Camera, Control, RS-232 In/Out Cable, Din 8 To D-Sub 9 Cable, Power Adapter&Cord, Cable Tie(x7), M2x4mm Screws(x6), M3x6mm Screws(x3), 1/4"-20L 6.5mm Screws(x2), Cable Fixing Plate(x3), Mount(x2), Drilling Paper, Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Camera, Remote Control, RS-232 In/Out Cable, Din 8 To D-Sub 9 Cable, Power Adapter, Power Cord, Cable Tie (x4), M2 x 4 mm Screw (x3), M3 x 6 mm Screw (x3), 1/4""-20L 6.5mm Screw (x2), Cable Fixing Plate, Ceiling Mount Bracket (x2), Drilling Paper, Quick Start Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide	Remote Control, 12V Power Adapter, Power Cable, Din8 to D-Sub9 Cable, RS232 In/Out Cable, Mount(x2), Guide
Enterprise/ Room /Cloud Management , PTZ Control Panel, PTZ Link, CaptureShare	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	Room Management, CaptureShare, Enterprise Management, Cloud Management	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE++(IEEE 802.3bt)	PoE+(IEEE 802.3at)	PoE+ (IEEE802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
✓	✓	✓ (NDI HX3)	✓	✓
✓	✗	✓	✗	✗

Comparison Chart






		PTZ211	PTZ231	PTZ330UV2	PTZ310UV2
	Part Number	PTPTZ211W	PTPTZ231W	PTZ330UV2	PT310UNV2
PTZ Camera	Effective Picture Elements	2 Megapixels	2 Megapixels	8 Megapixels	8 Megapixels
	Output Resolution	Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25	Resolution: 4K*/1080P/720P Frame Rate: 60/59.94/50/30/29.97/25
	Optical Zoom	12X	30X	30X	12X
	HFOV (Wide)~(Tele)	62.3° ~ 2.5°	62.3° ~ 2.5°	62.3° ~ 2.5°	72.1° ~ 6.3°
Camera	Pan/Tilt Rotation	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)	Pan: -170° (Left), +170° (Right); Tilt: -30° (Down), +90° (Up)
	Pan/Tilt Speed	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec	0.1° ~ 100°/Sec
	Preset Speed	200° / Sec	200° / Sec	200° / Sec	200° / Sec
	Output Interface	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB	3G-SDI, HDMI, IP, USB
	USB Video Format	MJPEG, YUY2	MJPEG, YUY2	MJPEG, YUY2	MJPEG, YUY2
	UVC	UVC1.1	UVC1.1	UVC1.1	UVC1.1
	UAC	UAC1.0	UAC1.0	UAC1.0	UAC1.0
	Control Interface	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP	RS232, RS422, PELCO-P, IP
	Network Protocol	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, DHCP, RTP / RTCP, RTSP, RTMP, SRT, HLS, NDI, LLDP, VISCA over IP
	Control Protocol	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)	VISCA/Pelco-D(RS232/RS422/IP), CGI(IP)
Auto Tracking Functions		SmartFrame, SmartShoot(Zone Tracking), Voice Tracking	SmartFrame, Zone Tracking, Voice Tracking	SmartFrame, Zone Tracking, Voice Tracking	SmartFrame, Zone Tracking, Voice Tracking
Package Contents		Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable	Drilling Paper, Mount, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter & Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties, HDMI Cable	Drilling Paper, Ceiling Mount Bracket,, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter and Power Cord, Screws, Remote Control, DIN 8- D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties	Drilling Paper, Ceiling Mount Bracket, Quick Start Guide, Cable Fixing Plate, M2x4 mm Screws, Power Adapter and Power Cord, Screws, Remote Control, DIN 8 to D-Sub 9 Cable, RS-232 In/Out Y Cable, Cable Ties
Software		CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link	CaptureShare, PTZ Management, PTZ Control Panel, PTZ Link
PoE+		PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)	PoE+(IEEE 802.3at)
NDI Protocol		✗	✗	✗	✗
SRT Protocol		✓	✓	✓	✓

○ Auto Tracking Cameras ● PTZ Cameras ● Medical PTZ Cameras






	CL01	UE1	HUB30	NC30
Part Number	PTCAMCTRL	PAT0HUB30	PATUSBUE1	PATUSBUE1
Product Category	Professional PTZ Camera Controller	USB 3.0 / HDMI Extension Solution	4x2 BYOM Meeting Matrix Switcher	Pro AV Accessories / Extenders
Product Category	Pro AV Controllers	Pro AV Accessories / Extenders	Pro AV Collaboration Hubs	NDI converter
Primary Function	Remote hardware management & precision tracking control for up to 7 parallel channels	Extreme long-distance uncompressed 4K video & camera power extension over single CAT cable	Smart workspace convergence hub for dual-camera automated switching & BYOM connectivity	Bidirectional NDI encoder/decoder — converts HDMI to NDI or NDI to HDMI/USB-C for camera integration and distribution
Input Interfaces	1 x LAN (IP Control) 1 x RS-232 (D-Sub 9-pin) 1 x RS-422 (RJ45) 1 x RS-485	1 x USB 3.0 Type-B 1 x HDMI	4-Channel Multi-Format Input: USB-C (w/ DP Alt Mode) HDMI / DisplayPort Dual AVer Specialized Camera Inputs	1 x NDI HX PoE (RJ45), 1 x 3.5mm Audio In
Output Interfaces	Direct shortcut targeting for 7 physical devices (Scales up to 256 cameras via IP)	1 x LAN (Transmitting Hub Link) PoE++ Power Output Injection directly to camera	Dual Independent 4K HDMI Outputs Integrated Local Digital Signage playout terminal	1 x HDMI Out, 1 x USB-C
Max Resolution & Protocols	Control Protocols: VISCA, PELCO-D, PELCO-P	Up to 4K @ 60fps visually lossless	True Dual 4K Outputs with zero scaling latency	Encoder: HDMI/USB-C/NDI/RTSP up to 4K60. Decoder: up to 4x 1080p60 NDI streams or 1x 4K60; HDMI/USB-C output up to 4K60, RTSP capped at 720p30
AI & Automation Ecosystem	Manual joystick fine-tuning and physical preset recall buttons	Pure hardware-level transport layer (transparent to camera AI tracking)	Powered by ConnectAI engine: Smart Presenter Switching / Intelligent Dual-Camera Auto-Tracking	Decoder mode PTZ control panel with camera preset recall and drag-and-drop source switching; compatible with AVer tracking/PTZ camera lineup (TR and PTZ series)
Power Management & Charging	AC 100 - 240V to DC 12V / 2A	AC 100 - 240V to DC 54V / 1.2A Max Power: 65W (IEEE 802.3bt PoE++ compliant)	100W USB-C Power Delivery (PD) charging Integrated USB LAN Bridge connectivity	PoE or DC 12V input
Control & Management Methods	Ergonomic 3D Joystick, multi-function rotary knobs, OLED status screen	Plug-and-Play zero-driver deployment, Link/Power status LED indicators	Paired seamlessly with AVer CP10 G2 Touch Panel, customizable Central WebUI	Manual PTZ control and preset recall via web UI; no onboard AI/auto-tracking
Warranty	3-5 year	5 year	5 year	5 year

Comparison Chart





	MT300N	MT500
Part Number	PATMT300N	PAT0MT500
Core Platform	Embedded Linux on Quad Core ARM®	High-performance AI-powered Matrix Tracking Box
Video Inputs	3 x HDMI, IP, NDI® HX3, 3 x USB 2.0 Type-B	3 x HDMI® 2.0, 2 x USB 3.0 Type-A, IP (Up to 25 IP/USB sources)
Video Outputs	2 x HDMI (Mirrored), IP, 2 x USB 3.0 Type-A, NDI® HX2	2 x HDMI® 2.0 (Dual Independent), 2 x USB 3.0 Type-B, 2 x IP
Output Routing	Mirrored outputs	Dual Independent Outputs (Content 1: HDMI 1/USB 1/IP 1 Content 2: HDMI 2/USB 2/IP 2)
Max Resolution & Codecs	Decodes up to 1080p/60; Stream/HDMI outputs up to 2160p/60 (H.264, H.265, MJPEG)	Up to 4K @ 60fps across native capture, mixing, and independent dual streaming (H.264, H.265, MJPEG)
AV-over-IP Protocols	NDI® HX2, RTSP, RTMP, SRT, HLS	Dante® AV-H Ready, NDI® HX2, NDI® HX3, RTSP, RTMP, HLS
Audio Interfaces	USB Audio Class (UAC 1.0)	2 x XLR Balanced In, 1 x 3.5mm Mic/Line In, 1 x 3.5mm Out, Dante® Audio, Bi-directional UAC
Audio Capabilities	Pass-through / standard sync	8-Channel Matrix Mixer built-in
Voice Tracking & Software	PTZ Link Premium pre-installed (Supports up to 5 groups of cameras/mics)	PTZ Link Premium Built-in + Advanced AI Features (FaceFocus, IntelliSwitch, InstaConfig)
Layout Engine	Standard layout configuration via WebUI	6 Auto Layouts (PiP, Side-by-Side, Speaker, etc.) & 7 Manual Layouts (including Quad View)
Control & Management	VISCA (RS-422/IP), PELCO-D/P (RS-422), CGI (IP), Web UI	VISCA over IP, CGI, Web UI, On-device Buttons & 2-inch LCM Screen
Recording & Storage	No native local recording	Local Recording directly to USB Storage or Network Recording to NAS
Hardware / Interfaces	2 x RJ45 (LAN 1 with PoE+), 1 x RS-422 (RJ45), Power/ Reset buttons	1 x RJ45 (PoE++ IEEE 802.3bt Class 5), 1 x RS-422, 6-Pin Configurable GPIO, Volume Knob
Power Consumption	18W	23W
Warranty	5 year (Device) / 1 year (Accessories)	5 year (Device) / 1 year (Accessories)







	AmpliWave	AmpliWave Go	AmpliWave Lite
Part Number	AMPLISAA5	AMPLIGO	AMPLILITE
Operating Range	Up to ~1500 sq ft (≈140 m²)	Depends on existing speakers	Suitable for small classrooms; portable coverage
Audio Output Power	30 W RMS (15 W × 2 channels)	30 W RMS (15 W × 2 channels)	30 W RMS (Mono)
Wireless Microphone	✔(clip mic + dongle receiver)	✔(clip mic + dongle receiver)	✔(built-in wireless mic system)
Transmission Type	2.4 – 2.483 GHz, omni-directional mic	2.4 – 2.483 GHz, omni-directional mic	2.4 GHz, operating range 20 m / 65 ft
Frequency Response	Mic: 50 Hz–20 kHz; Speaker system: 88 Hz–25 kHz ±3 dB	Mic: 50 Hz–20 kHz	50 Hz–20 kHz
Power Input	DC 19V (Streaming Audio Box) + powered speakers	DC 19V (Streaming Audio Box)	AC 100–240V DC 19V / 3.42A
Battery	No internal battery	No internal battery	Built-in rechargeable Li-ion battery (8–10 hrs)
Connectivity / I/O	USB-C PC, USB-A, 3.5 mm mic in, 3.5 mm line in/out, speaker terminal, ALD out, Ethernet	Similar to AmpliWave	USB-C, USB-A, 3.5 mm mic in, 3.5 mm audio in/out, Bluetooth 5.4, ALD ou
Mounting / Installation	Wall-mount speakers + box	Works with existing classroom speakers	Portable / tripod / tabletop / carry handle
Best Use Case	Standard/Large classrooms full-room uniform audio	Classrooms with existing speakers; budget-friendly retrofit	Portable teaching, shared classrooms, temporary rooms
Extra Features	Anti-howling, mixed audio sources, Assistive Listening (ALD) support	Anti-howling, mixed audio, ALD support	Bluetooth audio, portable design, built-in mic charger
Warranty	5 year	5 year	5 year



Comparison Chart









	F50+	U50+	F17+	M11-8M	M11WB	M15W
Part Number	VISF50PLS	VISU50PLS	VISF17PLS	VISIM118M	VISIM11WB	VSIONM15W
Sensor (MP)	13	8	13	8	13	13
Wireless Connectivity	✗	✗	✗	✗	✓	✓
Digital Zoom	23X	16X	23X	20X	29X	23X
Optical Zoom	10X	N/A	N/A	N/A	N/A	N/A
Max Display Resolution	4208 x 3120 via USB	Up to 8M (3264 x 2448)	4K	3168 x 2376 via USB	4K	4K
Shooting Area	16.9" x 12.2"	Larger than A3 Landcape	23.82" x 15.95"	16.53" x 12.4"	Larger than A3 Landcape	16.77" x 12.32"
Max FPS	60 FPS	60 FPS	60 FPS	60 FPS	60 FPS	60 FPS
External Storage	SD/USB	✗	SD/USB	Micro SD/USB	✗	✗
USB to PC	USB -C	USB Mini	USB -C	USB -Mini	USB -C	USB -Mini
Built-in LED	✓	✓	✓	✓	✓	✓
Built-in Mic	✓	✓	✓	✓	✓	✓
Speaker Out	✓	✗	✓	✗	✗	✗
Onboard Recording	✓	✗	✓	✓	✗	✗
Onboard Annotation	✓	✗	✗	✓	✗	✗
HDMI	In/Out	✗	In/Out	Out	✗	Out
VGA	In/Out	✗	In/Out	✗	✗	✗
Onboard Camera Controls	✓	✓	✓	✓	✓	✓
Remote Control	✓	✗	✓	✗	✗	✗
Rechargeable Battery	✗	✗	✗	✗	✓ (removable)	✓
Warranty	5 year	2 year	5 year	3 year	3 year**	3 year**
Advanced Replacement	5 year	N/A	5 year	3 year	3 year	3 year
Free 2-way RMA Shipping	✓	✓	✓	✓	✓	✓

FlexArm Mechanical Arm Wireless



Comparison Chart









	X16	B30	X30i	E30p	E36cv	C36i+	X42i
Part Number	CHRGEX016	CHRGEB030	CHRGEX30i	CHRGEE30p	CHRGE36CV	CHRGC36i+	CHRGEX42i
Device Capacity	16	30	30	30	36	36	42
Supported Devices	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens	Laptops/Chromebooks/Tablets up to 15" screens
Slot Dimensions (W x D x H)	1.02" x 16.5" x 12"	0.95" x 14.74" x 10.2"	1.42" x 15.75" x 10.63"	1.26" x 14.96" x 10.24"	1.26" x 14.96" x 10.24"	1.42" x 14.96" x 10.24"	1.34" x 15.75" x 10.63"
Cart Dimensions (W x D x H)	24.18" x 19.03" x 17.63"	24.6" x 21.3" x 38.1"	25.06" x 25.12" x 42.13"	27.09" x 25.20" x 42.83"	27.09" x 25.20" x 42.83"	31.1" x 25.0" x 42.1"	30.57" x 25.12" x 42.13"
LED Indicator Lights	✗	✗	✓	✗	✗	✓	✓
Power Management	Standard Charging	Standard Charging	Adaptive Intelligent Charging	Smart Cycle Charging	Smart Cycle Charging	Adaptive Intelligent Charging	Adaptive Intelligent Charging
Cable Management (Organized Cabling System)	Adjustagble Clip in Dividers	Metal Clips	Adjustagble Clip in Dividers	Metal Clips	Metal Clips	Adjustagble Clip in Dividers	Adjustagble Clip in Dividers
Individual AC Adapter Compartments	✗	✗	✓	✓	✓	✓	✓
Shelves	Fixed	Fixed	Fixed	Fixed	Fixed	Sliding	Fixed
Net Weight	57.54lbs	88 lbs	134 lbs	129.6 lbs	132.28 lbs	176 lbs	154 lbs
External Power Outlets	0	0	2	0	0	2	2
Slot Divider Type	Adjustable	Fixed	Adjustable	Fixed	Fixed	Adjustable	Adjustable
Warranty (Mechanical/Electrical)	10 year / 5 year	10 year / 5 year	10 year / 5 year	10 year / 5 year	10 year / 5 year	10 year / 5 year	10 year / 5 year
3D View QR Code							

Small (16 devices) Medium (30 devices) Large (36-42 devices)





To learn more, visit **averusa.com**

AVer Information Inc. Americas averusa.com. 44061 Nobel Drive, Fremont, CA 94538 Toll Free 1.877.528.7824

©2026 by AVer Information Inc. All rights reserved. All products and features are subject to change. All brand names and logos are trademarks of their respective companies.



Youtube: /averusa
Facebook: AVerProAV
Twitter: @AVerProAV
Linkedin: AVerUSA