



# HP LaserJet Enterprise 6500n (A29ZBA)

## Overview



### The ultimate A4 enterprise printer for large teams

Simplify document workflows with blazing-fast speeds and customizable features. Seamlessly integrates with your existing fleet, scales for the future, and delivers industry-leading security to safeguard your data.

### Get the power to be more productive

Save time with fast printer wake-up and print speeds up to 57 ppm to power through your tasks.[2]

### Protect what matters with the most secure printer[1]

Keep your work protected—HP Wolf silently detects and repairs your printer from cyberattacks.[1]

### Simplify work with automated workflows

Wherever you are in your digital transformation, find the perfect fit—on-premises or cloud, tailored to you.

### Save energy and help reduce waste

Reduce costs and environmental impact with printers and toner cartridges that use less energy.[7]

## Features



Save time and deliver print projects quickly with speeds up to 57 ppm.[2]



Easily connect your printer via reliable Ethernet or Hi-Speed USB.



Protect your network with quantum-resistant security against cyberthreats.[6]



HP Security Manager enforces policies and monitors your fleet.[4]



Keep your business ahead—this printer evolves with updates and new features.[3]



Easily deploy and integrate HP and third-party solutions with OXPd.

---

*[1] HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of published features as of June 2025 of competitive in-class printers. Only HP offers a combination of security features to automatically detect, isolate, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. Printers are most vulnerable to attack when they are booting up and during runtime (when the printer is in sleep mode and in use). Only HP Enterprise printers protect the device during 100% of the printer's life with Sure Start BIOS protection, Memory Shield with hardware-based Runtime Intrusion Detection and Control Flow Integrity to detect and recover from zero-day threats in addition to Connection Inspector network behavioral anomaly detection all with self-healing recovery. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect) For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims).*

*[2] Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.*

*[7] Energy reduction in HP LaserJet Enterprise 6500-6501 and 6600 with HP Original 160 TerraJet Toner Cartridges compared to predecessor HP LaserJet Enterprise M610 and M634 with HP Original 147 Toner Cartridges. Calculated in 2026 based on normalized Energy Star® Typical Electricity Consumption (TEC) data. See [hp.com/TerraJet/energysaving](http://hp.com/TerraJet/energysaving) for more information.*

## Specifications

|                                          |                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Print Resolution Technologies</b>     | Normal (600 x 600 dpi with FastRes), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi)                                                                                                                                                                                                                      |
| <b>Print quality black (best)</b>        | Up to 1200 x 1200 dpi                                                                                                                                                                                                                                                                                             |
| <b>Print speed black (ISO, A4)</b>       | Up to 55 ppm                                                                                                                                                                                                                                                                                                      |
| <b>Print speed black (ISO, letter)</b>   | Up to 57 ppm                                                                                                                                                                                                                                                                                                      |
| <b>Print speed</b>                       | Print speed up to 57 ppm (black)                                                                                                                                                                                                                                                                                  |
| <b>Bottom margin (A4)</b>                | 4.23 mm                                                                                                                                                                                                                                                                                                           |
| <b>Left margin (A4)</b>                  | 4.23 mm                                                                                                                                                                                                                                                                                                           |
| <b>Right margin (A4)</b>                 | 4.23 mm                                                                                                                                                                                                                                                                                                           |
| <b>Top margin (A4)</b>                   | 4.23 mm                                                                                                                                                                                                                                                                                                           |
| <b>Functions</b>                         | Print                                                                                                                                                                                                                                                                                                             |
| <b>Duplex printing</b>                   | Manual (driver support provided)                                                                                                                                                                                                                                                                                  |
| <b>Duty cycle (monthly, A4)</b>          | Up to 225,000 pages                                                                                                                                                                                                                                                                                               |
| <b>Duty cycle (monthly, letter)</b>      | Up to 225,000 pages <sup>[7]</sup>                                                                                                                                                                                                                                                                                |
| <b>Printer smart software features</b>   | Print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs                                                                                                                                                                                                           |
| <b>Energy savings feature technology</b> | HP Auto-Off Technology; Instant-on Technology; Low-power sleep mode; Power save; TerraJet Toner                                                                                                                                                                                                                   |
| <b>Replacement cartridges</b>            | HP 160A Black Original LaserJet Toner Cartridge (10,500 pages) W1600A; HP 160Y Black Original LaserJet Toner Cartridge (~38,000 pages) W1600Y. [12]                                                                                                                                                               |
| <b>Supplies feature</b>                  | HP TerraJet Cartridge                                                                                                                                                                                                                                                                                             |
| <b>Connectivity, standard</b>            | 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host)                                                                                                                                                        |
| <b>Connectivity, optional</b>            | HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A; HP Jetdirect LAN Accessory 8FP31A                                                                                                                                                                                                                  |
| <b>Network capabilities</b>              | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); WiFi 2.4/5 GHz wireless networking (optional); Second Ethernet port (optional); Microsoft Universal Print (MUP) support |
| <b>Wireless capability</b>               | Optional, with wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A.                                                                                                                               |
| <b>Mobile printing capability</b>        | Apple AirPrint™; Mopria™ certified                                                                                                                                                                                                                                                                                |

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Network protocols, supported</b>  | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Software included</b>             | No software solutions are included in the Box only on <a href="http://support.hp.com">http://support.hp.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Compatible Operating Systems</b>  | Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: ManjaroLinux 20.2; Linux: ManjaroLinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS <sup>[14]</sup><br><i>([14] Citrix Server versions updates release every quarter, for updates see <a href="https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/">https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/</a>; Citrix XenApp &amp; XenDesktop versions updates release every quarter, for updates see <a href="https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/">https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/</a>; Citrix Ready Kit Certification - see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> for the latest qualification for HP Printers;)</i> |
| <b>Technical features</b>            | Network printing; Fast first page out; HP Auto-on/Auto-off; TerraJet Toner                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Sustainability specifications</b> | Recyclable through HP Planet Partners; Contains at least 5% post-consumer recycled plastic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Energy star certified</b>         | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Ecolabels</b>                     | IT ECO Declaration; CECP; SEPA; KOECO; Korea MEPS; Vietnam MEPS; Conforms to ecolabel energy efficiency limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Blue Angel compliant</b>          | No, please refer to the ECI (Ecolabel Comparison Information) document                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Display area (imperial)</b>       | 2.13 x 1.59 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Display area (metric)</b>         | 54 x 40.5 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Display</b>                       | 2.7-in (6.86 cm) Non-touch QVGA LCD (color graphics) display                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Dimensions (W x D x H)</b>        | 400 x 400 x 340 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Dimensions (W x D x H)</b>        | 15.7 x 15.7 x 13.4 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Weight</b>                        | ~12.8 kg <sup>[3]</sup><br><i>([3] With print cartridges)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Weight</b>                        | ~28.2 lb<br><i>([3] With print cartridges)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Power consumption</b>             | 760 watts (Printing), 7.5 watts (Ready), 0.93 watts (Sleep), 0.05 watts (Auto-Off), 0.05 watts (Off) <sup>[9]</sup><br><i>([9] Power consumption values based on measurement of 115V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Power supply type</b>             | Built-in 3-Pin 115V or 220V Internal Power Supply                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

**What's in the box**

HP LaserJet Enterprise 6500n Printer; HP Black Original LaserJet Toner Cartridge (~10K yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.

**Manufacturer Warranty**

One-year, onsite warranty service. Warranty and support options vary by product, country and local legal requirements. Go to [hp.com/support](http://hp.com/support) to learn about HP award winning service and support options in your region. (warranty code 4G; warranty ID A001)

## Additional specifications

|                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acoustic power emissions (active, printing)</b>              | 6.8 B(A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Acoustic power emissions (ready)</b>                         | 3.2 B(A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Acoustic power note</b>                                      | [1] Acoustic values are subject to change. For current information see <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Noise measured during printing mono simplex A4 at 56 ppm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Acoustic pressure emissions bystander (active, printing)</b> | 56 dB(A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Acoustic pressure emissions bystander (ready)</b>            | Inaudible                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Additional information about HP</b>                          | <a href="http://www.hp.com">http://www.hp.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Additional information about HP in the countries</b>         | <a href="http://www.hp.com/uk">http://www.hp.com/uk</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Automatic paper sensor</b>                                   | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Blue Angel footnote</b>                                      | [11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ENERGY STAR value typically based on measurement of 115V device and 230V for Blue Angel.                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Cable included</b>                                           | No, please purchase (USB) cable separately                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Capacity</b>                                                 | 8 GB eMMC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Cartons per layer</b>                                        | 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Certifications and compliances</b>                           | UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.                                                                                                                                                                                               |
| <b>Color or black</b>                                           | Black and white                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Compatible Network Operating Systems</b>                     | Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; Windows Server 2025 64-bit; Citrix; SAP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Control panel</b>                                            | 2.7-in (6.86 cm) Non-touch QVGA LCD (color graphics) display with 24-key pad                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Count of layers in pallet</b>                                | 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Downloadable software</b>                                    | [13] Product Documentation and Support; HP Mac OS Print Driver; HP Easy Admin ; HP Universal Fax Driver; HP Universal Scan Solution; Printer Administrator Resource Kit (Driver Configuration; HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; SAP Print Drivers for more information; HP JetAdvantage Security Manager; HP Command Center; Chrome Extension; Available on <a href="https://support.hp.com">https://support.hp.com</a> unless noted; HP Insights (WXP); HP WebJetAdmin; HP Workpath HPLIP Linux Printer Driver for more information see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> ; HPX; |

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Driver updates</b>                       | Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a>                                                                                                                                                                                                                                                                                                                                                |
| <b>Duty cycle note</b>                      | [7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.                                                                                                                                                                                      |
| <b>Dynamic security</b>                     | Dynamic security enabled printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Ecolabels footnote</b>                   | [2] EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.                                                                                                                                                                                                                                                                      |
| <b>Electromagnetic compatibility</b>        | CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.                                                                                                                                              |
| <b>Envelope Feeder</b>                      | Yes, 50 (optional)[15]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>FCC Class A emissions</b>                | FCC Class A emissions - for use in commercial environments, not residential environments                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Finished output handling</b>             | Sheet feed; Main Tray: Stacking                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>First page out black (A4, ready)</b>     | As fast as 3.9 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>First page out black (A4, sleep)</b>     | As fast as 8.1 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>First page out black (letter, ready)</b> | As fast as 3.7 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>First page out black (letter, sleep)</b> | As fast as 8.0 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>First page out footnote</b>              | [6] Device first page out time based on HP internal measurement of printer activation until page exit. Measurement based on industry-standard ISO/IEC 17629 can be found at <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.                                                                                                                                 |
| <b>Fonts and typefaces</b>                  | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation information available in the user guide and documentation for this printer model at <a href="http://www.hp.com/support">http://www.hp.com/support</a> . |
| <b>Input capacity</b>                       | Up to 650 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Internal Storage</b>                     | Standard, 8 GB eMMC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Mac compatible</b>                       | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Maximum Memory</b>                       | 2 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Maximum dimensions (W x D x H)</b>       | 400 x 725 x 340 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Maximum dimensions (W x D x H)</b>       | 15.7 x 28.5 x 13.4 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Maximum input capacity (sheets)</b>      | Up to 2850 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Maximum output capacity (sheets)</b>     | Up to 500 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Maximum print area</b>              | 212 x 352 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Media size, tray 1</b>              | A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340); 16K; postcards (JIS single and double); envelopes (B5, C5, C6, DL); 76 x 127 to 216 x 356 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Media size, tray 2</b>              | A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 216 x 356 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Media size, tray 3</b>              | Standard Optional Paper Feeder: A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: Envelopes; 98 x 162 to 178 x 254 mm                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Media sizes supported</b>           | 100-sheet multipurpose Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS), Envelope: B5, C5, C6, DL; 550-sheet input Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); 550-sheet optional feeder: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); Envelope Feeder Accessory: B5, C5, C6, DL |
| <b>Media sizes supported</b>           | Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Envelope Feeder Accessory: No. 9, No. 10, Monarch                                                                                                                                                                                                                                                             |
| <b>Media sizes supported, key</b>      | 4 x 6 in; Letter; Legal; Envelopes; 3 x 5 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Media sizes supported, key</b>      | A4; Envelopes; A5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Media sizes, custom</b>             | Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet Tray: 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: 98 x 162 to 178 x 254 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Media sizes, custom</b>             | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in; Envelope Feeder Accessory: 3.86 x 6.38 to 7 x 10 in                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Media type and capacity, tray 1</b> | Sheets: 100; Envelopes: 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Media type and capacity, tray 2</b> | Sheets: 550 Labels: Up to 500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Media type and capacity, tray 3</b> | Sheets: 550; Envelope Accessory Tray: 50 Envelopes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Media types</b>                     | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Media weight (tray 1)</b>           | 60 to 200 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Media weight (tray 2)</b>           | 60 to 120 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Media weight (tray 3)</b>           | 60 to 120 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Media weight, supported</b>         | Feeder 1: 60 to 200 g/m <sup>2</sup> ; Feeder 2: 60 to 120 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Media weight, supported</b>         | Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); Feeder 2: 16 to 32 lb bond (plain)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Memory</b>                          | 2 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Minimum System Requirements</b>     | 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                                                  |                                                                                                                                            |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Minimum System Requirements for Macintosh</b> | 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com |
| <b>Model number</b>                              | 6500N/DN                                                                                                                                   |
| <b>Number of users</b>                           | 10-30 Users                                                                                                                                |
| <b>Operating humidity range</b>                  | 10 to 80% RH                                                                                                                               |
| <b>Operating temperature range</b>               | 10 to 32.5°C                                                                                                                               |
| <b>Operating temperature range</b>               | 50 to 91°F                                                                                                                                 |
| <b>Orderable supplies</b>                        | HP LaserJet Transfer Roller Kit C35T5A; HP LaserJet Tray Roller Kit C35T6A                                                                 |
| <b>Output capacity</b>                           | Up to 500 sheets                                                                                                                           |
| <b>Package dimensions (W x D x H)</b>            | 493 x 565 x 442 mm                                                                                                                         |
| <b>Package dimensions (W x D x H)</b>            | 19.41 x 22.24 x 17.4 in                                                                                                                    |
| <b>Package weight</b>                            | 17.7 kg                                                                                                                                    |
| <b>Package weight</b>                            | 39.02 lb                                                                                                                                   |
| <b>Page yield (set-up/inbox cartridges)</b>      | ~10,000 pages black                                                                                                                        |
| <b>Pallet dimensions</b>                         | 47.24 x 39.37 x 92.36 in                                                                                                                   |
| <b>Pallet dimensions (W x D x H)</b>             | 1200 x 1000 x 2346                                                                                                                         |
| <b>Pallet weight</b>                             | 815.71 lb                                                                                                                                  |
| <b>Pallet weight</b>                             | 370 kg                                                                                                                                     |
| <b>Paper handling input, optional</b>            | Optional 1 x 550-sheet paper feeder, 1 x 550-sheet feeder with cabinet, optional 3 x 550-sheet feeder, optional envelope feeder kit        |
| <b>Paper handling input, standard</b>            | 100-sheet multipurpose feeder, 550-sheet input feeder                                                                                      |
| <b>Paper handling output, standard</b>           | 500 sheet output bin                                                                                                                       |
| <b>Paper trays, maximum</b>                      | 6 [16]                                                                                                                                     |
| <b>Paper trays, standard</b>                     | 2                                                                                                                                          |
| <b>Photo (product photo, jpg, 70x100)</b>        | Printing and Digital Imaging/CB515A_70x100.jpg                                                                                             |
| <b>Power</b>                                     | Input Voltage: 100V - 127V AC, 50 - 60Hz, 9.7A; or Input Voltage: 220V - 240V AC, 50 - 60Hz, 5.0A                                          |
| <b>Print Cartridges/Bottle, Number</b>           | 1 (black)                                                                                                                                  |
| <b>Print Technology</b>                          | Laser                                                                                                                                      |
| <b>Print colors</b>                              | No                                                                                                                                         |
| <b>Print languages</b>                           | HP PCL 6, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™                                                    |
| <b>Print quality black (normal)</b>              | Up to 600 x 600 dpi                                                                                                                        |
| <b>Print resolution black (fine lines)</b>       | Up to 1200 x 1200 dpi                                                                                                                      |
| <b>Print speed black (Landscape, A5)</b>         | Up to 83 ppm                                                                                                                               |
| <b>Print speed black (Portrait, A5)</b>          | Up to 5 ppm                                                                                                                                |

**Print speed footnote (A5)**

[5] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

**Print speed footnote number (A5)**

[5]

**Print technology**

Laser

**Printer Management**

HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP Security Manager; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility)

**Processor speed**

Dual Core (1.4 GHz)

**Product long name specifications**

HP LaserJet Enterprise 6500n, Black and white Printer for Business, Print, Optional high-capacity trays; TerraJet cartridge

**Product short name specifications**

HP LaserJet Enterprise 6500N/DN Black and white Printer

**Quantity per pallet**

20

**RMN number**

BOISB-2402-00

**Recommended monthly page volume**

3,750 to 18,750<sup>[8]</sup>

**Recommended monthly page volume note**

[8] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 12 months of output for the higher monthly value.

**Recommended operating humidity range**

30 to 70% RH

**Recommended operating temperature range**

15 to 27°C

**Recommended operating temperature range**

59 to 80.6°F

**Replacement cartridges footnote**

[12] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

**Safety**

IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN 62368-1:2020 +A11:2020; EN 60825-1:2014 +A11:2021/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 3rd Ed. 2021-10-22, CSA C22.2 No. 62368-1-19, 3rd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.

## Security management

Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers, HP Authentication Suite with Workpath); Protected Access (embedded) end user passwordless MFA for Microsoft® Entra ID; Proximity card reader, single sign-on, smart card, CAC support. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft®); Secure Erase with job storage (3x overwrite for HDD, cryptographic erase for SSD); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; AI-enabled Guided Redaction data security (select models). Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); HP LaserJet Workflow Accelerator Card support (select HP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Governance, and Compliance: FIPS 140-2, 140-3, Common Criteria Certification; HP Workpath support (select models); NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models); Original HP Enterprise Cartridge Security.

|                                           |                                                                    |
|-------------------------------------------|--------------------------------------------------------------------|
| Segment (filter)                          | Business                                                           |
| Standard input capacity (envelopes)       | Up to 10                                                           |
| Standard media sizes (duplex)             | A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5; Oficio |
| Standard media sizes (duplex, imperial)   | Letter; Legal; Executive; Folio                                    |
| Standard output capacity (envelopes)      | Up to 75 envelopes                                                 |
| Standard output capacity (transparencies) | Up to 200 sheets                                                   |
| Storage                                   | 8 GB eMMC                                                          |
| Storage temperature range                 | -20 to 40°C                                                        |
| Storage temperature range                 | -4 to 104°F                                                        |

|                                                       |                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Table glance specification</b>                     | 6C7M6A HP LaserJet 550-sheet Paper Tray ; B01KLA HP LaserJet 3x550 Sheet Paper Tray with Stand ; B01KTA HP LaserJet 550 Sheet Paper Tray with Storage Stand ; B01KSA HP LaserJet Envelope Feeder Kit ; 9R1U0A HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory ; X3D03B HP USB Universal Card Reader ; C3ZL8A HP JetDirect 3200w Wifi 6/Expander Accessory ; |
| <b>Target user and print volume</b>                   | For teams over 25 users; Prints up to 17,000 pages/month                                                                                                                                                                                                                                                                                                           |
| <b>Tariff numbers</b>                                 | (AMS) 8443321010; (EU) 8443321000; (AP) 84433239                                                                                                                                                                                                                                                                                                                   |
| <b>Top key features</b>                               | Optional high-capacity trays; TerraJet cartridge                                                                                                                                                                                                                                                                                                                   |
| <b>Typical electricity consumption (TEC) footnote</b> | [10] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).                                                                                                                                                                                                        |
| <b>Typical electricity consumption (TEC) number</b>   | 0.528 kWh/Week (Blue Angel); 0.621 kWh/Week (ENERGY STAR 3.0) <sup>[10]</sup>                                                                                                                                                                                                                                                                                      |
| <b>UNSPSC code</b>                                    | 43212105                                                                                                                                                                                                                                                                                                                                                           |
| <b>UPC number</b>                                     | 198828142825                                                                                                                                                                                                                                                                                                                                                       |
| <b>Warm-up time</b>                                   | As fast as 133 sec                                                                                                                                                                                                                                                                                                                                                 |
| <b>Warranty</b>                                       | Warranty is valid until the genuine HP toner is depleted as indicated by the printer, or the end of warranty date is reached, whichever occurs first.                                                                                                                                                                                                              |
| <b>Waste electrical and electronic weight</b>         | 12.0 kg                                                                                                                                                                                                                                                                                                                                                            |

[3] With print cartridges

[7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[8] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 12 months of output for the higher monthly value.

[9] Power consumption values based on measurement of 115V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[10] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[12] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[14] Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers;

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

|                                                                                           |          |
|-------------------------------------------------------------------------------------------|----------|
| HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 6500 6501     | UP9M3E ★ |
| HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise 6500 6501               | UP9N9E ★ |
| HP 1 year Post Warranty 4 hour Onsite with DMR Service for LaserJet Enterprise 6500 6501  | UP9N4PE  |
| HP 1 year Post Warranty NBD Onsite with DMR Service for LaserJet Enterprise 6500 6501     | UP9M6PE  |
| HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise 6500 6501 | UP9P2PE  |
| HP 3 year 4 hour Onsite with DMR Service for LaserJet Enterprise 6500 6501                | UP9N1E   |
| HP 4 year 4 hour Onsite with DMR Service for LaserJet Enterprise 6500 6501                | UP9N2E   |
| HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 6500 6501     | UP9M4E   |
| HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise 6500 6501               | UP9P0E   |
| HP 5 year 4 hour Onsite with DMR Service for LaserJet Enterprise 6500 6501                | UP9N3E   |
| HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise 6500 6501     | UP9M5E   |
| HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise 6500 6501               | UP9P1E   |
| HP Installation Service with network configuration for Workgroup Printer (1 unit)         | U9JT2E   |

#### Print Security Solutions

|                                                         |        |
|---------------------------------------------------------|--------|
| HP HID Mobile Access BLE MIFARE Card Reader             | 35H11B |
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A |
| HP Keystroke Card Reader                                | Y7C05B |
| HP Universal Card Reader                                | X3D03B |

#### Print Management Software Solutions - Security

|                              |        |
|------------------------------|--------|
| HP Legic Secure USB Reader   | 4QL32A |
| HP USB Universal Card Reader | X3D03A |

HP Laser Toner Cartridges and Kits

★ : Recommended

HP TerraJet Toner Cartridges

|                                                 |        |
|-------------------------------------------------|--------|
| HP 160A Black Original LaserJet Toner Cartridge | W1600A |
| HP 160Y Black Original LaserJet Toner Cartridge | W1600Y |

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

|                                                                  |          |
|------------------------------------------------------------------|----------|
| HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets  | HPM1720P |
| HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets | HPM1120R |
| HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets | HPM1420P |

## Accessories

### Accessory Bundles

★ : Recommended

#### Printer Accessibility Accessories

|                             |        |
|-----------------------------|--------|
| HP Accessibility Kit        | 2TD64A |
| HP Printing Voice Assistant | 478C2A |

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

|                              |        |
|------------------------------|--------|
| HP Foreign Interface Harness | B5L31A |
|------------------------------|--------|

### Printer Accessories

#### LaserJet Options

|                                                        |        |
|--------------------------------------------------------|--------|
| HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory | 9R1U0A |
|--------------------------------------------------------|--------|

### Network Print Servers

#### Internal Print Servers

|                            |        |
|----------------------------|--------|
| HP Jetdirect LAN Accessory | 8FP31A |
|----------------------------|--------|

### Security and Protection

#### Smart Cards and SmartCard Readers

|                                                 |        |
|-------------------------------------------------|--------|
| HP SmartCard NIPRNet Solution for US Government | CC543B |
| HP SmartCard SIPRNet Solution for US Government | F8B30A |

---

## Disclaimer — Copyright

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.