

APC Back-UPS Pro External Battery Pack

BR24BPG

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Product or Component Type	Battery backup
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	User Manual
Range of Product	Back-UPS Pro

Batteries & Runtime

Device mounting	Stand alone battery stack
Battery life	46 year(s)
Battery Voltage	24 V
Battery Capacity	18 Ah
Included Battery Modules	2
Battery Slots Empty	0
RBC Quantity	1
battery power in VAh	372 VAh

Physical

Color	Black	
Height	11.85 in (30.1 cm)	
Width	4.41 in (11.2 cm)	
Depth	15.04 in (38.2 cm)	
Net Weight	29.5 lb(US) (13.4 kg)	
USB compatible	No	

Conformance

Product Certifications TÜV

Environmental

Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	
Ambient air temperature for operation	32104 °F (040 °C)	
Operating altitude	030000 ft	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS	
Discount Schedule	APC1	
GTIN	731304268789	
Returnability	No	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	15.75 in (40.000 cm)	
Package 1 Width	9.45 in (24.000 cm)	
Package 1 Length	19.33 in (49.100 cm)	
Package 1 Weight	32.119 lb(US) (14.569 kg)	
Unit Type of Package 2	P06	
Number of Units in Package 2	3	
Package 2 Height	20.47 in (52.000 cm)	
Package 2 Width	23.62 in (60.000 cm)	
Package 2 Length	31.50 in (80.000 cm)	
Package 2 Weight	111.790 lb(US) (50.707 kg)	
SCC14	10731304268786	

Contractual warranty

warranty 3 years repair or replace	Warranty	3 years repair or replace
------------------------------------	----------	---------------------------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	67
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes