

Product data sheet

Specifications



APC KVM USB Cable - 12 ft (3.6 m)

AP5257

Overview

Lead time Usually in Stock

Main

Number of rack unit 0U
Cable length 11.98 ft (3.65 m)
Product Compatibility KVM Switch

Physical

Color Black
Height 0.2 in (6 mm)
Width 0.2 in (6 mm)
Depth 0.2 in (6 mm)
Net Weight 0.24 lb(US) (0.11 kg)
Mounting Support Hidden
Mounting Mode Rack-mounted
Connector B USB 2.0 type A male
Connector A SUB-D 15HD male VGA Monitor

Output

Number of port 0

Ordering and shipping details

GTIN 731304221326

Packing Units

Unit Type of Package 1 PCE
Nbr. of units in pkg. 1
Package 1 Height 2.008 in (5.1 cm)
Package 1 Width 6.5 in (16.5 cm)
Package 1 Length 0.5 in (1.3 cm)
Package weight(Lbs) 0.99 lb(US) (0.45 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	2 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.